



A2EX-VX

Ex db IIC, Ex eb IIC, Ex ta IIIC, Ex nR IIC

VORTE✓ BARRIER COMPRESSION GLAND for Unfilled Unarmoured Cable

Features and Benefits

- For indoor, outdoor, Group II, III, Zone 1, 2, 20, 21 and 22 hazardous areas. For unfilled hygroscopic multicore cables refer to IEC 60079-14; 9.3.2 and 10.6.2a, IEC 61892-7, 10.6 and 10.7.
- Instantly mixed and injected Resin forms a 100% barrier seal around the individual cores of the cable.
- Prevents explosive gases and/or liquids transmitting down cable.
- Precision manufactured from high-quality brass (Marine Grade Electroless Nickel Plated™) available in
- aluminium or stainless steel 316/316L on request.
- Supplied with a thread sealing gasket (parallel threads only).







Technical Data

A2EX-VX (VORTEx®)

Gland Material:

Brass (Marine Grade Electroless Nickel Plated™), Aluminium,

Stainless Steel 316/316L

Seal Material: Standard Thermoset Elastomer or Extreme Temperature Seals,

Quick setting Barrier Resin Sealing Gasket Material: HDPE, Nylon 66 or PTFE

Cable Type: Unarmoured

Outer Sheath and VORTEx® Resin around Cable Conductors Sealing Area:

Optional Accessories:

Adaptor, Reducer, Earth Tag, Locknut, Serrated Washer and Shroud The installer should ensure that the materials are suitable for the installation

Standards and Certifications

IECEX/INMETRO: Ex db IIC Gb, Ex eb IIC Gb, Ex nR IIC Gc, Ex ta IIIC Da ATEX/UKEX: & II 2/3G 1D, Ex db IIC Gb, Ex eb IIC Gb, Ex ta IIIC Da, Ex nR IIC Gc **Equipment Protection Levels**

TR CU: 1 1Ex d IIC Gb X / 1Ex e IIC Gb X / 2Ex nR IIC Gc X / Ex tb IIIC Db X

50°C to +95°C

Continuous Operating Temp:

Conformance Standard: IEC/BS EN 62444, 6121 IEC 60079 Part 0, 1, 7, 15, 31 EN 60079 Part 0, 1, 7, 31 IEC/BS EN **IFCFx ATEX** EN 60079 Part 0, 15 **UKEX** BS EN 60079 Part 0, 1, 7, 31

BS EN 60079 Part 0, 15 ABNT NBR IEC 60079 Part 0, 1, 7, 15, 31 FOCT 31610-0, 15, FOCT IEC 60079-1 INMETRO (Brazil) TR CU (Russia) ГОСТ Р МЭК 60079-7, 31

Notification of Ministry of Labour No.2013-5416-AV4BO-0238-41X KCs (Korean)

CNEx (Chinese) GB 3836.1, GB3936.2, GB3836.3 GB12476.1, CNEx 21.3386X

GB12476.5 SANS/IEC 60079 Part 0, 1, 7, 15, 31

IP66/68 100m - Parallel IEC 60529 IP65 - Tapered IEC 60529 IP68 - Tapered and approved grease IEC 60529

Deluge Protection DTS-01 ASTM B117-11, BS EN ISO 3231 IEC 60079 Part 0, 1, 7, 15, 31, IEC 60529 IEC/EN 60079 Part 0, 1, 7, 15, 31 Corrosion Protection Marine ABS DNV-GL

EMC Compatible EN 55011, + A1, EN 55022

M130x2.0

Certificate:

CML 14CA364 IECEX CML 18.0018X CML 16ATEX1001X CML 16ATEX4002X CML 21UKEX1011X CML 21UKEX4006X TÜV 15.0483X


EA9C RU C-ZA.HA91.B.00245/21

CNEX_CCC 2021312313000395 MASC MS/22-9001X


CML 15Y728

IECEx CML 18.0018X CML 14CA370-2 EXOVA N968667 ABS 20-1952706-1-PDA DNV-GL TAE0000010

SGS EMC305079/1



70.0



- The cable glands shall only be used where the temperature, at the point of entry, is between -50°C and +95°C.

 The cable glands may only be used on fixed installations where the cable is clamped or stress applied to the cable in the gland is prevented. Only Resin supplied by CCG may be used in the glands. 											PATENTED			
Product Code	Gland Size Reference	Metric Entry Thread		NPT Entry Thread		Cable Detail		Max	Max Dia.	Max	Hexagonal Detail		Install.	
		,C,	Min 'D'	,C,	Min 'D'	Min 'B'	Max 'B'	Length 'E'	ngth	No. of Cores	Max 'Flats'	Max 'Crns'	Torque Value Nm	
056400-16-VX	00-16ss	M16x1.5	15	-	-	3.0	8.5	25.0	8.0	6	24.0	27.0	32.5	
056400-VX	00-20ss	M20x1.5	15	1/2/3/4	15	3.0	8.5	25.0	10.9	10	24.0	27.0	32.5	
0564-0-VX	0-20s	M20x1.5	15	1/2/3/4	15	7.0	12.0	25.0	10.9	10	24.0	27.0	32.5	
056401-VX	1-20	M20x1.5	15	1/2/3/4	15	11.0	15.0	30.0	12.5	13	27.0	30.0	32.5	
056422-VX	2s-25s	M25x1.5	15	3/4/1	15/19	11.5	17.5	30.0	15.5	20	35.0	39.0	47.5	
056402-VX	2-25	M25x1.5	15	3/4/1	15/19	15.0	20.0	30.0	15.5	20	35.0	39.0	47.5	
056433-VX	3s-32s	M32x1.5	15	1/11/4	19	16.0	22.0	30.0	21.7	40	42.0	47.0	55.0	
056403-VX	3-32	M32x1.5	15	1/11/4	19	20.0	26.5	30.0	21.7	40	42.0	47.0	55.0	
056444-VX	4s-40s	M40x1.5	15	11/4/11/2	19/21	22.0	31.5	38.0	30.0	60	52.0	59.0	65.0	
056404-VX	4-40	M40x1.5	15	11/4/11/2	19/21	26.0	34.0	38.0	30.0	60	52.0	59.0	65.0	
056455-VX	5s-50s	M50x1.5	15	1½/2	21	29.0	38.0	46.0	36.3	80	65.0	73.0	82.5	
056405-VX	5-50	M50x1.5	15	1½/2	21	34.0	44.5	46.0	36.3	80	65.0	73.0	82.5	
056466-VX	6s-63s	M63x1.5	15	2/21/2	21/30	38.0	50.0	52.0	47.9	100	80.0	90.0	97.5	
056406-VX	6-63	M63x1.5	15	2/21/2	21/30	44.5	56.5	52.0	47.9	100	80.0	90.0	97.5	
056477-VX	7s-75s	M75x1.5	15	2½/3	30/32	50.0	62.0	54.0	58.2	120	96.0	108.0	115.5	
056407-VX	7-75	M75x1.5	15	2½/3	30/32	56.0	67.5	54.0	58.2	120	96.0	108.0	115.5	
056408-VX	8-80	M80x2.0	20	3	32	59.0	69.0	68.0	61.5	140	96.0	108.0	120.0	
056499-VX	9s-90s	M90x2.0	20	3/31/2	32/33	60.0	75.0	70.0	70.5	160	111.0	125.0	120.0	
056409-VX	9-90	M90x2.0	20	3/31/2	32/33	73.0	81.5	70.0	70.5	160	111.0	125.0	120.0	
056410-VX	10-100	M100x2.0	20	3½/4	33/34	81.0	91.0	70.0	79.0	180	125.0	141.0	120.0	
056411-VX	11-115	M115x2.0	20	4	34	91.0	101.0	70.0	-	-	135.0	152.0	175.0	
056412-VX	12-120	M120x2.0	20	-	-	101.0	109.0	70.0	-	-	140.0	158.0	175.0	

All dimensions except NPT are in mm. Intermediate thread sizes are available on request. NPT threads should be tightened 'wrench tight'

056413-VX

164.0

FITTING INSTRUCTIONS

Metric Illustration

A2EX-VX (VORTEx®) BARRIER GLAND

ENCLOSURES AND EQUIPMENT TO WHICH CABLE GLANDS ARE FITTED:-

- Must be made from materials which are compatible with the cable gland materials.
- Have a sealing area around the cable gland entry point with a surface roughness Ra 6.3 μm.
- Have entries that are perpendicular to the enclosure face in the area where the cable gland will seal to within 2.5°.
- Are sealed using the supplied sealing gasket (parallel threads) or by fully tightening into a threaded entry (tapered threads). Note that for tapered threads the IP rating can be improved to IP68 with the use of a suitable thread sealant.

MUST HAVE THREADED ENTRIES

- The same thread size as the cable gland. (Thread adapters should be used to correct
- any mismatch).
- With a thread tolerance of metric class '6H' or equivalent.
- Where the thread length is a minimum of 10mm for Ex d applications or 3mm for all other applications

OR CLEARANCE HOLES (not Ex d)

- Where the hole size is the thread nominal size with a tolerance of +0.1 to +0.7mm. (e.g. the clearance hole for an M20 thread will have a diameter between 20.1mm and
- Through material that is between 1mm and 12mm thick. (Thicker materials can be accommodated using glands with extended entry threads.)
- Strip back the outer sheath to expose the inner cable cores. Using a clean cloth, clean the cable cores insulation.

If the cable cores have screens these should be cut away or twisted together into a single core. This single core should be insulated with heat shrink tubing or coated with insulating varnish. Any drain wires should also be insulated with heat shrink tubing or coated with insulating varnish.




2. Using insulation tape, bundle the cores together at the end.


If the gland has NPT entry threads fitted to a threaded entry then IP68 (2m) can be achieved by applying one of the following tested and approved grease types to the thread:- Renolit Lubrene CA700 or LX220 EP2, Renolit LC-WP2 or Moly LX2, or Dow Corning 4 Electrical Compound.



To maintain IP66/68, ensure the gasket ① is in place. Screw the gland unit into the apparatus. Tighten the inner ② using a CCG Spanner ④. Pass the cable end through the outer nut ③ and push the bundled cable cores through the inner ② diaphragm and seal.



Unscrew the outer nut 3. Withdraw the cable and barrier pot sub-assembly 5. Remove the insulation tape.



Remove the cap ® from resin applicator and attach the mixing nozzle 9 (use extension nozzle for small multicore cables). Whilst holding the barrier pot sub-assembly ③ upright and holding the diaphragm seal firmly against the cable sheath, inject the resin into the resin chamber*. Ensure the resin fills the inspectible resin seal pot ® all the way to the top of the protective resin pot \odot and wipe any excess resin away.

Wait for the resin to set from a liquid to a gel, this should take:


- 10°C 15 minutes at
- 7 minutes at 20°C 30°C minutes at
- minutes at 40°C

For installations in less than 5°C Ambient, warm the Resin tube in warm water at ± 50°C. If there is still Resin left in the tube, discard the mixing nozzle @ and replace the cap ® for use with the next gland.

* The installation is acceptable of the cable sheath is pushed 2mm or 3mm into the resin seal.



6. Re-insert the barrier pot sub-assembly 5 back into the inner 2.



Tighten the outer nut ③ to the installation torque using a CCG Spanner ④ to produce a seal and grip on the cable.





You Tube Instruction Video: http://www.youtube.com/watch?v=TeoCqRgCk3k