



DARHAM SQUARE S9316 - 1.5W

LED 1.5 watt recessed square wall luminaire

Application

Ideal for any residential stairs, walkways or commercial interior space.

Design Specifications

- Durable die-cast aluminium body profile
- Quality white powder coat finish or anodized silver
- High efficiency LED optics
- Opal acrylic diffuser with glass cover
- Suitable drivers - PLUTO EGL12V/6W, PLUTO15DV, 30DV, 50DV
- 12V AC or DC non-dimmable driver required, Optional accessories, pre-install box S9316 only, (L x W X H: 218 x 133 x 74mm)



Performance

- Dimmable - **NO**




Technical Specification

Product	Model No.	Input Voltage (V/AC)	Input Voltage (V/DC)	Power (W)	Lumens (lm)	CCT (K)
	S9316 WH	12	12	1.5	110	3000
	S9316 ALU	12	12	1.5	110	3000

CRI	Dimmable	Dim (mm)	Body Colour
80	NO	90(L) x 90(W) x 35(H)	White
80	NO	90(L) x 90(W) x 35(H)	Anodised Silver


Due to continued product and technology enhancements, data sourced from sal.net.au shall not form part of any contract and or technical performance guarantee unless expressly confirmed in writing by SAL at the time of order. Products are sold in accordance with [SAL Terms and Conditions of sale](#) and all images shown are for illustration purposes only and may vary from the actual colour or finish. Unless specifically stated, all IP ratings nominated for Interior products are from "below the ceiling".

Dimensions



Photometric Data

Unit: cd C0/C180 — C90/C270 —





PIXIE AMBIENCE, CHANGE YOUR COLOUR TO MATCH YOUR STYLE.

The innovative PIXIE AMBIENCE SWITCH PLATES have been designed with the end user and installer in mind, allowing you to change the colour face plate as fashion demands.

For more
information
please
scan me

