

1492H7

Allen-Bradley 1492 Isolation Terminal



Allen-Bradley

by ROCKWELL AUTOMATION

TERMINALS




Component type	Feed-through terminal block
Range	1492J/W
Model	N/A
Product status	Existing

The Allen-Bradley 1492-J and W ranges of screw connection terminal blocks are reliable, safe and straight forward electrical connections for wiring management. With cross-sectional wire sizes from 0.5mm² to 120mm² and terminal types such as feed-through, disconnect, fused, plug-in and thermocouple. Options include single or multi-level housing and accessories for various panel space requirements.

ELECTRICAL	Type of electrical connection 1	Screw connection
	Rated current In	32.0 A
	Rated voltage	500.0 V
CONSTRUCTION	Number of levels	1.0
	Number of clamp positions per level	2.0
	Colour	Black
	Mounting method	DIN rail (top hat rail) 35 mm
	Inflammability class of insulation material according to with UL94	V0
MECHANICAL	Nominal tightening torque	0.8 Nm
	Wire/conductor size	0.05 - mm
DIMENSIONS	Width	9.1 mm
	Height	81.3 mm
	Depth	47.0 mm

RELATED PRODUCTS


ACCESSORY



Item No: 1492DR5

Required: No

Description: Allen-Bradley 1492 Din Rail 35 x 7.5mm Copper Free Aluminium 1m



Item No: 199DR4

Required: No

Description: Allen-Bradley 1492 Din Mounting Rail Zinc Plated Chromated Steel 35 x 15mm 1m