



SCREWED GALVANISED STEEL CONDUIT - MEDIUM DUTY



CAT NO	DESCRIPTION	STD PK
EC2001UL	20MM SCREWED GALVANISED CONDUIT (4 METRE LENGTH)	10
EC2501UL	25MM SCREWED GALVANISED CONDUIT (4 METRE LENGTH)	7
EC3201UL	32MM SCREWED GALVANISED CONDUIT (4 METRE LENGTH)	5
EC4001UL	40MM SCREWED GALVANISED CONDUIT (4 METRE LENGTH)	3
EC5001UL	50MM SCREWED GALVANISED CONDUIT (4 METRE LENGTH)	3

HOT DIPPED GALVANISED STEEL CONDUIT - HEAVY DUTY



CAT NO	DESCRIPTION	STD PK
EP2001	20MM HOT DIPPED GALVANISED CONDUIT (4 METRE LENGTH)	10
EP2501	25MM HOT DIPPED GALVANISED CONDUIT (4 METRE LENGTH)	7
EP3201	32MM HOT DIPPED GALVANISED CONDUIT (4 METRE LENGTH)	5
EP4001	40MM HOT DIPPED GALVANISED CONDUIT (4 METRE LENGTH)	3
EP5001	50MM HOT DIPPED GALVANISED CONDUIT (4 METRE LENGTH)	3

GALVANISED STEEL CONDUIT FITTINGS



CAT NO	DESCRIPTION	STD PK
EC2001B	20MM CONDUIT FITTING - SWEEPING BEND	1
EC2501B	25MM CONDUIT FITTING - SWEEPING BEND	1
EC3201B	32MM CONDUIT FITTING - SWEEPING BEND	1
EC2001EP	20MM CONDUIT FITTING - SOLID ELBOW PLAIN	1
EC2501EP	25MM CONDUIT FITTING - SOLID ELBOW PLAIN	1
EC3201EP	32MM CONDUIT FITTING - SOLID ELBOW PLAIN	1
EC2001EI	20MM CONDUIT FITTING - ELBOW INSPECTION	1
EC2501EI	25MM CONDUIT FITTING - ELBOW INSPECTION	1
EC3201EI	32MM CONDUIT FITTING - ELBOW INSPECTION	1
EC2001C	20MM CONDUIT FITTING - COUPLING	1
EC2501C	25MM CONDUIT FITTING - COUPLING	1
EC3201C	32MM CONDUIT FITTING - COUPLING	1
EC2001TP	20MM CONDUIT FITTING - TEE PLAIN	1
EC2501TP	25MM CONDUIT FITTING - TEE PLAIN	1
EC3201TP	32MM CONDUIT FITTING - TEE PLAIN	1

CONTINUE ON NEXT PAGE...



GALVANISED STEEL CONDUIT FITTINGS

CAT NO	DESCRIPTION	STD PK
EC2001TI	20MM CONDUIT FITTING - TEE INSPECTION	1
EC2501TI	25MM CONDUIT FITTING - TEE INSPECTION	1
EC3201TI	32MM CONDUIT FITTING - TEE INSPECTION	1
EC20011JB	20MM 1 WAY JUNCTION BOX	1
EC25011JB	25MM 1 WAY JUNCTION BOX	1
EC32011JB	32MM 1 WAY JUNCTION BOX	1
EC20012JB	20MM 2 WAY JUNCTION BOX (STRAIGHT THROUGH)	1
EC25012JB	25MM 2 WAY JUNCTION BOX (STRAIGHT THROUGH)	1
EC32012JB	32MM 2 WAY JUNCTION BOX (STRAIGHT THROUGH)	1
EC20013JB	20MM 3 WAY JUNCTION BOX	1
EC25013JB	25MM 3 WAY JUNCTION BOX	1
EC32013JB	32MM 3 WAY JUNCTION BOX	1
EC20014JB	20MM 4 WAY JUNCTION BOX	1
EC25014JB	25MM 4 WAY JUNCTION BOX	1
EC32014JB	32MM 4 WAY JUNCTION BOX	1



316 STAINLESS STEEL CONDUIT & FITTINGS

CAT NO	DESCRIPTION	STD PK
UKA-D	20MM STAINLESS STEEL CONDUIT	1
UKB-D	25MM STAINLESS STEEL CONDUIT	1
UKC-D	32MM STAINLESS STEEL CONDUIT	1
UKD-D	50MM STAINLESS STEEL CONDUIT	1
UKI20	20MM MALE BUSH	1
UKI25	25MM MALE BUSH	1
UKI32	32MM MALE BUSH	1
UK150	50MM MALE BUSH	1
UKELB20	20MM INSPECTION ELBOW	1
UKELB25	25MM INSPECTION ELBOW	1
UKELB32	32MM INSPECTION ELBOW	1

CONTINUE ON NEXT PAGE..

VIC

NSW

QLD

SA

WA

Tel: (03) 8793 9700

(02) 9734 9944

(07) 3283 1199

(08) 8340 9200

(08) 9475 0777

Fax: (03) 8793 9777

(02) 9734 9933

(07) 3283 1170

(08) 8340 9211





(08) 9475 0788

Web/Email:

www.omegapower.com.au / sales@omegapower.com.au



316 STAINLESS STEEL CONDUIT & FITTINGS







CAT NO	DESCRIPTION	STD PK
UKK20	20MM LOCKNUT	1
UKK25	25MM LOCKNUT	1
UKK32	32MM LOCKNUT	1
UKK50	50MM LOCKNUT	1
UKT20	20MM TEE BOX	1
UKT25	25MM TEE BOX	1
UKT32	32MM TEE BOX	1
UKINTER20	20MM INTERSECTION BOX	1
UKINTER25	25MM INTERSECTION BOX	1
UKINTER32	32MM INTERSECTION BOX	1
UKR20	20MM THROUGH BOX	1
UKR25	25MM THROUGH BOX	1
UKR32	32MM THROUGH BOX	1
UKL20	20MM SHORT NIPPLE	1
UKL25	25MM SHORT NIPPLE	1
UKL32	32MM SHORT NIPPLE	1
UKL50	50MM SHORT NIPPLE	1
UKMUN2030	20MM MUNSON RING, 30MM HEIGHT	1
UKMUN2530	25MM MUNSON RING, 30MM HEIGHT	1
UKMUN3230	32MM MUNSON RING, 30MM HEIGHT	1
UKMUN5030	50MM MUNSON RING, 30MM HEIGHT	1
UKMUN2050	20MM MUNSON RING, 50MM HEIGHT	1
UKMUN2550	25MM MUNSON RING, 50MM HEIGHT	1
UKMUN3250	32MM MUNSON RING, 50MM HEIGHT	1
UKMUN5050	50MM MUNSON RING, 50MM HEIGHT	1
UKH20	20MM FLANGE COUPLING	1
UKH25	25MM FLANGE COUPLING	1
UKH32	32MM FLANGE COUPLING	1
UKH50	50MM FLANGE COUPLING	1

Electrix

316 STAINLESS STEEL CONDUIT & FITTINGS

CAT NO	DESCRIPTION	STD PK
UKG20	20MM CONDUIT COUPLING	1
UKG25	25MM CONDUIT COUPLING	1
UKG32	32MM CONDUIT COUPLING	1
UKG50	50MM CONDUIT COUPLING	1
UKP20	20MM DISTANCE SADDLE	1
UKP25	25MM DISTANCE SADDLE	1
UKP32	32MM DISTANCE SADDLE	1
UKP50	50MM DISTANCE SADDLE	1
UKHOSP20	20MM HOSPITAL SADDLE	1
UKHOSP25	25MM HOSPITAL SADDLE	1
UKHOSP32	32MM HOSPITAL SADDLE	1
UKV20	20MM EXTRA DEEP SADDLE	1
UKV25	25MM EXTRA DEEP SADDLE	1
UKV32	32MM EXTRA DEEP SADDLE	1
UKV50	50MM EXTRA DEEP SADDLE	1



TECHNITE

CONDUIT BENDERS

CAT NO	DESCRIPTION	STD PK
2071-HA	20MM CONDUIT BENDER (HANDLE)	1
2081-HA	25MM CONDUIT BENDER (HANDLE)	1
2071-HE	20MM CONDUIT BENDER (HEAD)	1
2081-HE	25MM CONDUIT BENDER (HEAD)	1




TECHNITE

FITTINGS- LOCKNUT BRASS

CAT NO	DESCRIPTION	STD PK
LNB16	BRASS LOCKNUT - THREAD SIZE 16MM	200
LNB20	BRASS LOCKNUT - THREAD SIZE 20MM	200
LNB25	BRASS LOCKNUT - THREAD SIZE 25MM	100
LNB32	BRASS LOCKNUT - THREAD SIZE 32MM	50
LNB40	BRASS LOCKNUT - THREAD SIZE 40MM	30
LNB50	BRASS LOCKNUT - THREAD SIZE 50MM	20
LNB63	BRASS LOCKNUT - THREAD SIZE 63MM	10





LOCKNUTS-STEEL-ZINC PLATED



CAT NO	DESCRIPTION	STD PK
LNS16Z	LOCKNUT STEEL/ZINC M16 x 1.5	200
LNS20Z	LOCKNUT STEEL/ZINC M20	200
LNS25Z	LOCKNUT STEEL/ZINC M25	200
LNS32Z	LOCKNUT STEEL/ZINC M32	100
LNS40Z	LOCKNUT STEEL/ZINC M40	50
LNS50Z	LOCKNUT STEEL/ZINC M50	30
LNS63Z	LOCKNUT STEEL/ZINC M63	10



LOCKNUTS-STAINLESS STEEL 316



CAT NO	DESCRIPTION	STD PK
LNSS16	LOCKNUT S/STEEL M16 x 1.5	50
LNSS20	LOCKNUT S/STEEL M20	50
LNSS25	LOCKNUT S/STEEL M25	50
LNSS32	LOCKNUT S/STEEL M32	25
LNSS40	LOCKNUT S/STEEL M40	25
LNSS50	LOCKNUT S/STEEL M50	20



CONDUIT THREADS-PG



CAT NO	DESCRIPTION	STD PK
LNBPG7	LOCKNUT EUROPEAN 0.006	100
LNBPG9	LOCKNUT EUROPEAN 0.010	100
LNBPG11	LOCKNUT EUROPEAN 0.010	100
LNBPG13.5	LOCKNUT EUROPEAN 0.008	100
LNBPG16	LOCKNUT EUROPEAN 0.012	100
LNBPG21	LOCKNUT EUROPEAN 0.016	100
LNBPG29	LOCKNUT EUROPEAN 0.048	50
LNBPG36	LOCKNUT EUROPEAN	30
LNBPG42	LOCKNUT EUROPEAN 0.092	20
LNBPG48	LOCKNUT EUROPEAN 0.052	10



LOCKNUTS-NPS-NATIONAL PIPE STRAIGHT THREAD

CAT NO	DESCRIPTION	STD PK
LNBN3/8	LOCKNUT - NPS 3/8"	50
LNBN1/2	LOCKNUT - NPS 1/2"	50
LNBN3/4	LOCKNUT - NPS 3/4"	50
LNBN1	LOCKNUT - NPS 1"	50
LNBN1-1/4	LOCKNUT - NPS 1-1/4"	50
LNBN1-1/2	LOCKNUT - NPS 1-1/2"	10
LNBN2	LOCKNUT - NPS 2"	10



LNBN3/8



LOCKNUTS-STEEL GALVANISED

CAT NO	DESCRIPTION	STD PK
LNS16G	LOCKNUT STEEL GALV M16x1.5	200
LNS20G	LOCKNUT STEEL GALV M20	200
LNS25G	LOCKNUT STEEL GALV M25	200
LNS32G	LOCKNUT STEEL GALV M32	100
LNS40G	LOCKNUT STEEL GALV M40	50
LNS50G	LOCKNUT STEEL GALV M50	30
LNS63G	LOCKNUT STEEL GALV M63	10



LNS16G



LOCKNUTS VERTICAL WITH 562 EARTH

CAT NO	DESCRIPTION	STD PK
ELB16	LOCKNUT EARTH BRASS M16x1.5	20
ELB20	LOCKNUT EARTH BRASS M20	10
ELB25	LOCKNUT EARTH BRASS M25	10
ELB32	LOCKNUT EARTH BRASS M32	10
ELB40	LOCKNUT EARTH BRASS M40	5
ELB50	LOCKNUT EARTH BRASS M50	5
ELB63	LOCKNUT EARTH BRASS M63	5



ELB32



LOCKNUTS HORIZONTAL EARTH



CAT NO	DESCRIPTION	STD PK
ELB16H	LOCKNUT EARTH BRASS M16x1.5	20
ELB20H	LOCKNUT EARTH BRASS M20	10
ELB25H	LOCKNUT EARTH BRASS M25	10
ELB32H	LOCKNUT EARTH BRASS M32	10
ELB40H	LOCKNUT EARTH BRASS M40	5
ELB50H	LOCKNUT EARTH BRASS M50	5
ELB63H	LOCKNUT EARTH BRASS M63	5



LOCKNUTS ANGLE EARTH



CAT NO	DESCRIPTION	STD PK
ELB16A	LOCKNUT ANGLE M16x1.5	20
ELB20A	LOCKNUT ANGLE M20	10
ELB25A	LOCKNUT ANGLE M25	10
ELB32A	LOCKNUT ANGLE M32	10
ELB40A	LOCKNUT ANGLE M40	5
ELB50A	LOCKNUT ANGLE M50	5
ELB63A	LOCKNUT ANGLE M63	5



REDUCERS BRASS MALE-FEMALE



CAT NO	DESCRIPTION	STD PK
RB2016	REDUCER BRASS M20x1.5-M16x1.5	100
RB2520	REDUCER BRASS M25-M20	100
RB3220	REDUCER BRASS M32-M20	25
RB3225	REDUCER BRASS M32-M25	50
RB4016	REDUCER BRASS M40-M16	10
RB4020	REDUCER BRASS M40-M20	10
RB4025	REDUCER BRASS M40-M25	10
RB4032	REDUCER BRASS M40-M32	25
RB5025	REDUCER BRASS M50-M25	10
RB5032	REDUCER BRASS M50-M32	10
RB5040	REDUCER BRASS M50-M40	20
RB6350	REDUCER BRASS M63-M50	5



REDUCERS STEEL - ZINC PLATED

CAT NO	DESCRIPTION	STD PK
RS2016Z	REDUCER STEEL/ZINC M20x1.5-M16x1.5	100
RS2520Z	REDUCER STEEL/ZINC M25-M20	100
RS3225Z	REDUCER STEEL/ZINC M32-M25	50
RS4032Z	REDUCER STEEL/ZINC M40-M32	25
RS5040Z	REDUCER STEEL/ZINC M50-M40	20
RS6350Z	REDUCER STEEL/ZINC M63-M50	10



REDUCERS STEEL GALVANISED

CAT NO	DESCRIPTION	STD PK
RS2016G	REDUCER STEEL/GALV M20x1.5-M16x1.5	100
RS2520G	REDUCER STEEL/GALV M25-M20	100
RS3225G	REDUCER STEEL/GALV M32-M25	50
RS4032G	REDUCER STEEL/GALV M40-M32	25
RS5040G	REDUCER STEEL/GALV M50-M40	20
RS6350G	REDUCER STEEL/GALV M63-M50	10



6



REDUCERS STAINLESS STEEL 316

CAT NO	DESCRIPTION	STD PK
RSS2016	REDUCER S/STEEL M20x1.5-M16x1.5	25
RSS2520	REDUCER S/STEEL M25-M20	25
RSS3225	REDUCER S/STEEL M32-M25	15
RSS4032	REDUCER S/STEEL M40-M32	5
RSS5040	REDUCER S/STEEL M50-M40	5




ENLARGER BRASS


CAT NO	DESCRIPTION	STD PK
EB1620	ENLARGER BRASS M16x1.5-M20x1.5	50
EB2025	ENLARGER BRASS M20-M25	50
EB2532	ENLARGER BRASS M25-M32	25
EB2540	ENLARGER BRASS M25-M40	10
EB3240	ENLARGER BRASS M32-M40	10
EB4050	ENLARGER BRASS M40-M50	10






LOCKRINGS BRASS			
CAT NO	DESCRIPTION		STD PK
LRB16	LOCKRING BRASS M16x1.5		200
LRB20	LOCKRING BRASS M20		200
LRB25	LOCKRING BRASS M25		100
LRB32	LOCKRING BRASS M32		50
LRB40	LOCKRING BRASS M40		25
LRB50	LOCKRING BRASS M50		20
LRB63	LOCKRING BRASS M63		15



LOCKRING STEEL ZINC PLATED			
CAT NO	DESCRIPTION		STD PK
LRS20	LOCKRING STEEL ZINC M20		200
LRS25	LOCKRING STEEL ZINC M25		100
LRS32	LOCKRING STEEL ZINC M32		50
LRS40	LOCKRING STEEL ZINC M40		25
LRS50	LOCKRING STEEL ZINC M50		20



TERMINATORS BRASS			
CAT NO	DESCRIPTION		STD PK
TB20	TERMINATOR BRASS M20		50
TB25	TERMINATOR BRASS M25		50
TB32	TERMINATOR BRASS M32		20
TB40	TERMINATOR BRASS M40		5
TB50	TERMINATOR BRASS M50		5
TB63	TERMINATOR BRASS M63		5



NIPPLE BRASS

CAT NO	DESCRIPTION	STD PK
NB16	NIPPLE BRASS M16x1.5	100
NB20	NIPPLE BRASS M20	100
NB25	NIPPLE BRASS M25	50
NB32	NIPPLE BRASS M32	40
NB40	NIPPLE BRASS M40	24
NB50	NIPPLE BRASS M50	15
NB63	NIPPLE BRASS M63	5



NB32



NIPPLE STEEL ZINC PLATED

CAT NO	DESCRIPTION	STD PK
NS16	NIPPLE STEEL ZINC M16x1.5	100
NS20	NIPPLE STEEL ZINC M20	100
NS25	NIPPLE STEEL ZINC M25	50
NS32	NIPPLE STEEL ZINC M32	40
NS40	NIPPLE STEEL ZINC M40	20
NS50	NIPPLE STEEL ZINC M50	15
NS63	NIPPLE STEEL ZINC M63	1



NS16



NIPPLES STEEL GALVANISED

CAT NO	DESCRIPTION	STD PK
NS16G	NIPPLE STEEL GALV M16x1.5	100
NS20G	NIPPLE STEEL GALV M20	100
NS25G	NIPPLE STEEL GALV M25	50
NS32G	NIPPLE STEEL GALV M32	40
NS40G	NIPPLE STEEL GALV M40	20
NS50G	NIPPLE STEEL GALV M50	15
NS63G	NIPPLE STEEL GALV M63	5



NS16G

6



NIPPLES STAINLESS STEEL 316		
CAT NO	DESCRIPTION	STD PK
NSS16	NIPPLE S/STEEL 316 M16x1.5	50
NSS20	NIPPLE S/STEEL 316 M20	50
NSS25	NIPPLE S/STEEL 316 M25	50
NSS32	NIPPLE S/STEEL 316 M32	25
NSS40	NIPPLE S/STEEL 316 M40	10
NSS50	NIPPLE S/STEEL 316 M50	10



NIPPLES BRASS PG THREAD		
CAT NO	DESCRIPTION	STD PK
NBPG7	NIPPLE BRASS PG 7PG+C482 100	100
NBPG9	NIPPLE BRASS PG 9PG 100	100
NBPG11	NIPPLE BRASS PG 11PG 100	100
NBPG13.5	NIPPLE BRASS PG 13.5PG 50	50
NBPG16	NIPPLE BRASS PG 16PG 50	50
NBPG21	NIPPLE BRASS PG 21Pg 30	30
NBPG29	NIPPLE BRASS PG 29PG 25	25
NBPG36	NIPPLE BRASS PG 36PG 25	25
NBPG42	NIPPLE BRASS PG 42PG 15	15
NBPG48	NIPPLE BRASS PG 48PG 15	15



ADAPTORS-METRIC IMPERIAL		
CAT NO	DESCRIPTION	STD PK
AB:M16F-I5/8M	FEMALE M16x1.5m MALE5/8"	50
AB:M20F-I5/8M	FEMALE M20 MALE5/8"	50
AB:M20F-I3/4M	FEMALE M20 MALE3/4"	50
AB:M25F-I1M	FEMALE M25 MALE1"	20
AB:M32F-I11/4M	FEMALE M32 MALE1-1/4"	20
AB:M40F-I11/2M	FEMALE M40 MALE1-1/2"	10
AB:M50F-I2M	FEMALE M50 MALE2"	10



ADAPTORS-IMPERIAL METRIC

CAT NO	DESCRIPTION	STD PK
AB:I5/8F-M16M	FEMALE 5/8" MALE M16	50
AB:I3/4F-M20M	FEMALE 3/4" MALE M20	50
AB:I1F-M25M	FEMALE 1" MALE M25	20
AB:I11/4F-M32M	FEMALE 1-1/4" MALE M32	20
AB:I11/2F-M40M	FEMALE 1-1/2" MALE M40	10
AB:I2F-M50M	FEMALE 2" MALE M50	5



ADAPTORS-CONDUIT BRASS-METRIC NPT

CAT NO	DESCRIPTION	STD PK
AB:M20F-N1/2M	FEMALE M20 MALE 1/2"	50
AB:M20F-N3/4M	FEMALE M20 MALE 3/4"	20
AB:M25F-N3/4M	FEMALE M25 MALE 3/4"	20
AB:M20F-N1M	FEMALE M20 MALE 1"	20
AB:M25F-N1M	FEMALE M25 MALE 1"	20
AB:M32F-N1M	FEMALE M32 MALE 1"	10
AB:M40F-N11/4M	FEMALE M40 MALE 1-1/4"	10
AB:M50F-N11/4M	FEMALE M50 MALE 1-1/4"	10
AB:M40F-N11/2M	FEMALE M40 MALE 1-1/2"	10
AB:M50F-N11/2M	FEMALE M50 MALE 1-1/2"	10
AB:M50F-N2M	FEMALE M50 MALE 2"	10



6



ADAPTORS-CONDUIT STAINLESS STEEL-METRIC NPT

CAT NO	DESCRIPTION	STD PK
ASS:M20F-N1/2M	FEMALE M20 MALE 1/2"	20
ASS:M20F-N3/4M	FEMALE M20 MALE 3/4"	20
ASS:M25F-N3/4M	FEMALE M25 MALE 3/4"	20
ASS:M20F-N1M	FEMALE M20 MALE 1"	20
ASS:M25F-N1M	FEMALE M25 MALE 1"	20





ADAPTOR-METRIC-PG		
CAT NO	DESCRIPTION	STD PK
AB:M16F-P7M	FEMALE M16 MALE PG7	50
AB:M20F-P9M	FEMALE M20 MALE PG9	50
AB:M20F-P11M	FEMALE M20 MALE PG11	50
AB:M20F-P13.5M	FEMALE M20 MALE PG13.5	50
AB:M20F-P16M	FEMALE M20 MALE PG16	50
AB:M25F-P21M	FEMALE M25 MALE PG21	25
AB:M32F-P29M	FEMALE M32 MALE PG29	20
AB:M50F-P36M	FEMALE M50 MALE PG36	5
AB:M50F-P42M	FEMALE M50 MALE PG42	5
AB:M50F-P48M	FEMALE M50 MALE PG48	5



ADAPTOR-METRIC-PG C510		
CAT NO	DESCRIPTION	STD PK
AB:M16M-P7F	MALE M16 FEMALE PG7	50
AB:M20M-P9F	MALE M20 FEMALE PG9	50
AB:M20M-P11F	MALE M20 FEMALE PG11	50
AB:M20M-P13.5F	MALE M20 FEMALE PG13.5	50
AB:M20M-P16F	MALE M20 FEMALE PG16	50
AB:M25M-P21F	MALE M25 FEMALE PG21	25
AB:M32M-P29F	MALE M32 FEMALE PG29	20
AB:M50M-P36F	MALE M50 FEMALE PG36	5
AB:M50M-P42F	MALE M50 FEMALE PG42	5
AB:M50M-P48F	MALE M50 FEMALE PG48	5

NOTE: MARKED WITH TWO LINE THROUGH KNURL



ADAPTOR-CONDUIT-METRIC-BSP		
CAT NO	DESCRIPTION	STD PK
AB:M20F-B1/2M	MALE 1/2 BSP FEMALE M20x1.5	10
AB:M20F-B3/4M	MALE 3/4 BSP FEMALE M20	10
AB:M25F-B3/4M	MALE 3/4 BSP FEMALE M25	10
AB:M20F-B1M	MALE 1" BSP FEMALE M20	10
AB:M25F-B1M	MALE 1" BSP FEMALE M25	10

CONTINUE ON NEXT PAGE...



ADAPTORS-CONDUIT-METRIC-BSP

CAT NO	DESCRIPTION	STD PK
AB:M32F-B1M	MALE 1" BSP FEMALE M32	10
AB:M50F-B1-1/2M	MALE 1-1/2" BSP FEMALE M50	10
AB:M50F-B2M	MALE 2" BSP FEMALE M50	10
AB:M63F-B2-1/2M	MALE 2-1/2" BSP FEMALE M63	1
AB:M63F-B3M	MALE 3" BSP FEMALE M63	1

NOTE : MARKED WITH TWO LINE THROUGH KNURL



ADAPTORS-CONDUIT BRASS-METRIC-BSP

CAT NO	DESCRIPTION	STD PK
AB:M20F-B1/2F	MALE M20 FEMALE 1/2 BSP	10
AB:M20F-B3/4F	MALE M20 FEMALE 3/4 BSP	10
AB:M25F-B3/4F	MALE M25 FEMALE 3/4 BSP	10
AB:M25F-B1F	MALE M25 FEMALE 1" BSP	10
AB:M32F-B1F	MALE M32 FEMALE 1" BSP	10
AB:M50F-B2F	MALE M50 FEMALE 2" BSP	2
AB:M63F-B3F	MALE M63 FEMALE 3" BSP	1



6



ADAPTORS-BARREL UNIONS- BRASS

CAT NO	DESCRIPTION	STD PK
BUB16	BARREL UNION M16x1.5	50
BUB20	BARREL UNION M20	50
BUB25	BARREL UNION M25	20
BUB32	BARREL UNION M32	10
BUB40	BARREL UNION M40	5
BUB50	BARREL UNION M50	5
BUB63	BARREL UNION M63	1





BARREL UNION-STEEL ZINC PLATED		
CAT NO	DESCRIPTION	STD PK
BUS16	BARREL UNION M16x1.5	50
BUS20	BARREL UNION M20	50
BUS25	BARREL UNION M25	20
BUS32	BARREL UNION M32	10
BUS40	BARREL UNION M40	5
BUS50	BARREL UNION M50	5
BUS63	BARREL UNION M63	1



BARREL UNION-STEEL GALVANISED		
CAT NO	DESCRIPTION	STD PK
BUS16G	BARREL UNION M16x1.5	50
BUS20G	BARREL UNION M20	50
BUS25G	BARREL UNION M25	20
BUS32G	BARREL UNION M32	10
BUS40G	BARREL UNION M40	5
BUS50G	BARREL UNION M50	5
BUS63G	BARREL UNION M63	1



BUSHES		
CAT NO	DESCRIPTION	STD PK
BMB20	MALE BRASS BUSH M20x1.5	50
BMB25	MALE BRASS BUSH M25	50
BMB32	MALE BRASS BUSH M32	25
BMB40	MALE BRASS BUSH M40	10
BMB50	MALE BRASS BUSH M50	10
BMB63	MALE BRASS BUSH M63	5
BFB20	FEMALE BRASS BUSH M20x1.5	50
BFB25	FEMALE BRASS BUSH M25	50
BFB32	FEMALE BRASS BUSH M32	25
BFB40	FEMALE BRASS BUSH M40	10
BFB50	FEMALE BRASS BUSH M50	10
BFB63	FEMALE BRASS BUSH M63	5





STOPS - METRIC - BRASS

CAT NO	DESCRIPTION	STD PK
SB16	METRIC STOP M16x1.5	100
SB20	METRIC STOP M20	100
SB25	METRIC STOP M25	50
SB32	METRIC STOP M32	25
SB40	METRIC STOP M40	10
SB50	METRIC STOP M50	10
SB63	METRIC STOP M63	5



SB16



STOPS - PG - BRASS

CAT NO	DESCRIPTION	STD PK
SBPG7	STOP PG7	100
SBPG9	STOP PG9	100
SBPG11	STOP PG11	100
SBPG13.5	STOP PG13.5	100
SBPG16	STOP PG16	100
SBPG21	STOP PG21	100
SBPG29	STOP PG29	50
SBPG36	STOP PG36	30
SBPG42	STOP PG42	20
SBPG48	STOP PG48	10



SBPG7

6



CONDUIT STOPS - IMPERIAL - BRASS

CAT NO	DESCRIPTION	STD PK
SBI3/4	STOP BRASS 3/4"	100



SBI3/4



PLUGS BRASS - HEXAGON



CAT NO	DESCRIPTION	STD PK
PB20	PLUG BRASS M20x1.5	50
PB25	PLUG BRASS M25	50
PB32	PLUG BRASS M32	20
PB40	PLUG BRASS M40	10
PB50	PLUG BRASS M50	5
PB63	PLUG BRASS M63	5



PLUGS - STAINLESS STEEL 316



CAT NO	DESCRIPTION	STD PK
PSS20	PLUG S/S M20x1.5	50
PSS25	PLUG S/S M25	50
PSS32	PLUG S/S M32	20
PSS40	PLUG S/S M40	10
PSS50	PLUG S/S M50	5
PSS63	PLUG S/S M63	5



COUPLINGS - BRASS



CAT NO	DESCRIPTION	STD PK
CB16	PLUG S/S M16x1.5	100
CB20	PLUG S/S M20	50
CB25	PLUG S/S M25	50
CB32	PLUG S/S M32	20
CB40	PLUG S/S M40	5
CB50	PLUG S/S M50	5
CB63	PLUG S/S M63	5



COUPLING

CAT NO	DESCRIPTION	STD PK
CSZ16	COUPLING STEEL ZINC PLATED M16x1.5	100
CSZ20	COUPLING STEEL ZINC PLATED M20	50
CSZ25	COUPLING STEEL ZINC PLATED M25	50
CSZ32	COUPLING STEEL ZINC PLATED M32	20
CSZ40	COUPLING STEEL ZINC PLATED M40	5
CSZ50	COUPLING STEEL ZINC PLATED M50	5
CSZ63	COUPLING STEEL ZINC PLATED M63	5
CSG16	COUPLING STEEL GALVANISED M16x1.5	50
CSG20	COUPLING STEEL GALVANISED M20	50
CSG25	COUPLING STEEL GALVANISED M25	25
CSG32	COUPLING STEEL GALVANISED M32	20
CSG40	COUPLING STEEL GALVANISED M40	10
CSG50	COUPLING STEEL GALVANISED M50	5
CSG63	COUPLING STEEL GALVANISED M63	5
CSG16H	COUPLING STEEL GALVANISED - HEXAGON M16x1.5	50
CSG20H	COUPLING STEEL GALVANISED - HEXAGON M20	50
CSG25H	COUPLING STEEL GALVANISED - HEXAGON M25	25
CSG32H	COUPLING STEEL GALVANISED - HEXAGON M32	20
CSG40H	COUPLING STEEL GALVANISED - HEXAGON M40	10
CSG50H	COUPLING STEEL GALVANISED - HEXAGON M50	5
CSS16	COUPLING STAINLESS STEEL 316 M16x1.5	25
CSS20	COUPLING STAINLESS STEEL 316 M20	25
CSS25	COUPLING STAINLESS STEEL 316 M25	25
CSS32	COUPLING STAINLESS STEEL 316 M32	20
CSS40	CSS40 COUPLING STAINLESS STEEL 316 M40	5
CSS50	CSS50 COUPLING STAINLESS STEEL 316 M50	5





FLANGE(DOMED) - STAINLESS STEEL 316		
CAT NO	DESCRIPTION	STD PK
DSS20	FLANGE (DOMED) M20	10
DSS25	FLANGE (DOMED) M25	10
DSS32	FLANGE (DOMED) M32	5
DSS40	FLANGE (DOMED) M40	5
DSS50	FLANGE (DOMED) M50	1



SPACER SADDLE - 10MM WALL STANDOFF		
CAT NO	DESCRIPTION	STD PK
SPZ20	SPACER ZN PI STEEL M20	50
SPZ25	SPACER ZN PI STEEL M25	50
SPZ32	SPACER ZN PI STEEL M32	25
SPZ40	SPACER ZN PI STEEL M40	10
SPZ50	SPACER ZN PI STEEL M50	5
SPZ63	SPACER ZN PI STEEL M63	5





FLEXIBLE CONDUIT & FITTINGS



CAT NO	DESCRIPTION	STD PK
150-006	CONDUIT UF 10MM BLACK STANDARD 30M	30m
150-008	CONDUIT UF 12MM BLACK STANDARD 30M	30m
150-010	CONDUIT UF 14MM BLACK STANDARD 30M	30m
150-012	CONDUIT UF 16MM BLACK STANDARD 30M	30m
150-016	CONDUIT UF 20MM BLACK STANDARD 30M	30m
150-022	CONDUIT UF 25MM BLACK STANDARD 30M	30m
150-028	CONDUIT UF 32MM BLACK STANDARD 30M	30m
150-035	CONDUIT UF 40MM BLACK STANDARD 30M	30m
150-040	CONDUIT UF 50MM BLACK STANDARD 30M	30m
150-050	CONDUIT UF 63MM BLACK STANDARD 30M	30m
154-008	CONDUIT UF 12MM GREEN OIL 30M	30m
154-010	CONDUIT UF 14MM GREEN OIL 30M	30m
154-012	CONDUIT UF 16MM GREEN OIL 30M	30m
154-016	CONDUIT UF 20MM GREEN OIL 30M	30m
154-022	CONDUIT UF 25MM GREEN OIL 30M	30m
154-028	CONDUIT UF 32MM GREEN OIL 30M	30m
154-035	CONDUIT UF 40MM GREEN OIL 30M	30m
154-040	CONDUIT UF 50MM GREEN OIL 30M	30m
154-050	CONDUIT UF 63MM GREEN OIL 30M	30m
158-008	CONDUIT UF 12MM BLUE HEAT 30M	30m
158-010	CONDUIT UF 14MM BLUE HEAT 30M	30m
158-012	CONDUIT UF 16MM BLUE HEAT 30M	30m
158-016	CONDUIT UF 20MM BLUE HEAT 30M	30m
158-022	CONDUIT UF 25MM BLUE HEAT 30M	30m
158-028	CONDUIT UF 32MM BLUE HEAT 30M	30m
158-035	CONDUIT UF 40MM BLUE HEAT 30M	30m
158-040	CONDUIT UF 50MM BLUE HEAT 30M	30m
158-050	CONDUIT UF 63MM BLUE HEAT 30M	30m

CONTINUE ON NEXT PAGE..



FLEXIBLE CONDUIT & FITTINGS

CAT NO	DESCRIPTION	STD PK
952-010	FITTING STRAIGHT UF 10MM ISO METRIC	50
952-012	FITTING STRAIGHT UF 16MM ISO METRIC	50
952-016	FITTING STRAIGHT UF 20MM ISO METRIC	50
952-022	FITTING STRAIGHT UF 25MM ISO METRIC	50
952-028	FITTING STRAIGHT UF 32MM ISO METRIC	25
952-035	FITTING STRAIGHT UF 40MM ISO METRIC	25
952-040	FITTING STRAIGHT UF 50MM ISO METRIC	25
952-050	FITTING STRAIGHT UF 63MM ISO METRIC	25
972-012	FITTING 900 ANGLE UF 16MM ISO METRIC	50
972-016	FITTING 900 ANGLE UF 20MM ISO METRIC	50
972-022	FITTING 900 ANGLE UF 25MM ISO METRIC	25
972-028	FITTING 900 ANGLE UF 32MM ISO METRIC	25
972-035	FITTING 900 ANGLE UF 40MM ISO METRIC	25
950-008	FITTING STRAIGHT UF BSP/GAS 1/4"	50
950-010	FITTING STRAIGHT UF BSP/GAS 1/4"	50
950-012	FITTING STRAIGHT UF BSP/GAS 3/8"	50
950-016	FITTING STRAIGHT UF BSP/GAS 1/2"	50
950-022	FITTING STRAIGHT UF BSP/GAS 3/4"	50
950-028	FITTING STRAIGHT UF BSP/GAS 1"	25
950-035	FITTING STRAIGHT UF BSP/GAS 1 1/4"	25
950-040	FITTING STRAIGHT UF BSP/GAS 1 1/2"	25
950-050	FITTING STRAIGHT UF BSP/GAS 2"	25
970-010	FITTING 90° ANGLE UF BSP/GAS 1/4"	50
970-012	FITTING 90° ANGLE UF BSP/GAS 3/8"	50
970-016	FITTING 90° ANGLE UF BSP/GAS 1/2"	50
970-022	FITTING 90° ANGLE UF BSP/GAS 3/4"	50
970-028	FITTING 90° ANGLE UF BSP/GAS 1"	25
970-035	FITTING 90° ANGLE UF BSP/GAS 1 1/4"	25

CONTINUE ON NEXT PAGE...

FLEXIBLE CONDUIT & FITTINGS



974-010

CAT NO	DESCRIPTION	STD PK
954-008	FITTING PG STRAIGHT 008 PG7	50
954-010	FITTING PG STRAIGHT 010 PG7	50
954-012	FITTING PG STRAIGHT 012 PG9	50
954-013	FITTING PG STRAIGHT 012 PG11	50
954-014	FITTING PG STRAIGHT 012 PG13.5	50
954-016	FITTING PG STRAIGHT 016 PG11	50
954-017	FITTING PG STRAIGHT 016 PG13.5	50
954-018	FITTING PG STRAIGHT 016 PG16	50
954-022	FITTING PG STRAIGHT 022 PG16	50
954-023	FITTING PG STRAIGHT 022 PG21	50
954-028	FITTING PG STRAIGHT 028 PG21	25
954-029	FITTING PG STRAIGHT 028 PG29	25
954-035	FITTING PG STRAIGHT 035 PG29	25
954-036	FITTING PG STRAIGHT 035 PG36	25
954-040	FITTING PG STRAIGHT 040 PG42	25
954-050	FITTING PG STRAIGHT 050 PG48	25
974-010	FITTING 900 ANGLE 010 PG7	50
974-012	FITTING 900 ANGLE 012 PG9	50
974-013	FITTING 900 ANGLE 012 PG11	50
974-014	FITTING 900 ANGLE 012 PG13.5	50
974-016	FITTING 900 ANGLE 016 PG11	50
974-017	FITTING 900 ANGLE 016 PG13.5	50
974-018	FITTING 900 ANGLE 016 PG16	50
974-022	FITTING 900 ANGLE 022 PG16	50
974-023	FITTING 900 ANGLE 022 PG21	50
974-029	FITTING 900 ANGLE 028 PG29	25
974-036	FITTING 900 ANGLE 036 PG36	25
CP-20	HEADER PACK 20MM (10MTRS OF CONDUIT & 10 FITTINGS)	1

CONTINUE ON NEXT PAGE...



FLEXIBLE CONDUIT & FITTINGS		
CAT NO	DESCRIPTION	STD PK
160-008	CONDUIT UF EHD BLACK 12MM	30M
160-010	CONDUIT UF EHD BLACK 14MM	30M
160-012	CONDUIT UF EHD BLACK 16MM	30M
160-016	CONDUIT UF EHD BLACK 20MM	30M
160-022	CONDUIT UF EHD BLACK 25MM	30M
160-028	CONDUIT UF EHD BLACK 32MM	30M
160-035	CONDUIT UF EHD BLACK 40MM	30M
160-050	CONDUIT UF EHD BLACK 53MM	30M
953-010	FITTING STRAIGHT EHD M16 14MM	50
953-012	FITTING STRAIGHT EHD M16 16MM	50
953-012/20	FITTING STRAIGHT EHD M20 16MM	50
953-016	FITTING STRAIGHT EHD M20 20MM	50
953-022	FITTING STRAIGHT EHD M25 25MM	25
953-028	FITTING STRAIGHT EHD M32 32MM	25
CPSS 7/B	CONDUIT BLACK SPLIT CORRUGATED ID 7MM	1
CPSS 10/B	CONDUIT BLACK SPLIT CORRUGATED ID 10MM	1
CPSS 12/B	CONDUIT BLACK SPLIT CORRUGATED ID 12MM	1
CPSS 16/B	CONDUIT BLACK SPLIT CORRUGATED ID 16MM	1
CPSS 22/B	CONDUIT BLACK SPLIT CORRUGATED ID 22MM	1
CPSS 28/B	CONDUIT BLACK SPLIT CORRUGATED ID 28MM	1
CPSS 36/B	CONDUIT BLACK SPLIT CORRUGATED ID 36MM	1
CPSS 48/B	CONDUIT BLACK SPLIT CORRUGATED ID 48MM	1
171-012	CONDUIT RF GREY RHINO 16MM	30M
171-016	CONDUIT RF GREY RHINO 20MM	30M
171-021	CONDUIT RF GREY RHINO 25MM	30M
171-026	CONDUIT RF GREY RHINO 32MM	30M
171-035	CONDUIT RF GREY RHINO 40MM	30M
171-040	CONDUIT RF GREY RHINO 50MM	30M
171-050	CONDUIT RF GREY RHINO 63MM	30M
CONTINUE ON NEXT PAGE...		



FLEXIBLE CONDUIT & FITTINGS

CAT NO	DESCRIPTION	STD PK
172-012	CONDUIT RF GREEN OIL RHINO 16MM	30M
172-016	CONDUIT RF GREEN OIL RHINO 20MM	30M
172-021	CONDUIT RF GREEN OIL RHINO 25MM	30M
172-026	CONDUIT RF GREEN OIL RHINO 32MM	30M
178-012	CONDUIT RF ORANGE OIL 16MM	30M
178-016	CONDUIT RF ORANGE OIL 20MM	30M
178-021	CONDUIT RF ORANGE OIL 25MM	30M
178-026	CONDUIT RF ORANGE OIL 32MM	30M
180-012	CONDUIT RF BLACK OIL 16MM	30M
180-016	CONDUIT RF BLACK OIL 20MM	30M
180-021	CONDUIT RF BLACK OIL 25MM	30M
180-026	CONDUIT RF BLACK OIL 32MM	30M
180-035	CONDUIT RF BLACK OIL 40MM	30M
180-040	CONDUIT RF BLACK OIL 50MM	30M
180-050	CONDUIT RF BLACK OIL 63MM	30M
943-012	FITTING ISO STRAIGHT RF MULTIPART 16MM	50
943-016	FITTING ISO STRAIGHT RF MULTIPART 20MM	50
943-021	FITTING ISO STRAIGHT RF MULTIPART 25MM	50
943-026	FITTING ISO STRAIGHT RF MULTIPART 32MM	25
943-035	FITTING ISO STRAIGHT RF MULTIPART 40MM	10
947-012	FITTING ISO 900 RF MULTIPART BLACK 16MM	50
947-016	FITTING ISO 900 RF MULTIPART BLACK 20MM	50
947-021	FITTING ISO 900 RF MULTIPART BLACK 25MM	25
947-026	FITTING ISO 900 RF MULTIPART BLACK 32MM	10
947-035	FITTING ISO 900 RF MULTIPART BLACK 40MM	10
949-012	FITTING STRAIGHT RF NPT PVC BLACK 3/8"	50
949-016	FITTING STRAIGHT RF NPT PVC BLACK 1/2"	50
949-021	FITTING STRAIGHT RF NPT PVC BLACK 3/4"	50
949-026	FITTING STRAIGHT RF NPT PVC BLACK 1"	10
949-035	FITTING STRAIGHT RF NPT PVC BLACK 1 1/4"	10
949-040	FITTING STRAIGHT RF NPT PVC BLACK 1 1/2"	10
949-050	FITTING STRAIGHT RF NPT PVC BLACK 2"	10

CONTINUE ON NEXT PAGE...





FLEXIBLE CONDUIT & FITTINGS



CAT NO	DESCRIPTION	STD PK
978-012	FITTING 900 ANGLE RF NPT PVC BLACK 1/2"	50
978-016	FITTING 900 ANGLE RF NPT PVC BLACK 1/2"	50
978-021	FITTING 900 ANGLE RF NPT PVC BLACK 3/4"	50
978-026	FITTING 900 ANGLE RF NPT PVC BLACK 1"	10
978-035	FITTING 900 ANGLE RF NPT PVC BLACK 1 1/4"	10
978-040	FITTING 900 ANGLE RF NPT PVC BLACK 1 1/2"	10
978-050	FITTING 900 ANGLE RF NPT PVC BLACK 2"	10



STEEL CONDUIT & BRASS FITTINGS



CAT NO	DESCRIPTION	STD PK
245-010-10	CONDUIT SF PLAIN STEEL 10MM	10M
245-010-25	CONDUIT SF PLAIN STEEL 10MM	25M
245-010-50	CONDUIT SF PLAIN STEEL 10MM	50M
245-012-10	CONDUIT SF PLAIN STEEL 12MM	10M
245-012-25	CONDUIT SF PLAIN STEEL 12MM	25M
245-012-50	CONDUIT SF PLAIN STEEL 12MM	50M
245-016-10	CONDUIT SF PLAIN STEEL 16MM	10M
245-016-25	CONDUIT SF PLAIN STEEL 16MM	25M
245-016-50	CONDUIT SF PLAIN STEEL 16MM	50M
245-020-10	CONDUIT SF PLAIN STEEL 20MM	10M
245-020-25	CONDUIT SF PLAIN STEEL 20MM	25M
245-020-50	CONDUIT SF PLAIN STEEL 20MM	50M
245-025-10	CONDUIT SF PLAIN STEEL 25MM	10M
245-025-25	CONDUIT SF PLAIN STEEL 25MM	25M
245-025-50	CONDUIT SF PLAIN STEEL 25MM	50M
245-032-10	CONDUIT SF PLAIN STEEL 32MM	10M
245-032-25	CONDUIT SF PLAIN STEEL 32MM	25M
245-040-10	CONDUIT SF PLAIN STEEL 40MM	10M
245-040-25	CONDUIT SF PLAIN STEEL 40MM	50M
245-050-10	CONDUIT SF PLAIN STEEL 50MM	10M
245-050-25	CONDUIT SF PLAIN STEEL 50MM	25M
245-063-10	CONDUIT SF PLAIN STEEL 63MM	10M
245-063-25	CONDUIT SF PLAIN STEEL 63MM	25M



STEEL CONDUIT & BRASS FITTINGS



CAT NO	DESCRIPTION	STD PK
250-010-10	CONDUIT SF PVC SHEATHED STEEL 10MM	10M
250-010-25	CONDUIT SF PVC SHEATHED STEEL 10MM	25M
250-010-50	CONDUIT SF PVC SHEATHED STEEL 10MM	50M
250-012-10	CONDUIT SF PVC SHEATHED STEEL 12MM	10M
250-012-25	CONDUIT SF PVC SHEATHED STEEL 12MM	25M
250-012-50	CONDUIT SF PVC SHEATHED STEEL 12MM	50M
250-016-10	CONDUIT SF PVC SHEATHED STEEL 16MM	10M
250-016-25	CONDUIT SF PVC SHEATHED STEEL 16MM	25M
250-016-50	CONDUIT SF PVC SHEATHED STEEL 16MM	50M
250-020-10	CONDUIT SF PVC SHEATHED STEEL 20MM	10M
250-020-25	CONDUIT SF PVC SHEATHED STEEL 20MM	25M
250-020-50	CONDUIT SF PVC SHEATHED STEEL 20MM	50M
250-025-10	CONDUIT SF PVC SHEATHED STEEL 25MM	10M
250-025-25	CONDUIT SF PVC SHEATHED STEEL 25MM	25M
250-025-50	CONDUIT SF PVC SHEATHED STEEL 25MM	50M
250-032-10	CONDUIT SF PVC SHEATHED STEEL 32MM	10M
250-032-25	CONDUIT SF PVC SHEATHED STEEL 32MM	25M
250-040-10	CONDUIT SF PVC SHEATHED STEEL 40MM	10M
250-040-25	CONDUIT SF PVC SHEATHED STEEL 40MM	50M
250-050-10	CONDUIT SF PVC SHEATHED STEEL 50MM	10M
250-050-25	CONDUIT SF PVC SHEATHED STEEL 50MM	25M
250-063-10	CONDUIT SF PVC SHEATHED STEEL 63MM	10M
250-063-25	CONDUIT SF PVC SHEATHED STEEL 63MM	25M
CONTINUE ON NEXT PAGE...		



STEEL CONDUIT & BRASS FITTINGS

CAT NO	DESCRIPTION	STD PK
961-010	FITTING N/P BRASS STRAIGHT STRAIGHT PG 7	50
961-012	FITTING N/P BRASS STRAIGHT STRAIGHT 12MM	50
961-016	FITTING N/P BRASS STRAIGHT STRAIGHT 16MM	50
961-16/20	FITTING N/P BRASS STRAIGHT STRAIGHT 20MM	50
961-020	FITTING N/P BRASS STRAIGHT STRAIGHT 20MM	50
961-025	FITTING N/P BRASS STRAIGHT STRAIGHT 25MM	50
961-032	FITTING N/P BRASS STRAIGHT STRAIGHT 32MM	50
961-040	FITTING N/P BRASS STRAIGHT STRAIGHT 40MM	50
961-050	FITTING N/P BRASS STRAIGHT STRAIGHT 50MM	50
962-010	FITTING N/P BRASS STRAIGHT SWIVEL PG 7	50
962-012	FITTING N/P BRASS STRAIGHT SWIVEL 12MM	50
962-016	FITTING N/P BRASS STRAIGHT SWIVEL 16MM	50
962-16/20	FITTING N/P BRASS STRAIGHT SWIVEL 20MM	50
962-020	FITTING N/P BRASS STRAIGHT SWIVEL 20MM	50
962-025	FITTING N/P BRASS STRAIGHT SWIVEL 25MM	50
962-032	FITTING N/P BRASS STRAIGHT SWIVEL 32MM	50
962-040	FITTING N/P BRASS STRAIGHT SWIVEL 40MM	50
962-050	FITTING N/P BRASS STRAIGHT SWIVEL 50MM	50
257-012-10	CONDUIT EF L/TIGHT STEEL BRAID 12MM	10M
257-012-50	CONDUIT EF L/TIGHT STEEL BRAID 12MM	50M
257-016-10	CONDUIT EF L/TIGHT STEEL BRAID 16MM	10M
257-016-50	CONDUIT EF L/TIGHT STEEL BRAID 16MM	50M
257-020-10	CONDUIT EF L/TIGHT STEEL BRAID 20MM	10M
257-020-50	CONDUIT EF L/TIGHT STEEL BRAID 20MM	50M
257-025-10	CONDUIT EF L/TIGHT STEEL BRAID 25MM	10M
257-025-50	CONDUIT EF L/TIGHT STEEL BRAID 25MM	50M
257-032-10	CONDUIT EF L/TIGHT STEEL BRAID 32MM	10M
257-032-50	CONDUIT EF L/TIGHT STEEL BRAID 32MM	50M
257-040-10	CONDUIT EF L/TIGHT STEEL BRAID 40MM	10M
257-040-50	CONDUIT EF L/TIGHT STEEL BRAID 40MM	50M
257-050-10	CONDUIT EF L/TIGHT STEEL BRAID 50MM	10M
257-050-50	CONDUIT EF L/TIGHT STEEL BRAID 50MM	50M

CONTINUE ON NEXT PAGE...



STEEL CONDUIT & BRASS FITTINGS

CAT NO	DESCRIPTION	STD PK
836-011	REDUCER BRASS ISO 20MM MALE - 16MM FEMALE	10
836-013	REDUCER BRASS ISO 25MM MALE - 20MM FEMALE	10
836-015	REDUCER BRASS ISO 32MM MALE - 25MM FEMALE	10
836-017	REDUCER BRASS ISO 40MM MALE - 32MM FEMALE	10
836-019	REDUCER BRASS ISO 50MM MALE - 40MM FEMALE	2
836-021	REDUCER BRASS ISO 63MM MALE - 50MM FEMALE	2
853-013	REDUCER BRASS ISO PG 11 MALE - PG 7 FEMALE	10
853-014	REDUCER BRASS ISO PG 11 MALE - PG 9 FEMALE	10
853-017	REDUCER BRASS ISO PG 13.5 MALE - PG 9 FEMALE	10
853-018	REDUCER BRASS ISO PG 13.5 MALE - PG 11 FEMALE	10
853-020	REDUCER BRASS ISO PG 16 MALE - PG 13.5 FEMALE	10
853-022	REDUCER BRASS ISO PG 21 MALE - PG 13.5 FEMALE	10
853-023	REDUCER BRASS ISO PG 21 MALE - PG 16 FEMALE	10
853-025	REDUCER BRASS ISO PG 29 MALE - PG 21 FEMALE	10
853-027	REDUCER BRASS ISO PG 36 MALE - PG 29 FEMALE	10
853-029	REDUCER BRASS ISO PG 42 MALE - PG 36 FEMALE	10
853-031	REDUCER BRASS ISO PG 48 MALE - PG 42 FEMALE	10
855-01	LOCKNUT BRASS PG 7	10
855-012	LOCKNUT BRASS PG 11	10
855-013	LOCKNUT BRASS PG 13.5	10
855-014	LOCKNUT BRASS PG 16	10
855-015	LOCKNUT BRASS PG 21	10
855-016	LOCKNUT BRASS PG 29	10
855-017	LOCKNUT BRASS PG 36	10
855-018	LOCKNUT BRASS PG 42	10
855-019	LOCKNUT BRASS PG 48	10

CONTINUE ON NEXT PAGE..



VIC

NSW

QLD

SA

WA

Tel: (03) 8793 9700

(02) 9734 9944

(07) 3283 1199

(08) 8340 9200

(08) 9475 0777

Fax: (03) 8793 9777

(02) 9734 9933

(07) 3283 1170

(08) 8340 9211

(08) 9475 0788

Web/Email:

www.omegapower.com.au / sales@omegapower.com.au



STEEL CONDUIT & BRASS FITTINGS

CAT NO	DESCRIPTION	STD PK
964-016	LOCKNUT BRASS 16MM	50
964-020	LOCKNUT BRASS 20MM	50
964-032	LOCKNUT BRASS 32MM	25
964-040	LOCKNUT BRASS 40MM	10
964-050	LOCKNUT BRASS 50MM	10
964-063	LOCKNUT BRASS 63MM	10
582-016	CLIP BLACK NON-METALLIC 16MM	100
582-020	CLIP BLACK NON-METALLIC 20MM	100
582-025	CLIP BLACK NON-METALLIC 25MM	100
582-032	CLIP BLACK NON-METALLIC 32MM	100
980-006	P CLIP NYLON 10MM	100
980-008	P CLIP NYLON 12MM	100
980-010	P CLIP NYLON 14MM	100
980-012	P CLIP NYLON 16MM	100
980-022	P CLIP NYLON 25MM	100
980-028	P CLIP NYLON 32MM	100
980-035	P CLIP NYLON 40MM	100
709	ADAPTOR PG 9 MALE TO PG 7 FEMALE	25
711	ADAPTOR PG11 MALE TO PG 7 FEMALE	25
1611	ADAPTOR PG16 MALE TO PG 11 FEMALE	25
716	ADAPTOR 16MM MALE TO PG 7 FEMALE	25
720	ADAPTOR 20MM MALE TO PG 7 FEMALE	25
2016	ADAPTOR 20MM MALE TO 16MM FEMALE	25
1220	ADAPTOR 20MM MALE TO 1/2" NPT FEMALE	10
3425	ADAPTOR 25MM MALE TO 3/4" NPT	10
1032	ADAPTOR 32MM MALE TO 1" NPT	10

RAMFLEX

NYLON FITTINGS

CAT NO	DESCRIPTION	STD PK
86571	M16 LOCKNUT 16MM	100
86572	M20 LOCKNUT 20MM	100
86573	M25 LOCKNUT 25MM	50
86574	M32 LOCKNUT 32MM	50
86661	PG7 LOCKNUT PG7	100
86662	PG9 LOCKNUT PG9	100
86663	PG11 LOCKNUT PG11	100
86664	PG13.5 LOCKNUT PG13.5	100
86665	PG16 LOCKNUT PG16	100
86666	PG21 LOCKNUT PG21	50
86667	PG29 LOCKNUT PG29	50
86668	PG36 LOCKNUT PG36	10
86669	PG42 LOCKNUT PG42	10
86670	PG48 LOCKNUT PG48	10



6

OMEGA

PVC FLEXIBLE CONDUIT

CAT NO	DESCRIPTION	STD PK
FC16GR15	16MM PVC FLEXIBLE CONDUIT - GREY	15M
FC16BK15	16MM PVC FLEXIBLE CONDUIT - BLACK	15M
FC16OR15	16MM PVC FLEXIBLE CONDUIT - ORANGE	15M
FC20GR15	20MM PVC FLEXIBLE CONDUIT - GREY	15M
FC20BK15	20MM PVC FLEXIBLE CONDUIT - BLACK	15M
FC20OR15	20MM PVC FLEXIBLE CONDUIT - ORANGE	15M
FC25GR15	25MM PVC FLEXIBLE CONDUIT - GREY	15M
FC25BK15	25MM PVC FLEXIBLE CONDUIT - BLACK	15M
FC25OR15	25MM PVC FLEXIBLE CONDUIT - ORANGE	15M
FC32GR15	32MM PVC FLEXIBLE CONDUIT - GREY	15M
FC32BK15	32MM PVC FLEXIBLE CONDUIT - BLACK	15M
FC32OR15	32MM PVC FLEXIBLE CONDUIT - ORANGE	15M
FC40GR15	40MM PVC FLEXIBLE CONDUIT - GREY	15M
FC40BK15	40MM PVC FLEXIBLE CONDUIT - BLACK	15M
FC40OR15	40MM PVC FLEXIBLE CONDUIT - ORANGE	15M

CONTINUE ON NEXT PAGE...





FC50BK15

PVC FLEXIBLE CONDUIT



CAT NO	DESCRIPTION	STD PK
FC50GR15	50MM PVC FLEXIBLE CONDUIT - GREY 15M	15M
FC50BK15	50MM PVC FLEXIBLE CONDUIT - BLACK 15M	15M
FC50OR15	50MM PVC FLEXIBLE CONDUIT - ORANGE 15M	15M
FC63GR15	63MM PVC FLEXIBLE CONDUIT - GREY 15M	15M
FC63BK15	63MM PVC FLEXIBLE CONDUIT - BLACK 15M	15M
FC63OR15	63MM PVC FLEXIBLE CONDUIT - ORANGE 15M	15M
FC16GR30	16MM PVC FLEXIBLE CONDUIT - GREY 30M	30M
FC16BK30	16MM PVC FLEXIBLE CONDUIT - BLACK 30M	30M
FC16OR30	16MM PVC FLEXIBLE CONDUIT - ORANGE 30M	30M
FC20GR30	20MM PVC FLEXIBLE CONDUIT - GREY 30M	30M
FC20BK30	20MM PVC FLEXIBLE CONDUIT - BLACK 30M	30M
FC20OR30	20MM PVC FLEXIBLE CONDUIT - ORANGE 30M	30M
FC25GR30	25MM PVC FLEXIBLE CONDUIT - GREY 30M	30M
FC25BK30	25MM PVC FLEXIBLE CONDUIT - BLACK 30M	30M
FC25OR30	25MM PVC FLEXIBLE CONDUIT - ORANGE 30M	30M
FC32GR30	32MM PVC FLEXIBLE CONDUIT - GREY 30M	30M
FC32BK30	32MM PVC FLEXIBLE CONDUIT - BLACK 30M	30M
FC32OR30	32MM PVC FLEXIBLE CONDUIT - ORANGE 30M	30M
FC40GR30	40MM PVC FLEXIBLE CONDUIT - GREY 30M	30M
FC40BK30	40MM PVC FLEXIBLE CONDUIT - BLACK 30M	30M
FC40OR30	40MM PVC FLEXIBLE CONDUIT - ORANGE 30M	30M
FC50GR30	50MM PVC FLEXIBLE CONDUIT - GREY 30M	30M
FC50BK30	50MM PVC FLEXIBLE CONDUIT - BLACK 30M	30M
FC50OR30	50MM PVC FLEXIBLE CONDUIT - ORANGE 30M	30M
FC63GR30	63MM PVC FLEXIBLE CONDUIT - GREY 30M	30M
FC63BK30	63MM PVC FLEXIBLE CONDUIT - BLACK 30M	30M
FC63OR30	63MM PVC FLEXIBLE CONDUIT - ORANGE 30M	30M

NOTE : OTHER SIZES ALSO AVAILABLE ON REQUEST



CONDUIT & FITTINGS - LIQUIDTIGHT

CAT NO	DESCRIPTION	STD PK
LTOR140GY75-UL	6MM FLEXIBLE METALLIC LIQUIDTIGHT CONDUIT - GREY	75M
LTOR516GY75-UL	10MM FLEXIBLE METALLIC LIQUIDTIGHT CONDUIT - GREY	75M
LTOR10GY15-UL	16MM FLEXIBLE METALLIC LIQUIDTIGHT CONDUIT - GREY	15M
LTOR10GY30-UL	16MM FLEXIBLE METALLIC LIQUIDTIGHT CONDUIT - GREY	30M
LTOR11GY15-UL	20MM FLEXIBLE METALLIC LIQUIDTIGHT CONDUIT - GREY	15M
LTOR11GY30-UL	20MM FLEXIBLE METALLIC LIQUIDTIGHT CONDUIT - GREY	30M
LTOR12GY15-UL	25MM FLEXIBLE METALLIC LIQUIDTIGHT CONDUIT - GREY	15M
LTOR12GY30-UL	25MM FLEXIBLE METALLIC LIQUIDTIGHT CONDUIT - GREY	30M
LTOR13GY15-UL	32MM FLEXIBLE METALLIC LIQUIDTIGHT CONDUIT - GREY	15M
LTOR13GY30-UL	32MM FLEXIBLE METALLIC LIQUIDTIGHT CONDUIT - GREY	30M
LTOR14GY15-UL	40MM FLEXIBLE METALLIC LIQUIDTIGHT CONDUIT - GREY	15M
LTOR15GY15-UL	50MM FLEXIBLE METALLIC LIQUIDTIGHT CONDUIT - GREY	15M
LTOR16GY15-UL	63MM FLEXIBLE METALLIC LIQUIDTIGHT CONDUIT - GREY	15M
LTOR18GY8-UL	75MM FLEXIBLE METALLIC LIQUIDTIGHT CONDUIT - GREY	8M
LTOR19GY8-UL	100MM FLEXIBLE METALLIC LIQUIDTIGHT CONDUIT - GREY	8M

Temperature Range: -20°C to 80°C ALSO AVAILABLE IN BLACK (BK) & ORANGE (OR)



6



STEEL LIQUIDTIGHT CONNECTORS - STRAIGHT

CAT NO	DESCRIPTION	STD PK
LTCM9	STRAIGHT CONNECTOR, THREAD SIZE 16MM, CONDUIT SIZE 16MM	25
LTCM10	STRAIGHT CONNECTOR, THREAD SIZE 20MM, CONDUIT SIZE 16MM	25
LTCM11	STRAIGHT CONNECTOR, THREAD SIZE 20MM, CONDUIT SIZE 20MM	25
LTCM12	STRAIGHT CONNECTOR, THREAD SIZE 25MM, CONDUIT SIZE 25MM	25
LTCM13	STRAIGHT CONNECTOR, THREAD SIZE 32MM, CONDUIT SIZE 32MM	10
LTCM14	STRAIGHT CONNECTOR, THREAD SIZE 40MM, CONDUIT SIZE 40MM	5
LTCM15	STRAIGHT CONNECTOR, THREAD SIZE 50MM, CONDUIT SIZE 50MM	5
LTCM16	STRAIGHT CONNECTOR, THREAD SIZE 63MM, CONDUIT SIZE 63MM	2





LTCM22

STEEL LIQUIDTIGHT CONNECTORS - 90°



CAT NO	DESCRIPTION	STD PK
LTCM20	90 DEGREE CONNECTOR, THREAD SIZE 20MM, CONDUIT SIZE 16MM	25
LTCM21	90 DEGREE CONNECTOR, THREAD SIZE 20MM, CONDUIT SIZE 20MM	25
LTCM22	90 DEGREE CONNECTOR, THREAD SIZE 25MM, CONDUIT SIZE 25MM	10
LTCM23	90 DEGREE CONNECTOR, THREAD SIZE 32MM, CONDUIT SIZE 32MM	5
LTCM24	90 DEGREE CONNECTOR, THREAD SIZE 40MM, CONDUIT SIZE 40MM	4
LTCM25	DEGREE CONNECTOR, THREAD SIZE 50MM, CONDUIT SIZE 50MM	2
LTCM26	90 DEGREE CONNECTOR, THREAD SIZE 63MM, CONDUIT SIZE 63MM	2



LTCM34

STEEL LIQUIDTIGHT CONNECTORS - 45°



CAT NO	DESCRIPTION	STD PK
LTCM30	45 DEGREE CONNECTOR, THREAD SIZE 20MM, CONDUIT SIZE 16MM	25
LTCM31	45 DEGREE CONNECTOR, THREAD SIZE 20MM, CONDUIT SIZE 20MM	25
LTCM32	45 DEGREE CONNECTOR, THREAD SIZE 25MM, CONDUIT SIZE 25MM	10
LTCM33	45 DEGREE CONNECTOR, THREAD SIZE 32MM, CONDUIT SIZE 32MM	5
LTCM34	45 DEGREE CONNECTOR, THREAD SIZE 40MM, CONDUIT SIZE 40MM	4
LTCM35	45 DEGREE CONNECTOR, THREAD SIZE 50MM, CONDUIT SIZE 50MM	2
LTCM36	45 DEGREE CONNECTOR, THREAD SIZE 63MM, CONDUIT SIZE 63MM	2



LTCMB11

BRASS LIQUIDTIGHT CONNECTORS - STRAIGHT



CAT NO	DESCRIPTION	STD PK
LTCMB9	STRAIGHT CONNECTOR, THREAD SIZE 16MM, CONDUIT SIZE 16MM	25
LTCMB10	STRAIGHT CONNECTOR, THREAD SIZE 20MM, CONDUIT SIZE 16MM	25
LTCMB11	STRAIGHT CONNECTOR, THREAD SIZE 20MM, CONDUIT SIZE 20MM	25
LTCMB12	STRAIGHT CONNECTOR, THREAD SIZE 25MM, CONDUIT SIZE 25MM	25
LTCMB13	STRAIGHT CONNECTOR, THREAD SIZE 32MM, CONDUIT SIZE 32MM	10
LTCMB14	STRAIGHT CONNECTOR, THREAD SIZE 40MM, CONDUIT SIZE 40MM	5
LTCMB15	STRAIGHT CONNECTOR, THREAD SIZE 50MM, CONDUIT SIZE 50MM	5
LTCMB16	STRAIGHT CONNECTOR, THREAD SIZE 63MM, CONDUIT SIZE 63MM	2

BRASS LIQUIDTIGHT CONNECTORS - 90°

CAT NO	DESCRIPTION	STD PK
LTCMB20	90 DEGREE CONNECTOR, THREAD SIZE 20MM, CONDUIT SIZE 16MM	25
LTCMB21	90 DEGREE CONNECTOR, THREAD SIZE 20MM, CONDUIT SIZE 20MM	25
LTCMB22	90 DEGREE CONNECTOR, THREAD SIZE 25MM, CONDUIT SIZE 25MM	10
LTCMB23	90 DEGREE CONNECTOR, THREAD SIZE 32MM, CONDUIT SIZE 32MM	5
LTCMB24	90 DEGREE CONNECTOR, THREAD SIZE 40MM, CONDUIT SIZE 40MM	4
LTCMB25	90 DEGREE CONNECTOR, THREAD SIZE 50MM, CONDUIT SIZE 50MM	2
LTCMB26	90 DEGREE CONNECTOR, THREAD SIZE 63MM, CONDUIT SIZE 63MM	2



BRASS LIQUIDTIGHT CONNECTORS - 45°

CAT NO	DESCRIPTION	STD PK
LTCMB30	45 DEGREE CONNECTOR, THREAD SIZE 20MM, CONDUIT SIZE 16MM	25
LTCMB31	45 DEGREE CONNECTOR, THREAD SIZE 20MM, CONDUIT SIZE 20MM	25
LTCMB32	45 DEGREE CONNECTOR, THREAD SIZE 25MM, CONDUIT SIZE 25MM	10
LTCMB33	45 DEGREE CONNECTOR, THREAD SIZE 32MM, CONDUIT SIZE 32MM	5
LTCMB34	45 DEGREE CONNECTOR, THREAD SIZE 40MM, CONDUIT SIZE 40MM	4
LTCMB35	45 DEGREE CONNECTOR, THREAD SIZE 50MM, CONDUIT SIZE 50MM	2
LTCMB36	45 DEGREE CONNECTOR, THREAD SIZE 63MM, CONDUIT SIZE 63MM	2



6

BRASS LIQUIDTIGHT CONNECTORS - FEMALE

CAT NO	DESCRIPTION	STD PK
LTCMB60	FEMALE CONNECTOR, THREAD SIZE 20MM, CONDUIT SIZE 16MM	25
LTCMB61	FEMALE CONNECTOR, THREAD SIZE 20MM, CONDUIT SIZE 20MM	25
LTCMB62	FEMALE CONNECTOR, THREAD SIZE 25MM, CONDUIT SIZE 25MM	25
LTCMB63	FEMALE CONNECTOR, THREAD SIZE 32MM, CONDUIT SIZE 32MM	10
LTCMB64	FEMALE CONNECTOR, THREAD SIZE 40MM, CONDUIT SIZE 40MM	5



CLASS 1, LIQUIDTIGHT CONNECTORS - FLAME PROOF

CAT NO	DESCRIPTION	STD PK
LTCMF06	CONNECTOR FOR CIRCULAR CABLES, THREAD SIZE 20MM, CONDUIT SIZE 16MM	25
LTCMF09	CONNECTOR FOR CIRCULAR CABLES, THREAD SIZE 20MM, CONDUIT SIZE 20MM	25
LTCMF11	CONNECTOR FOR CIRCULAR CABLES, THREAD SIZE 20MM, CONDUIT SIZE 20MM	25
FLC20	BARRIER CONNECTOR, THREAD SIZE 20MM, CONDUIT SIZE 20MM	10
FLC25	BARRIER CONNECTOR, THREAD SIZE 25MM, CONDUIT SIZE 25MM	10





LTCM22

STAINLESS STEEL LIQUIDTIGHT CONNECTORS



CAT NO	DESCRIPTION	STD PK
LTCMS10	CONNECTOR, THREAD SIZE 20MM, CONDUIT SIZE 16MM	25
LTCMS11	CONNECTOR, THREAD SIZE 20MM, CONDUIT SIZE 20MM	25
LTCMS12	CONNECTOR, THREAD SIZE 25MM, CONDUIT SIZE 25MM	25
LTCMS13	CONNECTOR, THREAD SIZE 32MM, CONDUIT SIZE 32MM	10



LT0F

CONDUIT FERRULES



CAT NO	DESCRIPTION	STD PK
LT0F	CONDUIT FERRULE - CONDUIT SIZE 16MM	1
LT1F	CONDUIT FERRULE - CONDUIT SIZE 20MM	1
LT2F	CONDUIT FERRULE - CONDUIT SIZE 25MM	1
LT3F	CONDUIT FERRULE - CONDUIT SIZE 32MM	1
LT4F	CONDUIT FERRULE - CONDUIT SIZE 40MM	1
LT5F	CONDUIT FERRULE - CONDUIT SIZE 50MM	1
LT6F	CONDUIT FERRULE - CONDUIT SIZE 63MM	1



SOR12

SEALING 'O' RINGS



CAT NO	DESCRIPTION	STD PK
SOR11	SEALING 'O' RING - 20MM	100
SOR12	SEALING 'O' RING - 25MM	50
SOR13	SEALING 'O' RING - 32MM	50
SOR14	SEALING 'O' RING - 40MM	25
SOR15	SEALING 'O' RING - 50MM	25
SOR16	SEALING 'O' RING - 63MM	10



BLC1

LIQUIDTIGHT CUTTING VICE



CAT NO	DESCRIPTION	STD PK
BLC1	CUTTING VICE	1



HALOGEN FREE CORRUGATED FLEXIBLE CONDUIT

CAT NO	DESCRIPTION	STD PK
AGT-07N	FLEXIBLE CONDUIT 10MM - BLACK (50MT)	50
AGT-10N	FLEXIBLE CONDUIT 12MM - BLACK (50MT)	50
AGT-12N	FLEXIBLE CONDUIT 16MM - BLACK (50MT)	50
AGT-17N	FLEXIBLE CONDUIT 20MM - BLACK (50MT)	50
AGT-23N	FLEXIBLE CONDUIT 25MM - BLACK (50MT)	50
AGT-29N	FLEXIBLE CONDUIT 32MM - BLACK (50MT)	50
AGT-36N	FLEXIBLE CONDUIT 40MM - BLACK (30MT)	30
AGT-48N	FLEXIBLE CONDUIT 50MM - BLACK (30MT)	30



FITTINGS - CONNECTORS

CAT NO	DESCRIPTION	STD PK
MIR-07M12N	CONNECTOR 10MM - BLACK M12T	100
MIR-10M16N	CONNECTOR 12MM - BLACK M16T	100
MIR-12M16N	CONNECTOR 16MM - BLACK M16T	100
MIR-12M20N	CONNECTOR 16MM - BLACK M20T	100
MIR-17M20N	CONNECTOR 20MM - BLACK M20T	100
MIR-17M25N	CONNECTOR 20MM - BLACK M25T	100
MIR-23M25N	CONNECTOR 25MM - BLACK M25T	50
MIR-23M32N	CONNECTOR 25MM - BLACK M32T	50
MIR-29M32N	CONNECTOR 32MM - BLACK M32T	30
MIR-29M40N	CONNECTOR 32MM - BLACK M40T	30
MIR-36M40N	CONNECTOR 40MM - BLACK M40T	20
MIR-36M50N	CONNECTOR 40MM - BLACK M50T	20
MIR-48M50N	CONNECTOR 50MM - BLACK M50T	10
MIR-48M63N	CONNECTOR 50MM - BLACK M63T	10



6



90° CONNECTORS



CAT NO	DESCRIPTION	STD PK
NEC-10M16N	90 DEGREE ANGLED CONNECTOR - BLACK 12MM M16T	50
NEC-12M16N	90 DEGREE ANGLED CONNECTOR - BLACK 16MM M16T	50
NEC-12M20N	90 DEGREE ANGLED CONNECTOR - BLACK 16MM M20T	50
NEC-17M20N	90 DEGREE ANGLED CONNECTOR - BLACK 20MM M20T	50
NEC-23M25N	90 DEGREE ANGLED CONNECTOR - BLACK 25MM M25T	50
NEC-29M32N	90 DEGREE ANGLED CONNECTOR - BLACK 32MM M32T	20
NEC-36M40N	90 DEGREE ANGLED CONNECTOR - BLACK 40MM M40T	10
NEC-48M50N	90 DEGREE ANGLED CONNECTOR - BLACK 50MM M50T	10



45° CONNECTORS



CAT NO	DESCRIPTION	STD PK
LTC-12M16N	45 DEGREE ELBOW CONNECTOR - BLACK 12MM M16T	50
LTC-17M20N	45 DEGREE ELBOW CONNECTOR - BLACK 20MM M20T	50
LTC-23M25N	45 DEGREE ELBOW CONNECTOR - BLACK 25MM M25T	30
LTC-29M32N	45 DEGREE ELBOW CONNECTOR - BLACK 32MM M32T	20
LTC-36M40N	45 DEGREE ELBOW CONNECTOR - BLACK 40MM M40T	10
LTC-48M50N	45 DEGREE ELBOW CONNECTOR - BLACK 50MM M50T	10



T DISTRIBUTOR




CAT NO	DESCRIPTION	STD PK
TSD-101010N	T DISTRIBUTOR - BLACK 12MM	10
TSD-121212N	T DISTRIBUTOR - BLACK 16MM	10
TSD-171717N	T DISTRIBUTOR - BLACK 20MM	10
TSD-232323N	T DISTRIBUTOR - BLACK 25MM	10
TSD-292929N	T DISTRIBUTOR - BLACK 32MM	10
TSD-363636N	T DISTRIBUTOR - BLACK 40MM	10



CONDUIT SUPPORT

CAT NO	DESCRIPTION	STD PK
SDN-07N	CONDUIT SUPPORT - BLACK 10MM	100
SDN-10N	CONDUIT SUPPORT - BLACK 12MM	100
SDN-12N	CONDUIT SUPPORT - BLACK 16MM	100
SDN-17N	CONDUIT SUPPORT - BLACK 20MM	100
SDN-23N	CONDUIT SUPPORT - BLACK 25MM	50
SDN-29N	CONDUIT SUPPORT - BLACK 32MM	30
SDN-36N	CONDUIT SUPPORT - BLACK 40MM	20
SDN-48N	CONDUIT SUPPORT - BLACK 50MM	10



SDN-07N



LOCK NUTS

CAT NO	DESCRIPTION	STD PK
261247	LOCK NUT POLYAMIDE - BLACK 12MM	100
261647	LOCK NUT POLYAMIDE - BLACK 16MM	100
262047	LOCK NUT POLYAMIDE - BLACK 20MM	100
262547	LOCK NUT POLYAMIDE - BLACK 25MM	100
263247	LOCK NUT POLYAMIDE - BLACK 32MM	100
264047	LOCK NUT POLYAMIDE - BLACK 40MM	50
265047	LOCK NUT POLYAMIDE - BLACK 50MM	50
266347	LOCK NUT POLYAMIDE - BLACK 63MM	50



261247



SEALING WASHER

CAT NO	DESCRIPTION	STD PK
PLJ-M12	SEALING WASHER 12MM	100
PLJ-M16	SEALING WASHER 16MM	100
PLJ-M20	SEALING WASHER 20MM	100
PLJ-M25	SEALING WASHER 25MM	50
PLJ-M32	SEALING WASHER 32MM	30
PLJ-M40	SEALING WASHER 40MM	20
PLJ-M50	SEALING WASHER 50MM	10



PLJ-M12



O-RINGS		
CAT NO	DESCRIPTION	STD PK
ORJ-07	O-RING FOR IP68 10MM	100
ORJ-10	O-RING FOR IP68 12MM	100
ORJ-12	O-RING FOR IP68 16MM	100
ORJ-17	O-RING FOR IP68 20MM	100
ORJ-23	O-RING FOR IP68 25MM	50
ORJ-29	O-RING FOR IP68 32MM	30
ORJ-36	O-RING FOR IP68 40MM	20
ORJ-48	O-RING FOR IP68 50MM	10