



# Pro Series

Range overview




[clipsal.com/proseries](https://clipsal.com/proseries)

Life Is On

**CLIPSAL**  
by Schneider Electric

# DEPARTURES



# Pro Series – clever, strong, easy

Pro Series is the first range of robust switches and sockets designed to meet the needs of commercial buildings.

## Clever features


After extensive market research and listening to customer feedback, we have designed a range of switches and sockets for commercial buildings. Pro Series offers permanent circuit identification with integrated windows. The skin is secured in place helping to protect your investment. Planning, commissioning and installing of the new Pro Series is quick and easy.

## Attractive design

The range is aesthetically appealing with fresh, clean lines and bevelled edges to deflect impacts. Available in white and black, the switches and sockets will blend into any commercial environment. The clean and seamless design makes for an elegant appearance and avoids attracting dirt.

## Extensive functions

The Pro Series range includes standard switches and sockets, as well as data sockets, dimmers, and USB chargers. The USB chargers feature both A and C type connections. Connected systems are also supported with connected dimmer and switches, and C-Bus master and slave modules.



Pro Series socket, white



Pro Series socket, black



Circuit ID window



Secure clip-on skin



Impact deflection



Seamless design



IK08 impact resistant



Extensive list of functions

# Retail and transportation

Shopping malls, airports and train stations are busy places with a lot of traffic. Sockets in particular are exposed to impacts and can be easily damaged by trolleys, baggage or cleaning machines.

## Robust

Pro Series has been designed with quality materials and features to resist impacts in exposed, high traffic areas. Switches also feature integrated locking bars to reduce the chance of module pushbacks.

## IK08 impact rating

Standard sockets have an impact rating of IK08, which means they are strong enough to withstand the daily knocks of busy public places like shopping malls and airports.

## Circuit ID protection windows

The circuit identification is easy to read and permanent, making it simple for facility managers and electricians to identify circuit numbers in large buildings.

## Functions for commercial applications

The sockets are available in 10, 15 and 20 amp versions to connect professional appliances requiring higher load capability. Other functions are also available such as round earth sockets, RCD sockets, and indicators.



Single socket horizontal 10 amp



Twin socket horizontal round earth 10 amp



USB chargers are provided in a number of configurations

# Education and Office Buildings

## Secure skins and robust design

### Secure skins, not removable by hand

Pro Series skins can't be removed by hand, avoiding loss of the skins. The switches also feature integrated locking bars that reduce the chance of module pushbacks.

### USB solutions

The new Pro Series offers a wide range of USB solutions with type A, and type A & C modules. These can be easily integrated into sockets and switch plates.



Dual USB charger type A & C



Pro Series offers a wide range of product options including 40 Series mechanisms and extensive options for your building.

# Common Areas and Public Spaces

## Fresh and clean aesthetic

### Protected circuit identification

Pro Series features simple and clear circuit identification. The protected ID ensures it's easy to identify circuits and maintain consistency with labelling across the building.

### Electronic functions

Pro Series offers a wide variety of electronic functions. The PIR motion sensor module provides hands-free control of lighting while saving energy by only remaining on when required. Ideal for use in small spaces like entrances, hallways and storage rooms.

### C-Bus modules

Pro Series offers C-Bus compatibility with a new range of 40 Series C-Bus\* modules making your building management easy.




PIR motion sensor

# Clever features

## Clear advantages

With Pro Series, circuit identification labels are protected behind a clear window. The labels adhere to panels designed into the grids, so even if skins are inadvertently swapped during maintenance, the labels will always display the correct circuit identification. There are two windows on opposite edges, so the ID can be visible in any situation.




Consistent location on sockets and switches

Compatible with 9mm Dymo® and Traffolyte labels 55 x 7.5 x 1.6mm

## Secure skins

Lost skins can be a frequent problem in public buildings. The new Pro Series comes with skins that clip on securely and cannot be removed by hand. Fixing them is easy and fast – you simply click them onto the grid. No screws are needed. Special notches on the skins allow quick and easy removal with a screwdriver.



## Long-lasting and robust

Sockets positioned low on walls can be exposed to rough conditions like bumps from trolleys and other equipment, which can often result in cracked or broken skins. That's why new Pro Series sockets are made extra tough and have an IK08 impact rating\*.

\*Standard sockets only, does not include switches or sockets with extra switches.



Secure Skin



Protected Circuit ID



Consistent Labelling



Impact Deflection



IK08 Impact Resistant




Circuit ID Windows

# Clever switch innovation

Pro Series grids feature screw covers, drill guides and 40 series mechanisms for easy installs and customisation.

Locking bar helps to reduce the chance of module pushbacks, and makes it easier to change and upgrade

Fully compatible with all 40 Series modules




Pre-mounted screws for faster fit-off

Circuit identification panel to fit traffolyte labels or Dymo® labels



Screw covers help stop access to screws



Circuit identification window

Optional pictogram rockers to personalise switches

Gloss finish

Screwdriver notch to aid removal from locking bar






Optional bright white LEDs can be easily wired and set as locator or indicator

Hybrid screws are suitable for square drive, Phillips and flathead screwdrivers

# Sockets with a difference

Pro Series features innovations like pre-mounted screws, screw covers and in-line terminals.



Secure Skin



Protected Circuit ID



Consistent Labelling



Impact Deflection



IK08 Impact Resistant



Circuit ID Windows

# Colour options

Pro Series provides extra White and Black colour options in all products, as these are the most common colours used in commercial environments.

In addition, double horizontal and vertical sockets have Red, Dark Blue and Green covers as an option. These can be used to highlight the type of power being supplied from that socket.



P3025C-XW



P3025C-BK



P3025C-GN



P3025C-DB



P3025C-RD



# 40 Series electronic modules



Rotary dimmers



Push button dimmers and switches



USB mechanism with built-in current management and rotating head



PIR motion sensor mechanism

## 40 Series electronic accessories are designed for clever functionality.

Electronic accessories fit Pro Series switch grids. Secured in place with the mechanism locking bar, they can be easily changed to suit vertical or horizontal orientation. The range includes standard electronic accessories such as rotary and push-button dimmers, PIR sensors, dimmers and USB chargers.

### Rotary and push-button dimmers

40 Series electronic products include both push-button and rotary dimmers. Push-button dimmers offer multi-way dimming over standard wiring using ControlLink. The dimmers offer adjustable brightness limit settings and have built in resettable protection. They are optimised for performance with the Clipsal TPDL series LEDs.

### ControlLink connectivity for Multiway Control

ControlLink provides multiway control and linking of groups of lights with standard wiring.

### USB chargers

USB chargers, now including a USB C option, have a patented rotatable head for easy reorientation. They also include patented current management technology, which reduces the output current to help prevent overheating while minimising charge times.

### PIR motion sensor

The 40 Series PIR motion sensor mechanism is simple to install and configure with front light level and timer adjustment. It is ideal for hands free lighting control in entry ways, hallways or stairs.



# 40 Series connected modules



Connected dimmers and switches



Push button dimmers and switches



Configure from the Wiser Room app

## With ControlLink and Bluetooth Low Energy for simple connectivity.

### Connected switch

The 3 wire connected push button electronic switch offers in-room smart device app control via the Wiser Room app. It is a push button switch, 1s-24hr timer, 24/7 scheduler and digital sunset switch all in one. Also featuring ControlLink for multiway switching. Ideal for control of external lighting.

### Connected dimmer

The 3 Wire Connected Push button dimmer offers in-room smart device app control via the Wiser Room app. Its superior LED dimming performance provides a premium dimming experience. It also has built in 1s-24hr time delay and 24/7 scheduling and digital sunset switch functions. Includes ControlLink for multiway dimming.

### Wiser Room app

Connected 3-wire electronic products can be configured and controlled via the Wiser Room app on most tablets or phones to perform programmed tasks like:

- Switch and dim lights with a configurable timer
- Exhaust fan runs-on after being switched off
- Operate external lights on 24hr/7day schedules
- Automatic seasonal sunrise and sunset tracking
- It's also easy to copy and paste settings to save time or reset everything to your original set point.

### PIR motion sensor

The PIR motion sensor mechanism is simple to install and configure with front light level and timer adjustment. It is ideal for hands free lighting control in entry ways.

### QR Codes for Wiser Room App



## 40 Series Modules for C-Bus® Building Automation system



5041NMML  
C-Bus® 40 Series Master Module



5041NMS  
C-Bus® 40 Series Slave Module




## Building automation and energy management made simple

C-Bus® building automation system is a powerful, fully integrated system that can control and automate lighting and many other electrical systems and products. Designed for commercial or residential building automation, it brings control, comfort, efficiency and ease of use to its occupants.

## C-Bus® integrations

C-Bus® 40 Series modules can be mounted to Pro Series to create wall plates for C-Bus®. It is possible to create up to a 4 gang wall plate with one master and 3 slave modules. The wallplate is programmable as ON/OFF toggle, dimmer, timer, scene control, bell press, shutter/blind control, fan speed and custom functions. Selectable blue and red LED indicator can be configured through C-Bus® configuration software. The 40 Series modules can be programmed via Learn mode or the C-Bus® configuration software and draw 18mA from the C-Bus network.



# Network connectivity



Multiple network connectivity options



Range of RJ45 connectors including shielded and unshielded



An extensive network connectivity solution is now available in 40 Series modules.

## Enhanced connectivity

An extensive Network Connectivity solution, including Cat 5e, Cat 6 and Cat 6A connectors, is now available in 40 Series modules. With mechanisms for RJ45 networking, HDMI, TV and audio, you will be able to meet customer networking and AV requirements.

## Audio, video and networking

40 Series modules include a wide range of audio, visual and networking mechanisms to suit commercial application. TVs can be connected to media devices through F-Type, PAL and HDMI mechanisms. Audio systems can be connected via RJ45 and RCA mechanisms. RJ45 mechanisms can be used for connecting all the smart devices in the network


## Flexibility of Pro Series grids

No two networks are the same, which is where the range of audio, video and networking mechanisms make every setup simple and easy. You can use different combinations of mechanisms in up to a 6 gang grid, ensuring the required services are available at each outlet to cater for any end user requirements.-

## Actassi data networking

Our Actassi data range is a complete networking solution which includes Cat5e, Cat6 and high performing Cat 6A mechanisms. Cat 6 is the entry level solution for commercial applications, delivering 1Gbit p/s speeds. Cat 6A is our solution for critical building networks, delivering 10 Gbit p/s speeds with superior bandwidth.

# Product references



# Switches, Skins and Mechanisms

Pro Series offers one to six-gang grids with mechanism locking bars for multiple combinations of 40 Series modules and mechanisms.

## Switches

Pro Series grids feature innovative protective screw caps, which help prevent screw access after installation.

## Switch plates



## Architrave switches



## Time delay



## Cooker switches



# Switches, Skins and Mechanisms (cont'd)

## IP44 rated switches



**P3041V44-XW**  
Switch, IP44 Rated,  
1 Gang, 250VAC, 16AX



**P3042V44-XW**  
Switch, IP44 Rated,  
2 Gang, 250VAC, 16AX



**P3043V44-XW**  
Switch, IP44 Rated,  
3 Gang, 250VAC, 16AX



**P3044V44-XW**  
Switch, IP44 Rated,  
4 Gang, 250VAC, 16AX

## Switch grids

Pro Series grids are only suitable for 40 series mechanisms.



**P3041G**  
Switch Grid,  
Vertical/Horizontal,  
1 Gang



**P3042G**  
Switch Grid,  
Vertical/Horizontal,  
2 Gang



**P3043G**  
Switch Grid,  
Vertical/Horizontal,  
3 Gang



**P3044G**  
Switch Grid,  
Vertical/Horizontal,  
4 Gang



**P3045G**  
Switch Grid,  
Vertical/Horizontal,  
5 Gang



**P3046G**  
Switch Grid,  
Vertical/Horizontal,  
6 Gang

## Switch grids and skins



**P3041VH-XW**  
Switch Grid and Skin  
Vertical/Horizontal  
1 Gang



**P3042VH-XW**  
Switch Grid and Skin  
Vertical/Horizontal  
2 Gang



**P3043VH-XW**  
Switch Grid and Skin  
Vertical/Horizontal  
3 Gang



**P3044VH-XW**  
Switch Grid and Skin  
Vertical/Horizontal  
4 Gang



**P3045VH-XW**  
Switch Grid and Skin  
Vertical/Horizontal  
5 Gang



**P3046VH-XW**  
Switch Grid and Skin  
Vertical/Horizontal  
6 Gang

## Skins – including colours



**P3041C\***  
Switch Skin,  
Vertical/Horizontal,  
1 Gang



**P3042C\***  
Switch Skin,  
Vertical/Horizontal,  
2 Gang



**P3043C\***  
Switch Skin,  
Vertical/Horizontal,  
3 Gang



**P3044C\***  
Switch Skin,  
Vertical/Horizontal,  
4 Gang



**P3045C\***  
Switch Skin,  
Vertical/Horizontal,  
5 Gang



**P3046C\***  
Switch Skin,  
Vertical/Horizontal,  
6 Gang

\* Available in

White (XW)

BLACK (BK)

# Sockets, Skins and Mechanisms

## Sockets


Pro Series sockets feature grids with screw covers, which help prevent screw access after installation.




**P3015-XW**  
Power Outlet, Single,  
250VAC, 10A



**P3015-15-XW**  
Power Outlet, Single,  
250VAC, 15A



**P3015-20-XW**  
Power Outlet, Single,  
250VAC, 20A



**P3015XA-XW**  
Power Outlet, Single,  
250VAC, 10A, with extra switch



**P3025-XW**  
Power Outlet, Twin,  
250VAC, 10A



**P3025-15-VW**  
Power Outlet, Twin,  
250VAC, 15A



**P3025XA-XW**  
Power Outlet, Twin, 250VAC,  
10A, extra switch



**P3025L-XW**  
Power Outlet, Twin, 250VAC,  
10A, Round earth



**P3025PID-XW**  
Power Outlet, Twin, 250VAC,  
10A, Power Indicator



**P3015-4-XW**  
Power Outlet, Quad,  
250VAC, 10A



**P3015-4XXUA-XW**  
Power Outlet, Quad,  
250VAC, 10A,  
2 x extra switches, less  
mechanisms



**P3015V-XW**  
Power Outlet, Single,  
Vertical, 250VAC, 10A



**P3015V15-XW**  
Power Outlet, Single,  
Vertical, 250VAC, 15A



**P3025V-XW**  
Power Outlet, Twin,  
Vertical, 250VAC, 10A



**P3025VXA-XW**  
Power Outlet, Twin, Vertical,  
250VAC, 10A, with extra switch

## Double pole sockets



**P3015D-XW**  
Power Outlet, Single,  
250VAC, 10A, Double Pole



**P3015D15-XW**  
Power Outlet, Single, 250VAC,  
15A, Double Pole



**P3025D-XW**  
Power Outlet, Twin, 250VAC,  
10A, Double Pole



**P3025USB2-XW**  
Power Outlet, Twin,  
250VAC, 10A, with  
Twin Type A USB  
Charger



**P3025USBAC-XW**  
Power Outlet, Twin,  
250VAC, 10A, with  
Type A+C USB  
Charger



**P3043HSUSB-XW**  
3 Gang USB charging  
station, Type A, 3x2.1A  
(4.5A max)

## USB chargers

## RCD sockets



**P3025RCD30-XW**  
Power Outlet, Twin,  
30mA RCD Protected,  
250VAC, 10A



**P3025RCD10-XW**  
Power Outlet, Twin,  
10mA RCD Protected,  
250VAC, 10A



**P3015T-XW**  
Single socket with timer  
250VAC, 10A

## Connected socket

# Switches, Skins and Mechanisms (cont'd)

## Socket grids



**P3015G**  
Power Outlet Grid, Single,  
250VAC, 10A



**P3015-15G**  
Power Outlet Grid, Single,  
250VAC, 15A



**P3015-20G**  
Power Outlet Grid, Single,  
250VAC, 20A



**P3015XAG**  
Power Outlet Grid, Single,  
250VAC, 10A, with  
extra switch mechanism



**P3025G**  
Power Outlet Grid, Twin,  
250VAC, 10A



**P3025XAG**  
Power Outlet Grid, Twin,  
250VAC, 10A, with extra  
switch mechanism



**P3025-15G**  
Power Outlet Grid, Twin,  
250VAC, 15A



**P3025LG**  
Power Outlet Grid, Twin,  
250VAC, 10A, Round Earth



**P3025PIDG**  
Power Outlet Grid, Twin,  
250VAC, 10A, Power indicator



**P3015-4G**  
Power Outlet Grid, Quad,  
250VAC, 10A



**P3015-4XXUAG**  
Power Outlet Grid, Quad,  
250VAC, 10A, 2 x extra  
switches less mechanisms



**P3015VG**  
Power Outlet Grid, Single,  
Vertical, 250VAC, 10A



**P3015V15G**  
Power Outlet Grid, Single,  
Vertical, 250VAC, 15A




**P3025VG**  
Power Outlet Grid, Twin,  
Vertical, 250VAC, 10A



**P3025VXAG**  
Power Outlet Grid, Twin,  
Vertical, 250VAC, 10A,  
extra switch



**P3025USB2G**  
Power Outlet Grid, Twin,  
250VAC, 10A, with dual  
USB type A



**P3043USBG**  
3 Gang USB  
charger grid

## Socket skins – including colours



**P3015C\***  
Power Outlet Skin, Single,  
250VAC, 10A



**P3015-15C\***  
Power Outlet Skin, Single,  
250VAC, 15A



**P3015-20C\***  
Power Outlet Skin, Single,  
250VAC, 20A



**P3015XC\***  
Power Outlet Skin, Single,  
250VAC, 10A, extra switch



**P3025C\*(1)(2)**  
Power Outlet Skin, Twin  
250VAC, 10A



**P3025-15C\***  
Power Outlet Skin, Twin  
250VAC, 15A



**P3025XC\***  
Power Outlet Skin, Twin,  
250VAC, 10A,  
extra switch



**P3025LC**  
Power Outlet Skin, Twin,  
250VAC, 10A, Lighting  
extra switch



**P3015-4C\***  
Power Outlet Skin, Quad,  
250VAC, 10A



**P3015-4XXC\***  
Power Outlet Skin, Quad,  
250VAC, 10A,  
2 x extra switches



**P3015VC\***  
Power Outlet Skin, Single,  
Vertical, 250VAC, 10A



**P3015V15C\***  
Power Outlet Skin, Single,  
Vertical, 250VAC, 15A



**P3025VC\*(1)**  
Power Outlet Skin, Twin,  
Vertical, 250VAC, 10A



**P3025VXC\***  
Power Outlet Skin, Twin,  
Vertical, 250VAC, 10A,  
extra switch



**P3043HUSBC\***  
3 Gang USB Charger  
black skin

Available in



# Sockets, Skins and Mechanisms (cont'd)

## Mechanisms



40M  
Switch Mechanism,  
1/2 way, 250VAC,  
10AX



40USM  
Switch Mechanism,  
1/2 way, 250VAC,  
20A/16AX



P40MBPR-XW  
Switch Mechanism,  
Bell Press Return,  
250VAC, 10A



P40M32COOK-XW  
Switch Mechanism,  
1 way, 250VAC, 32A,  
marked Cooker



P40MD10\*  
Switch Mechanism, Double  
Pole, 250VAC, 10AX



P40MD20\*  
Switch Mechanism,  
Double Pole, 250VAC, 20AX



40MI  
Switch Mechanism,  
Intermediate, 250VAC,  
10AX



P40RSM3-XW\*  
Switch Mechanism, Rotary,  
4 Position, 250VAC,  
10A, OFF-1-2-3



P40RSM2-XW\*  
Switch Mechanism, Rotary,  
4 Position, 250VAC,  
10A, OFF-1-OFF-2



P49M-XW\*  
Switch Mechanism,  
3 Position, 250VAC, 10A



48HD-TN  
PCU adaptor  
mechanism



P40CSFM-XW\*  
Fan Speed Controller  
Mechanism, 3 Speed,  
250VAC, 75VA



P40MLEDBW-XW\*  
LED Module, 250VAC,  
Bright White

P40MLEDBW-BK\*  
LED Module, 250VAC,  
Black



40N-RD  
Power Indicator  
Mechanism, LED,  
250V, Red



40N-GR  
Power Indicator  
Mechanism, LED,  
250V, Green



40N24-RD  
Power Indicator  
Mechanism, LED, 24V,  
Red



40N24-GR  
Power Indicator  
Mechanism, LED, 24V,  
Green



40NPA-AM  
Power Indicator Mechanism,  
LED, 250V, Amber, Marked  
Power available

\*Specific dolly included with the mechanism

# Network connectivity

The 40 Series modules offer includes all common connector options for network connectivity.

## Audio connectors

RCA sockets for stereo speaker cables.



40BC/2-TN  
Banana Audio  
Connectors RD + BK



40SPK/2-TN  
RCA Audio  
Sockets RD+BK



40FFPMS-TN  
TV Socket PAL Front,  
F-Type Rear



40PFM-TN  
TV Socket F-Type Front,  
F-Type Rear

## HDMI sockets

Ideal for organising HDMI communications cables.



40HDMIA-TN  
HDMI Socket  
Angled Rear



40HDMIS-TN  
HDMI Socket  
Straight Rear



40RJ64SMT-TN  
Cat 3 Telephone  
Connector RJ12



40ADPKS-TN  
Adaptor RJ Tyco  
Krone Siemon, 10Pk



40ADPSY-TN  
Adaptor RJ Systemax  
AT&T, 10Pk

## Telephone sockets

For organising telephone cables.

## Keystone mechanism adaptors

## Actassi RJ45 sockets



40RJ45SMA5C-TN  
Cat 5E Connector  
RJ45 Unshielded



40RJ45SMA5SHC-TN/PK  
Cat 5E Connector RJ45,  
Shuttered, Unshielded



40RJ45SMA6C-TN  
Cat 6 Connector  
RJ45 Unshielded



40RJ45SMA6SHC-TN  
Cat 6 Connector RJ45  
Shuttered, Unshielded



40RJ45SMA6AC-TN  
Cat 6A Connector RJ45  
Unshielded



40RJ45SMA6ASC-TN  
Cat 6A Connector RJ45  
Shuttered Unshielded

## Actassi RJ45 sockets (cont'd)



VDIB177AXU10TN  
Cat 6A Connector RJ45  
Unshielded DPM 10Pk



VDIB177AXB10TN  
Cat 6A Connector RJ45  
Shielded DPM 10 Pk

# Connected and Electronic Devices

## Connected devices

Offers multi-way push-button switching and dimming with app control and configuration (3-wire model). ControlLink functionality delivers true multiway dimming and switching.



**P41EPBDWCLM-XW**  
Push-button Wisier LED dimmer with BLE, app configuration, 300W, 3-wire, with ControlLink



**P41E10PBSWM-XW**  
Push-button Wisier 10A switch with BLE, app configuration, 3-wire, with ControlLink configuration



**P41EPBCLM-XW**  
Smart remote Push-button ControlLink mechanism with LED indicator



**5041NMML**  
C-Bus 40 Series Master Module



**5041NMS**  
C-Bus 40 Series Slave Module

## Dimmers

Rotary and push button dimmers support LED loads primarily. Push button dimmer features ControlLink connectivity.



**42E350RLD2M-VW**  
Rotary LED Dimmer 350W, 2-wire



**41E300PBUD2SM-VW**  
Push-button Universal Dimmer 300W 2-wire, with ControlLink



**41EPIRM-TN**  
PIR motion sensor, 150W LED, 3-wire, 5m range

## USB chargers

Single and double USB charger mechanisms. (USB charger Modules come with white cap adaptor – black cap adaptor to be ordered separately) The USB chargers offer functionality and flexibility with in-built protection.



**40E1USBM-VW**  
Single USB charging mechanism 1.5A



**40E2USBM-VW**  
Dual USB charging mechanism, 2x2.1A (3.1A max)



**40E2USBACM**  
Dual USB Charging Mechanism, 1 x 2.4A Type A + 1 x 3.0A Type C (3.1A max)

# Connected and Electronic Devices (cont'd)

## Caps and accessories

All accessories available in Pro Series optional colours.



**P40APB**  
Push-button parts pack  
assembly, blank  
Available in...  
P40APB-XW White  
P40APB-BK Black



**P40EDIMKB**  
Rotary Dimmer knob  
parts pack  
Available in...  
P40EDIMKB-XW White  
P40EDIMKB-BK Black



**40E1USBCAP**  
Mechanism Cap to suit  
single USB charger  
Available in...  
40E1USBCAP-VW  
White  
40E1USBCAP-BK Black



**40E2USBACCAP**  
Mechanism Cap to suit  
dual Type A+C USB  
charger  
Available in...  
40E2USBCCAP-VW  
White  
40E2USBCCAP-BK  
Black



**40E2USBCAP**  
Mechanism Cap to suit  
dual USB charger  
Available in...  
40E2USBCAP-VW  
White  
40E2USBCAP-BK Black



**P40RSM2KB**  
Dolly Rotary marked  
OFF-1 – OFF-2  
Available as...  
P40RSM2KB-XW  
P40RSM2KB-BK



**P40RSM3KB**  
Dolly Rotary marked  
OFF-1-2-3  
Available as...  
P40RSM3KB-XW  
P40RSM3KB-BK

## Accessories

Pro Series range suits existing mounting accessories with the addition of the new 4-gang socket wall bracket (3155H4), wall box (3157/4PRM) and mounting block. We have also developed a new range of mounting blocks for single gang switches and sockets. Like the shallow optimum mounting block (3000SM-VW), the deep optimum mounting block (3000DM-VW) and the standard mounting block (449AB-VW).



**P3000PP-50**  
Paint Protector



**3155H4**  
Quad Socket Mounting  
Bracket



**3157/4PRM**  
Quad Socket Plastic  
Wall Box (54mm depth)



**3004M-VW**  
Quad Socket Mounting  
Block (38mm depth)



**449AB-VW**  
Standard Mounting  
Block (34mm depth)



**3000SM-VW**  
Shallow Iconic Mounting  
Block (32mm depth)



**3000DM-VW**  
Deep Iconic Mounting  
Block (40mm depth)



**P3000T**  
Skin Removal Tool

# Pictogram rockers

Pro Series switches come standard with plain rockers, which you can customise with optional pictogram rockers.

Printer dolly for P40M:

Description	Pictogram	Pro Series
BLANK		P40AR*
FAN		P40FR*
LIGHT		P40LR*
HEAT		P40HR*
FRIDGE		P40FRR*
SENSOR		P40SR*
HOT WATER		P40HWR*
AIRCOND		P40ACR
ALARM		P40ALR
ZONE 1	Zone 1	P40ZR1*
ZONE 2	Zone 2	P40ZR2*
ZONE 3	Zone 3	P40ZR3*
32A	32A	P40R32*

Printed dolly for 3 positions mechanism (P49M-P49MBPR):

Description	Pictogram	Pro Series
Blank		P49T*
Sensor On Off	Sensor Off On	P49TSOO*
Auto On Off	Auto Off Manual	P49TAOM*
Up Off Down	Up Off Down	P49TUOD*

Printed dolly for cooker mechanism (P40M32):

Description	Pictogram	Pro Series
32A Cooker	Cooker	P40R32COOK*
20A Cooker	Cooker	P40R20COOK*

Latching dolly (P40M):

Description	Pictogram	Pro Series
BLANK latching		P40LOCKR

\* Available in

 White (XW)

 BLACK (BK)

# How to order

With set prefixes, part numbers and colour initials, ordering the Pro Series range is simple.

## Catalogue number convention

Socket nomenclature		Prefix = Design	Number of gang	Extras		Color code
Pro Series assembled socket – <b>horizontal 1 gang 10A</b>	<b>P3015-XW</b>	P30	15		–	XW*
Pro Series assembled socket – <b>horizontal 2 gang 10A</b>	<b>P3025-XW</b>	P30	25		–	XW*
Pro Series assembled socket – <b>vertical 2 gang 10A</b>	<b>P3025V-XW</b>	P30	25	V	–	XW*
Pro Series assembled socket – <b>horizontal 2 gang 15A</b>	<b>P3025-15-XW</b>	P30	25	15	–	XW*
Pro Series assembled socket – <b>horizontal 1 gang 10A extra switch</b>	<b>P3025XA-XW</b>	P30	25	XA	–	XW*
Pro Series SKIN socket – <b>horizontal 1 gang 10A</b>	<b>P3025C-**</b>	P30	15	C	–	**
Pro Series GRID socket – <b>horizontal 1 gang 20A</b>	<b>P3025-20G</b>	P30	25	20	G	

(V)=Vertical (XA)=Extra-Switch Assembled (C)=Skin (G)=Grid

\*All assembled products come in white

Switch nomenclature		Prefix = Design	Number of gang	Extras		Color code
Pro Series assembled switch – <b>1 gang vertical</b>	<b>P3041VA-XW</b>	P30	41	VA	–	XW*
Pro Series assembled switch – <b>2 gang vertical</b>	<b>P3042HA-XW</b>	P30	42	HA	–	XW*
Pro Series GRID & SKIN without mechanism switch – <b>2 gang</b>	<b>P3042VH-XW</b>	P30	42	VH	–	XW*
Pro Series SKIN switch – <b>2 gang</b>	<b>P3043C-**</b>	P30	43	C	–	**
Pro Series GRID switch – <b>4 gang horizontal</b>	<b>P3043G</b>	P30	44		G	

(VA)=Vertical Assembly (HA)=Horizontal Assembly (VH)= Vertical or Horizontal Assembly (C)=Skin (G)=Grid

\*All assembled products come in white

## \*\*Colour codes

For all the products offer	<b>XW</b>	White
	<b>BK</b>	Black
Only for specific reference	<b>DB</b>	Blue
	<b>RD</b>	Red
See catalogue pages	<b>GR</b>	Green

# How to order (cont'd)

## Customize your products

### Pro Series – Twin socket in black

---



P3025G

+



P3025C-BK

### Pro Series – 1 gang switch vertical white with printed rocker sensor

---



P3041VA-XW

+



P40SR-XW

### Pro Series – 1 gang switch vertical black with USB A+C

---



P3041G

+



40E2USBACM

+



P3041C-BK

+



40E2USBACCAP-BK

### Pro Series – Network connectivity integrated in a white switch plate

---



P3042VH-XW

+



41EPIRM-TN

### Pro Series – PIR motion sensor integrated in a black plate

---



P3041G

+



41EPIRM-TN

+



P3041C-BK





For more information about the Pro Series range, contact your local Clipsal and Schneider Electric Partner Business Representative, electrical wholesaler, or visit [clipsal.com/proseries](https://clipsal.com/proseries)

Schneider Electric (Australia) Pty. Ltd.  
33-37 Port Wakefield Road,  
Gepps Cross, South Australia, 5094

Consumer Support Enquiries  
Phone: 1300 669 925  
Website: [clipsal.com/contactus](https://clipsal.com/contactus)

National Customer Care (trade only)  
Phone: 1300 369 233

©2019 Schneider Electric. All Rights Reserved. This document has been printed on recycled paper.  
998-20771117\_AU-GB

[clipsal.com/proseries](https://clipsal.com/proseries)

Life Is On

**CLIPSAL**<sup>®</sup>  
by Schneider Electric