



# PRODUCT GUIDE

# COMPANY INTRODUCTION

Dy-Mark® is an Australian made and owned company based in Brisbane. We manufacture and distribute globally, high quality, industrial strength range of; marking, metal protection and cleaner/lubricant solutions to the industrial market.

The comprehensive range of products provide quality results for a wide range of industries including construction, mining, timber and forestry and warehousing.

With a commitment to product quality and performance, you can be assured of professional results every time when using any of the products from the Dy-Mark® range.



## QUALITY

We have a state of the art manufacturing facility in Brisbane. We source quality materials and work with reputable suppliers to produce products that meet standards before reaching the market.



## INNOVATION

Our Product Development team is committed to constantly innovating and researching. Our products are developed and tested in Dy-Mark's NATA accredited laboratory, where we ensure our products are compliant with Australian and Global requirements and standards.



## SERVICE

Our friendly customer service team are dedicated to listening and providing solutions to any request. Offering customers comprehensive and seamless communication through email, phone, social media or via a Dy-Mark Sales Representative. You can be sure to expect the highest level of customer service from the team at Dy-Mark.



## INTEGRITY

For over 50 years we have built strong, positive relationships with both our internal and external stakeholders. We are committed to continuing to exceed our customers expectations and be ethical at all times in everything we do.



# CONTENTS PAGE



## MARKING PRODUCTS 7–36

• Aerosol Paints	7
• Bulk Paints	16
• Inks & Dyes	17
• Stencilling	22
• Markers & Crayons	24
• Tools & Accessories	33

The Dy-Mark marking range provides high quality products that offer industry users a professional finish for both permanent and temporary markings.



## METAL PROTECTION & FLOOR COATINGS 37–47

• Metal Protection	39
• Floor Coatings	46
• Tools and Accessories	47

The protective and decorative coatings range offers products that deliver constant protection for a wide range of surfaces from the environmental effects of dirt, stains, corrosion and rust.



## MAINTENANCE 48–57

• Aerosol Cleaners & Lubricants	50
• Cleaning Solvents	57

The Dy-Mark maintenance range offers a selection of cleaners and lubricants to fight against the harshest of elements. The newest addition to this range are the Dy-Mark PROTECH cleaners & lubricants.



## INDUSTRIAL PACKAGING 58–63

• Tape	59
• Strapping	60
• Wrapping	63

The Dy-Mark packaging range offers quality products that provide a highly cost-effective solution for any taping, strapping or wrapping despatch job, with reliable stock supplies and fast service.

## PERSONAL INSECT REPELLENT 64–68

• Personal Protection Range	66
• Outdoor Protection	67
• Insect Killers - Home Protection	68

# MARKING PRODUCTS

## Aerosol Paints

Spray & Mark	7
Spray & Mark Water-Based	7
Spray Ink	8
Spray Writer	9
Steadfast Stock Mark	9
Line Marking Paint	10
Line Marking Professional	11
Turf Master	12
Landscape Chalk	13
Mine Marking	14
Mine Marking Non-Flammable	15

## Bulk Paint

Line Marking Paint – Solvent-Based	16
Line Marking Paint – Water-Based	16

## Inks & Dyes

Stencil Ink RIO200	17
Industrial Refillable Ink P200	17
Timber Brander Ink R600	17
Stress Grading Ink WB800	18
Ballmarker Refill Ink T400	19
Ballmarker Refill Ink PB80	19
Engineers Layout Ink (LOS)	19
Flawchek System	20
Rock Coding Ink	21
Spray Marker Dye	21

## Stencilling

Car Park Stencil Kit	22
Poly Safety Stencils	22
Zinc Stencil Sets	23
Brass Interlocking Stencils	23

## Markers & Crayons

Industrial Marker D10	24
Industrial Refillable Ballmarker	24
Ink Marker i70	25
Ink Marker i90	25
Ink Marker iFine	25
Paint Marker P10	26
Paint Marker P20	26
Artline® Marker 70	27
Artline® Marker 100	27
Artline® Marker 400XF	27
Ideal Marker	27
Mark-Tex Texpen®	28
Leviathan® Industrial Crayons	29
Leviathan® Lumber Crayons	29
Markal® Paintstik® M	30
Markal® Paintstik® B-L	30
Markal® Paintstik® B	30
Engineering Chalk	31
Markers & Crayons Reference Guide	32

## Tools & Accessories

2-Wheel Spot Marking Handle	33
Long Arm Handle	33
Measuring Wheel	34
Survey/Flagging Pins	34
Survey/Flagging Tape	34
Line Master	35
Mine Marking® Handle	36



Aerosol Paints

# Premium Marking High Visibility



# SPRAY & MARK

## Marking Out Paint

350g | Qty 12

### Features & Benefits

- Premium marking out paint
- Toluene-free formula
- Designed for inverted use
- High opacity, high quality, true colour pigment loading
- Bright colour range for highly visible marks
- Applications include: construction, landscaping, civil works and surveying
- Unique spray pattern specifically designed for spot marking as well as "writing" applications
- Suitable for use with the Dy-Mark Long Arm Handle and 2-Wheel Spot Marking Handle
- Spray & Mark Holsters also available to provide easy access to your marking paint



Inverted Spray (Trigger Cap)

### Spray & Mark (Inverted Spray)

	Spray & Mark Black	40013501
	Spray & Mark Grey	40013513
	Spray & Mark Red	40013502
	Spray & Mark Blue	40013503
	Spray & Mark Green	40013504
	Spray & Mark Yellow	40013505
	Spray & Mark Orange	40013506
	Spray & Mark White	40013511
	Spray & Mark Violet	40013558

### Spray & Mark (Fluoro) (Inverted Spray)

	Spray & Mark Fluoro Red	40013522
	Spray & Mark Fluoro Blue	40013523
	Spray & Mark Fluoro Green	40013524
	Spray & Mark Fluoro Yellow	40013525
	Spray & Mark Fluoro Orange	40013526
	Spray & Mark Fluoro Violet	40013528
	Spray & Mark Fluoro Pink	40013529

### Spray & Mark Holster

	Spray & Mark Holster	22010165
--	----------------------	----------



#### Suitable Surfaces

Concrete, bitumen, rock, steel, timber and general broken ground



#### Coverage

Will produce 200+ 'X' marks, up to 120 linear metres (depending on surface and colour used)



#### Drying Time

5 minutes at 25°C



#### Ideal Application Temperature

Between 5°C and 40°C



**HANDY TIP**

Long Arm Handle

2-Wheel Spot Marking Handle

*Spray & Mark aerosols are suitable for use with the Dy-Mark Long Arm Handle and Dy-Mark 2-Wheel Spot Marking Handle.*

(See page 35)


# SPRAY & MARK WATER-BASED

## Marking Out Paint

350g | Qty 12

### Features & Benefits

- Low odour, lower toxicity
- Bright colour range for highly visible marks
- Toluene and Xylene free formula
- Suitable for use with the Dy-Mark Long Arm Handle and 2-Wheel Spot Marking Handle
- 360° valve for any angle application



Upright/Inverted Spray (Trigger Cap)

### Spray & Mark Water-Based (Upright/Inverted Spray)

	Spray & Mark W-B Blue	40063503
	Spray & Mark W-B Yellow	40063505
	Spray & Mark W-B White	40063511

### Spray & Mark Water-Based (Fluoro) (Upright/Inverted Spray)

	Spray & Mark W-B Fluoro Green	40063524
	Spray & Mark W-B Fluoro Orange	40063526
	Spray & Mark W-B Fluoro Pink	40063529



#### Suitable Surfaces

Concrete, bitumen, steel, timber, polystyrene foam and grass



#### Coverage

Will produce 200+ 'X' marks, up to 120 linear metres (depending on surface and colour used)



#### Drying Time

5 minutes at 25°C



#### Ideal Application Temperature

Between 5°C and 40°C



## Aerosol Paints



# SPRAY INK

Stencil Paint | 315g | Qty 12

### Features & Benefits

- Specially formulated for stencil applications
- Toluene-free formula
- Unique formulation minimises build-up when used on stencils
- Fast drying and fade resistant paint



#### Suitable Surfaces

All surfaces



#### Coverage

Approximately 3 sqm per aerosol can (depending on the surface and colour used)



#### Drying Time

10 minutes at 25°C



#### Ideal Application Temperature

Between 10°C and 40°C

### Spray Ink (Horizontal Spray)

	Spray Ink Black	39013501
	Spray Ink Red	39013502
	Spray Ink Blue	39013503
	Spray Ink Green	39013504
	Spray Ink Yellow	39013505
	Spray Ink Orange	39013506
	Spray Ink White	39013511
	Spray Ink Covers Over Tan	39013514



Horizontal Spray

### PRODUCT TIP

To obtain an even coat of paint, sweep the can horizontally past the object as you spray. Don't point and shoot, as this will cause an uneven build up of paint on the object. Always apply light coats rather than one heavy coat in order to achieve a uniform finish.

### HANDY TIP

*Spray Ink can be used with our Zinc Stencil and Brass Interlocking Stencil sets.*

See page 23 for more information.



Zinc Stencils



Brass Interlocking Stencils





# SPRAY WRITER



## Forestry & Plantation Marking Paint 350g | Qty 12

### Features & Benefits

- Reduced toxicity marking paint with low odour
- Toluene-free formula
- Ideal for all natural and cut timber applications
- Will mark wet surfaces without cracking and peeling
- Unique formulation reduces spray drift allowing maximum accuracy of spray pattern
- Ideal for the forestry and timber processing industries
- 360° valve for any angle application



**Suitable Surfaces**  
Natural and cut timber, concrete, masonry, bitumen



**Coverage**  
Approximately 2 sqm per aerosol can (depending on surface and colour used)



**Drying Time**  
10 minutes at 25°C



**Ideal Application Temperature**  
Between 10°C and 40°C



Horizontal Spray

### Spray Writer (Horizontal Spray)

Black	Spray Writer Black	37023501
Red	Spray Writer Red	37023502
Blue	Spray Writer Blue	37023503
Green	Spray Writer Green	37023504
Yellow	Spray Writer Yellow	37023505
Orange	Spray Writer Orange	37023506
Violet	Spray Writer Violet	37023508
White	Spray Writer White	37023511

### Spray Writer® (Fluoro) (Horizontal Spray)

Fluoro Red	37023522
Fluoro Blue	37023523
Fluoro Green	37023524
Fluoro Yellow	37023525
Fluoro Orange	37023526
Fluoro Pink	37023529

# STEADFAST STOCK MARK



## 325g | Qty 12

### Features & Benefits

- Long lasting marker
- Ideal for identifying stock by colour coding
- Fully scourable



**Suitable Surfaces**  
Wool



**Drying Time**  
10 minutes at 25°C



**Coverage**  
Will produce 300–400 marks per aerosol can



**Ideal Application Temperature**  
Between 10°C and 40°C

### Steadfast Stock Mark (Horizontal Spray)

Red	Steadfast Stock Mark Red	32SB1702
Blue	Steadfast Stock Mark Blue	32SB1703
Green	Steadfast Stock Mark Green	32SB1704
Orange	Steadfast Stock Mark Orange	32SB1706
Violet	Steadfast Stock Mark Violet	32SB1708



Horizontal Spray



# Aerosol Paints



## LINE MARKING PAINT

Durable Line Marking Paint | 500g | Qty 12

### Features & Benefits

- A fast drying toluene-free formula acrylic paint
- Ideal for marking out car parks, factories, warehouses, sporting fields and courts
- Specially formulated to provide long lasting lines
- Designed for use with the Dy-Mark Line Master (See page 37)



#### Suitable Surfaces

Concrete, bitumen, grass, soil, timber



#### Coverage

80–100 metres of line per aerosol can (depending on line width)



#### Drying Time

10 minutes at 25°C



#### Ideal Application Temperature

Between 10°C and 40°C

#### Line Marking Paint (Inverted Spray)

	Line Marking Matt Black	41015001
	Line Marking Red	41015002
	Line Marking Blue	41015003
	Line Marking Green	41015004
	Line Marking Yellow	41015005
	Line Marking Orange	41015006
	Line Marking White	41015011
	Line Marking Grey	41015013
	Line Marking Dark Grey	41015014

#### Line & Hand Marking Paint (Inverted Spray)


	Line & Hand Marking White	41035011
	Line & Hand Marking Yellow	41035035



Inverted Spray

WATCH THE VIDEO ON





## LINE MARKING PROFESSIONAL

Premium Line Marking Paint | 500g | Qty 12

### Features & Benefits

- Fast drying, epoxy based formula
- Added UV stabiliser
- High wear resistance
- Excellent adhesion
- Crisp sharp lines
- Designed for use with the Dy-Mark Line Master (See page 37)

\* Lasts up to 3X longer than standard acrylic based line marking paints



### Suitable Surfaces

Concrete, bitumen, timber



### Coverage

80–100 metres of line per aerosol can (depending on line width)



### Drying Time



Touch dry 15-20 minutes (25°C)  
Recoat within approx. 1 hour.  
Hard dry in 4 hours.  
Vehicular traffic in 16-24 hours.



### Ideal Application Temperature

Between 10°C and 40°C

### Line Marking Professional (Inverted Spray)

	Line Marking Professional Yellow	41025005
	Line Marking Professional White	41025011



Inverted Spray



## TURF MASTER

Temporary Grass Marking Paint | 500g | Qty 12

### Features & Benefits

- Ideal for landscaping and sporting grounds
- Quick dry, toluene-free formula
- Low toxicity formula does not damage grass
- Designed for use with the Dy-Mark Line Master (See page 37)



**Suitable Surfaces**  
Grass



**Coverage**  
80–100 metres of line per aerosol can (depending on line width)



**Drying Time**  
10 minutes at 25°C



**Ideal Application Temperature**  
Between 10°C and 40°C

### Turf Master (Inverted Spray)

Turf Master White	41125011
-------------------	----------



Inverted Spray



**HANDY TIP**

Use Line Marking Paint, Line Marking Professional and Turf Master Paint with the Dy-Mark Line Master for precise and clear lines.

See page 37 for more information.



# LANDSCAPE CHALK

Temporary Marking Chalk | 350g | Qty 12

### Features & Benefits

- Ideal for surveying sites, golf courses, excavation and construction sites
- Fast-dry formula lasting up to 30 days
- Suitable for use with the Dy-Mark Long Arm Handle and 2-Wheel Spot Marking Handle (See page 35)



#### Suitable Surfaces

Concrete, bitumen, rock, grass and general broken ground



#### Coverage

Will produce 200+ 'X' marks, up to 120 linear metres (depending on surface and colour used)



#### Drying Time

10 minutes at 25°C





#### Ideal Application Temperature

Between 5°C and 40°C



Inverted Spray (Trigger Cap)

### Landscape Chalk (Inverted Spray)

	Landscape Chalk Yellow	23183505
	Landscape Chalk White	23183511

**HANDY TIP**

Use Landscape Chalk with the Dy-Mark Long Arm Handle and 2-Wheel Spot Marking Handle. (See page 35)





## MINE MARKING

### Marking Out Paint | 350g | Qty 12

#### Features & Benefits

- Specially formulated for above/below ground areas
- High opacity, high quality, true colour pigment loading
- 360° valve for any angle application
- Applications include marking out ore zones in grading control, pit walls and survey grid layouts
- Highly visible marks on dark surfaces
- Two nozzle options available for vertical spray (upright/inverted) or horizontal spray application
- Vertical spray is suitable for use with the Dy-Mark Mine Marking Handle (5m extension) (See page 38)



**Suitable Surfaces**  
Rock, dirt, gravel



**Coverage**  
Will produce 200+ 'X' marks, up to 120 linear metres (depending on surface and colour used)



**Drying Time**  
3 minutes at 25°C



**Ideal Application Temperature**  
Between -10°C and 40°C

#### Mine Marking (Horizontal Spray)

Black	Mine Marking Horz Black	38013501
Red	Mine Marking Horz Red	38013502
Blue	Mine Marking Horz Blue	38013503
Green	Mine Marking Horz Green	38013504
Yellow	Mine Marking Horz Yellow	38013505
Orange	Mine Marking Horz Orange	38013506
White	Mine Marking Horz White	38013511

#### Mine Marking (Fluoro) (Horizontal Spray)

Red	Mine Marking Horz Fluoro Red	38013522
Blue	Mine Marking Horz Fluoro Blue	38013523
Green	Mine Marking Horz Fluoro Green	38013524
Yellow	Mine Marking Horz Fluoro Yellow	38013525
Orange	Mine Marking Horz Fluoro Orange	38013526
Pink	Mine Marking Horz Fluoro Pink	38013529

#### Mine Marking (Vertical Spray - Upright/Inverted)

Black	Mine Marking Vert Black	38033501
Red	Mine Marking Vert Red	38033502
Blue	Mine Marking Vert Blue	38033503
Green	Mine Marking Vert Green	38033504
Yellow	Mine Marking Vert Yellow	38033505
Orange	Mine Marking Vert Orange	38033506
White	Mine Marking Vert White	38033511

#### Mine Marking (Fluoro) (Vertical Spray - Upright/Inverted)


Red	Mine Marking Vert Fluoro Red	38033522
Blue	Mine Marking Vert Fluoro Blue	38033523
Green	Mine Marking Vert Fluoro Green	38033524
Yellow	Mine Marking Vert Fluoro Yellow	38033525
Orange	Mine Marking Vert Fluoro Orange	38033526
Pink	Mine Marking Vert Fluoro Pink	38033529

Two nozzle options available:



Horizontal Spray

or



Vertical Spray - Upright/Inverted (Trigger Cap)



## MINE MARKING NON-FLAMMABLE

### Marking Out Paint | 400g | Qty 12

#### Features & Benefits

- Non-Flammable layout marker
- Formulated for use in underground mines and other fire sensitive situations
- 360° valve for any angle application
- Bright, highly visible marks on dark surfaces
- Two nozzle options available for vertical spray (upright/inverted) or horizontal spray application
- Vertical spray is suitable for use with Dy-Mark Mine Marking Handle (5m extension) (See page 38)



#### Suitable Surfaces

Rock, dirt, gravel



#### Coverage

Will produce 200+ 'X' marks, up to 120 linear metres (depending on surface and colour used)



#### Drying Time

5 minutes at 25°C



#### Ideal Application Temperature

Between -10°C and 40°C

#### Mine Marking Non-Flammable (Horizontal Spray)

	Mine Marking NF Horz Red	38023502
	Mine Marking NF Horz Yellow	38023505
	Mine Marking NF Horz Orange	38023506
	Mine Marking NF Horz White	38023511

#### Mine Marking Non-Flammable (Fluoro) (Horizontal Spray)

	Mine Marking NF Horz Fluoro Red	38023522
	Mine Marking NF Horz Fluoro Orange	38023526
	Mine Marking NF Horz Fluoro Pink	38023529

#### Mine Marking Non-Flammable (Vertical Spray - Upright/Inverted)

	Mine Marking NF Vert Red	38043502
	Mine Marking NF Vert Yellow	38043505
	Mine Marking NF Vert Orange	38043506
	Mine Marking NF Vert White	38043511

#### Mine Marking Non-Flammable (Fluoro) (Vertical Spray - Upright/Inverted)

	Mine Marking NF Vert Fluoro Red	38043522
	Mine Marking NF Vert Fluoro Orange	38043526
	Mine Marking NF Vert Fluoro Pink	38043529

#### HANDY TIP

Use Mine Marking and Mine Marking Non-Flammable with the Dy-Mark Mine Marking Handle to mark underground mine ceilings.

Dy-Mark Mine Marking Handle will extend up to 5 metres.

See page 38 for more information.

**Note:** For use with Upright/Inverted spray nozzle only (trigger cap).





# LINE MARKING PAINT – SOLVENT-BASED



4L, 20L

## Features & Benefits

- A fast drying chlorinated rubber modified-alkyd paint designed for application over asphalt, tar-sealed and concrete surfaces
- Specially formulated to provide long lasting lines
- Ideal for marking out car parks, factories, warehouses, sporting fields and courts



### Suitable Surfaces

Asphalt, concrete and tar-sealed surfaces



### Coverage

2.5 sqm per litre



### Drying Time

Touch dry in 5 minutes at 25°C.  
Recoat after 2 hours at 25°C.



### Ideal Application Temperature

Between 10°C and 40°C

## Line Marking Paint – Solvent-Based

	Line Marking Black	4L	41010401
	Line Marking Red	4L	41010402
	Line Marking Disable Blue	4L	41010403
	Line Marking Green	4L	41010404
	Line Marking Yellow	4L	41010405
	Line Marking White	4L	41010411
	Line Marking Black	20L	41012001
	Line Marking Red	20L	41012002
	Line Marking Disable Blue	20L	41012003
	Line Marking Green	20L	41012004
	Line Marking Yellow	20L	41012005
	Line Marking White	20L	41012011
	Line Marking Grey	20L	41012013

## Oval Marking Paint

	Oval Marking Paint White	15L	41011611
--	--------------------------	-----	----------

# LINE MARKING PAINT – WATER-BASED



15L

## Features & Benefits

- A fast drying water-based environmentally friendly acrylic paint
- Specially formulated to provide long lasting lines
- Low VOC formula

## Line Marking Paint – Water-Based

	Line Marking W-B Black	15L	41011501
	Line Marking W-B Red	15L	41011502
	Line Marking W-B Yellow	15L	41011505
	Line Marking W-B White	15L	41011511



### Suitable Surfaces

Concrete, bitumen



### Coverage

2.5 sqm per litre



### Drying Time

Touch dry in 5 minutes at 25°C.  
Recoat in 1 hour at 25°C.



### Ideal Application Temperature

Between 10°C and 40°C

## Line Marking Accessories

	Reflective Glass Beads	41822500
--	------------------------	----------





## STENCIL ROLLER INK RIO200



1L

### Features & Benefits

- Ideal for use when stencilling on both porous and non-porous surfaces
- Highly durable with excellent light fastness

### Stencil Roller Ink RIO200

	RIO200 Black	1L	13020101
---	--------------	----	----------

## INDUSTRIAL REFILLABLE INK P200



1L

### Features & Benefits

- Permanent ink
- Ideal for use on porous and non-porous surfaces
- For refillable marking pens

### Industrial Refillable Ink P200

	P200 Ink Black	1L	10120101
---	----------------	----	----------

## TIMBER BRANDER INK R600




1L

### Features & Benefits

- Dye-based, general purpose ink designed for marking porous surfaces such as timber and cardboard
- UV resistant

### Timber Brander Ink R600

	R600 Black	1L	13060101
---	------------	----	----------



# STRESS GRADING INK WB800



10L, 20L

### Feature & Benefits

- Used for coding stress-graded timber
- Fade resistant formula
- Suitable for use with automatic stress-grading machines and green chain branders

### Stress Grading Ink WB800

	WB800 Black	10L	14081001
	WB800 Red	10L	14081002
	WB800 Green	10L	14081004
	WB800 Black	20L	14082001
	WB800 Red	20L	14082002
	WB800 Green	20L	14082004
	WB800 Violet	20L	14082008



## BALLMARKER REFILL INK T400









**1L, 20L**

### Features & Benefits

- T400 Ink will mark on any surface, penetrating grease, oil and rust
- Opaque, waterproof and fade resistant ink
- Extremely durable in all environmental conditions

### Ballmarker Refill Ink T400

	T400 Black	1L	11010101
	T400 Red	1L	11010102
	T400 Blue	1L	11010103
	T400 Yellow	1L	11010105
	T400 White	1L	11010111
	T400 Black	20L	11012001
	T400 White	20L	11012011

## BALLMARKER REFILL INK PB80




**1L**

### Features & Benefits

- Specially formulated to be removable by the pickling process (ensuring no bleed through during the galvanising process)
- Opaque, waterproof and fade resistant ink

### Ballmarker Refill Ink PB80

	PB80 White	1L	11800111
---	------------	----	----------

*Use Ballmarker Refill with Industrial Refillable Ballmarker.*

(See page 26 for more information).



## ENGINEERS LAYOUT INK (LOS)





**1L | Qty 10**

### Feature & Benefits

- Ideal for marking on hard surfaces such as metal and glass
- The ideal product for tool and die makers, machinists, pattern makers, sheet metal workers and maintenance mechanics

### Engineers Layout Ink

	Engineers Layout Ink Red	1L	24010102
	Engineers Layout Ink Blue	1L	24010103



# FLAWCHEK SYSTEM



## Four-part visible “Crack Detection” inspection process

### Features & Benefits

- Dye penetration visible inspection system that detects cracks and flaws in metals and castings
- 4-step system – Preclean, Penetrant, Remover and Developer
- Fast, efficient and cost effective method
- Conforms to AS2062 TYPE 2 METHOD C

Flawchek “Crack Detection” System Kit



### Flawchek “Crack Detection” System

Grey	Flawchek Step 1 Preclean	270g	19013501
Red	Flawchek Step 2 Penetrant	350g	19013502
Blue	Flawchek Step 3 Remover	350g	19013503
White	Flawchek Step 4 Developer	350g	19013504

### Flawchek “Crack Detection” System Kit

Grey, Red, Blue, White	Flawchek 4- part Inspection Kit	Box	19013599
------------------------	---------------------------------	-----	----------

### RECOMMENDED DIRECTIONS FOR USE

#### Step 1 – Preclean (Grey)

It is essential to ensure that the part/area to be tested is clean, dry and free from all surfaces contamination (e.g. grease, oil, rust and paint). Surface contaminants can cover a flaw, inhibiting the entrance of the dye. Spray the area to be inspected and wipe thoroughly with cloth. Allow clean surface to dry.

#### Step 2 – Penetrant (Red)

Spray Penetrant Dye over the area that is to be inspected. Allow penetrant to dwell for 10 minutes. Dwell time should be extended in extremely cold conditions.

#### Step 3 – Remover (Blue)

Allow excess Penetrant to drain. Wipe over inspected surface with a dry cloth. Then spray Remover on another cloth and wipe surface to remove excess Penetrant. Allow surface to dry before using Developer.

#### Step 4 – Developer (White)

Spray a light coat of the Developer over the area to be inspected, avoiding a heavy film. Leave Developer to dry and inspect parts for flaws after 2 – 3 minutes. If very fine flaws are suspected, the parts should be re-inspected after 20 minutes.

*The Flawchek system is a method of non-destructive testing which will detect flaws on metal surfaces*

*Note: These recommendations are based on tests conducted in normal conditions. Actual conditions of use are beyond Dy-Mark’s control and recommendations are made without warranty.*



# ROCK CODING INK



20L

### Features & Benefits

- Low VOC
- Ideal for identifying different grades of metal ore content prior to blasting
- Water-based formula that provides "bright" highly visible marks
- Non-permanent marks that will last up to 1 week outdoors
- Suitable for use in knapsack sprayers and with the airless spray method

### Rock Coding Ink

	Rock Coding Ink Red	20L	32402002
	Rock Coding Ink Blue	20L	32402003
	Rock Coding Ink Green	20L	32402004
	Rock Coding Ink Violet	20L	32402008
	Rock Coding Ink White	20L	32402011

### Rock Coding Ink (Fluoro)

	Rock Coding Ink Fluoro Blue	20L	32402023
	Rock Coding Ink Fluoro Yellow	20L	32402025
	Rock Coding Ink Fluoro Orange	20L	32402026
	Rock Coding Ink Fluoro Pink	20L	32402029

# SPRAY MARKER DYE



500ml, 1L, 5L, 20L

### Features & Benefits


- Premium, highly visible dye
- Stains target crops and plants allowing easy identification of sprayed areas
- Designed to be mixed with other chemical spray solutions (herbicides and pesticides)
- Prevents over-spraying and minimises the wastage of costly chemicals
- Colour fades in 3 to 5 days in sunlight and can be used in hand or knapsack sprayers, high volume sprayers or boom sprays

### Spray Marker Dye

	Spray Marker Dye Red	500ml	18005002
	Spray Marker Dye Red	1L	18000102
	Spray Marker Dye Red	5L	18000502
	Spray Marker Dye Red	20L	18002002



# CAR PARK STENCIL KIT



## Features & Benefits

- Ideal for marking out applications in service areas, car parks, hospitals, warehouses, shopping centres and recreation areas
- Long-lasting and reusable stencils in heavy duty polypropylene material
- Apply stencil using Line Marking Paint and Line Master removable handle or by rolling or spraying (See pages 10 & 37)
- 11 piece kit

## Car Park Stencil Kit

Poly Car Park Stencil Kit	13320003
---------------------------	----------



**HANDY TIP**

*Dy-Mark Spray Ink, Line Marking Paint and Stencil Applicators are designed to be used with our Safety Stencils.*  
(See pages 8, 10 & 24)



Spray Ink



Line Marking Paint



# ZINC STENCIL SETS

### Features & Benefits

- Easy to clean and re-usable solvent resistant zinc material
- Available in A-Z and 0-9



### Zinc Stencil Sets (A-Z)

Zinc Stencil A-Z 50mm	13810150
Zinc Stencil A-Z 75mm	13810175
Zinc Stencil A-Z 100mm	13811100
Zinc Stencil A-Z 150mm	13811150
Zinc Stencil A-Z 175mm	13811175

### Zinc Stencil Sets (0-9)

Zinc Stencil 0-9 50mm	13800150
Zinc Stencil 0-9 75mm	13800175
Zinc Stencil 0-9 100mm	13801100
Zinc Stencil 0-9 150mm	13801150
Zinc Stencil 0-9 175mm	13801175

# BRASS INTERLOCKING STENCILS



### Features & Benefits

- Convenient, heavy-duty interlocking stencils
- Ideal for jobs where wording changes frequently
- Available in A - Z and 0 - 9

### Brass Interlocking Stencil Sets (A-Z)

Interlocking Stencil A-Z 25mm	13711025
Interlocking Stencil A-Z 50mm	13711050
Interlocking Stencil A-Z 75mm	13711075
Interlocking Stencil A-Z 100mm	13711100
Interlocking Stencil A-Z 125mm	13711125
Interlocking Stencil A-Z 150mm	13711150

### Brass Interlocking Stencil Sets (0-9)

Interlocking Stencil 0-9 25mm	13700025
Interlocking Stencil 0-9 50mm	13700050
Interlocking Stencil 0-9 75mm	13700075
Interlocking Stencil 0-9 100mm	13701100
Interlocking Stencil 0-9 125mm	13701125
Interlocking Stencil 0-9 150mm	13701150



# INDUSTRIAL MARKERS




## Industrial Marker D10



Reversible Tip | Qty 12

### Features & Benefits

- Permanent ink marker suitable for surfaces that need an indelible mark
- Fast dry, smear-resistant ink
- Ideal for mining, manufacturing and metal fabrication industries

D10 Black	12081001
	<b>Pen Dimensions</b> 135mm x 16mm
	<b>Mark Width</b> Chisel Tip – 4mm Bullet Tip – 2mm
	<b>Contents</b> 13cc permanent, smear resistant ink



# INDUSTRIAL REFILLABLE BALLMARKER



### Features & Benefits

- Permanent and fade resistant marks on surfaces including steel, timber and rubber
- Ink feed controlled by a flexible "squeeze flow" plastic bottle
- Hardened tips ensure economical ink usage
- Bottle (supplied empty) and tip sold separately
- Use with the Dy-Mark T400 or PB80 Ballmarker Refill Ink (See page 19)

### Industrial Refillable Ballmarker

Ballmarker 4mm Tip	11040412
Ballmarker 6mm Tip	11040610
Ballmarker Bottle	11090100







## INK MARKERS


### Ink Marker i70

 Permanent Ink  
Qty 12

#### Features & Benefits

- Acrylic bullet tip with medium point
- Quick drying
- Waterproof marks

	i70 Black	12131201
	i70 Blue	12131203

 **Pen Dimensions**  
149.5mm

 **Mark Width**  
Medium Tip  
0.8mm – 1.8mm

 **Contents**  
Quick drying, xylene-free ink





### Ink Marker i90

 Permanent Ink  
Qty 12

#### Features & Benefits

- Acrylic chisel tip
- Quick drying
- Waterproof marks

	i90 Black	12141201
---	-----------	----------


 **Pen Dimensions**  
149.5mm

 **Mark Width**  
Chisel Tip  
0.5mm – 4.6mm

 **Contents**  
Quick drying, xylene-free ink





### Ink Marker iFine

 Permanent Ink  
Qty 10

#### Features & Benefits

- Marks on most difficult surfaces
- Quick drying, permanent and hard wearing on most surfaces
- Fade and water resistant

	iFine Black	12151001
---	-------------	----------

 **Pen Dimensions**  
137.3mm

 **Mark Width**  
Fine/Medium Tip  
0.5mm – 1.8mm


 **Contents**  
Quick drying, xylene-free ink









# PAINT MARKERS

## Paint Marker P10

 Reversible Bullet/Chisel Tip  
Qty 12


### Features & Benefits

- High performance paint marker
- Bold, easy to read marks
- Xylene-free, fast dry formula

	P10 Black	12071001
	P10 Red	12071002
	P10 Yellow	12071005
	P10 White	12071011

**HEAVY DUTY REVERSIBLE TIP**

 **Pen Dimensions**  
142mm x 14mm

 **Mark Width**  
Bullet Tip 2mm  
Chisel Tip 4mm

 **Contents**  
10cc fast-drying,  
Xylene-free paint



## Paint Marker P20


 Reversible Bullet/Chisel Tip  
Qty 12


### Features & Benefits


- High performance paint marker
- Bold, easy to read marks
- Xylene-free, fast dry formula

	P20 Black	12072001
	P20 Red	12072002
	P20 Blue	12072003
	P20 Green	12072004
	P20 Yellow	12072005
	P20 Pink	12072009
	P20 White	12072011

**AIRTIGHT CAP WITH POCKET CLIP**

 **Pen Dimensions**  
135mm x 16mm

 **Mark Width**  
Bullet Tip 3mm  
Chisel Tip 5mm

 **Contents**  
13cc fast-drying,  
Xylene-free paint





# ARTLINE® MARKERS



## 70, 100 & 400XF | Qty 6, 12

### Features & Benefits

Artline® 70 – Permanent marker with bullet nib

Artline® 100 – Permanent marker with large chisel nib

Artline® 400XF – Xylene-free permanent paint marker with medium bullet nib

Artline® Marker 70	Qty	
70 Black	12	12017001

Artline® Marker 100	Qty	
100 Black	6	12011001

Artline® Marker 400XF	Qty	
400XF White	12	12014011

# IDEAL MARKER



## Qty 12

### Features & Benefits

- Valve-action marker, with dye-based permanent ink
- Fitted with heavy duty bullet shaped replaceable tip

### Ideal Marker

Ideal Marker Black	30121201
--------------------	----------

### Ideal Marker (Accessories) Replacement Tips

Ideal Marker Tips	30161200
-------------------	----------



## Markers & Crayons

# MARK-TEX TEXPEN®



### Qty 12

#### Features & Benefits

- Fine line ball point marker (3mm) with valve pump action
- Bright colour range is suitable for marking all surfaces

#### Mark-Tex Texpen®

Mark-Tex Texpen® White

12760111



# LEVIATHAN® INDUSTRIAL CRAYONS



Qty 12

### Features & Benefits

- Wax crayons suitable for marking all surfaces
- Provides sensor recognisable marks, making them ideal for use with automatic saws and dockers

### Leviathan® Industrial Crayons

	Leviathan® Industrial Black	12345601
	Leviathan® Industrial Red	12345602
	Leviathan® Industrial Yellow	12345605
	Leviathan® Industrial White	12345611
	Leviathan® Industrial FI/Red	12345622
	Leviathan® Industrial FI/Orange	12345626

# LEVIATHAN® LUMBER CRAYONS



Qty 12

### Features & Benefits

- Ideal for marking cartons, timber and tyres
- Economical use
- Suitable for civil works, engineering and construction applications

### Leviathan® No.3 Lumber Crayons

	Leviathan® No.3 Lumber Crayon Black	12020301
	Leviathan® No.3 Lumber Crayon Red	12020302
	Leviathan® No.3 Lumber Crayon Blue	12020303
	Leviathan® No.3 Lumber Crayon Green	12020304
	Leviathan® No.3 Lumber Crayon Yellow	12020305
	Leviathan® No.3 Lumber Crayon White	12020311
	Leviathan® No.3 Lumber Crayon FI/Orange	12020326



# MARKAL® PAINTSTIKS®

## Markal® Paintstik® B







Qty 12

### Features & Benefits

- Weather and UV-resistant
- Ideal for layout, colour coding, fabrication and identification
- Marking range: -46°C to 66°C



### Markal® Paintstik® B

	Markal® Paintstik® B Black	34011201
	Markal® Paintstik® B Red	34011202
	Markal® Paintstik® B Blue	34011203
	Markal® Paintstik® B Yellow	34011205
	Markal® Paintstik® B Orange	34011206
	Markal® Paintstik® B White	34011211

## Markal® Paintstik® B-L


Qty 12

### Features & Benefits

- Designed for fabricating structural steel or layout work where the marks are required to bleed through a primer coat covering the marks
- Marking range: -46°C to 66°C



### Markal® Paintstik® B-L

	Markal® Paintstik® B-L Blue	34061203
---	-----------------------------	----------



# ENGINEERING CHALK



Qty 50, 100

### Features & Benefits

- Ideal for industrial grade applications
- Economical and semi-permanent marking
- Quick and easy to layout jobs

Engineering Chalk	Qty	
Engineering Chalk White 80x10x10	50	12051111
Engineering Chalk White 80x10x5	100	12051112

# MARKERS & CRAYONS REFERENCE GUIDE

		Features & Benefits									Surfaces									
		Refillable	Replacement Nibs	Permanent	Liquid Paint (Permanent)	Solid Paint	Ink	Xylene Free	Removed in galvanising process	Hot surface marking	Metal	Wood	Damp Wood	Glass & Ceramics	Plastics	Rubber	Concrete & Stone	Paper	Cardboard	Waxed Paper / Cardboard
Specialty	Mark-Tex Texpen®				•						•	•		•	•	•		•	•	•
	Ballmarker T400	•	•				•				•	•	•	•	•	•	•	•	•	•
	Ballmarker PB80	•	•				•		•		•	•	•	•	•	•	•	•	•	•
Markal®	B Paintstik®					•					•	•	•	•	•	•	•	•	•	•
	B-L Paintstik®					•					•	•	•	•	•	•	•	•	•	•
Dy-Mark® Industrial Markers	Ink Marker i70			•			•	•			•	•		•	•	•	•	•	•	•
	Ink Marker i90			•			•	•			•	•		•	•	•	•	•	•	•
	Ink Marker iFine			•			•	•			•	•		•	•	•	•	•	•	•
	Dy-Mark D10		•	•			•				•	•		•	•	•	•	•	•	•
	Dy-Mark P20		•		•			•	•		•	•		•	•	•	•	•	•	•
	Dy-Mark P10				•			•	•		•	•		•	•	•	•	•	•	•





# 2-WHEEL SPOT MARKING HANDLE

## Features & Benefits

- Ideal for trench digging and landscaping applications
- Lightweight aluminium construction improves efficiency and makes application less fatiguing
- Suitable for use with Spray & Mark and Landscape Chalk aerosols (See pages 7 & 13)

### 2-Wheel Spot Marking Handle

2-Wheel Spot Marking Handle 40090110



**HANDY TIP**

## How to use Marking Handles

### Step 1

Insert aerosol can into can holder as shown in the orientation below.



### Step 2

Continue to insert the aerosol can into the can holder until it slides over the spring bracket & you hear a clicking sound.




### Step 3

Rotate the aerosol can and/or the trigger actuator to ensure the trigger cap is aligned with the trigger actuator.




### Step 4

Pull trigger to spray.



# LONG ARM HANDLE



## Features & Benefits

- Gives you that extra reach when you need it and assists in preventing back strain
- Lightweight aluminium construction improves efficiency and makes application less fatiguing
- Suitable for use with Spray & Mark and Landscape Chalk aerosols (See pages 7 & 13)

### Long Arm Handle

Long Arm Handle 40080105



# SURVEY/FLAGGING PINS




Qty 500

## Features & Benefits

- Ideal for marking buried cables, underground wire, etc.
- Suitable for mining, construction, surveying, forestry and numerous other applications

## Survey/Flagging Pins (Fluoro)

	Flagging Pins Fluoro Pink	47780129
---	---------------------------	----------

# SURVEY/FLAGGING TAPE



Qty 10

## Features & Benefits

- Brightly coloured flags ideal for marking buried cable, underground wires, etc.
- Suitable for mining, construction, surveying, civil works and other applications
- Hand tearable, high quality durable tape



## Survey/Flagging Tape

	Tape 25x100 Red	47760102
	Tape 25x100 Blue	47760103
	Tape 25x100 Green	47760104
	Tape 25x100 Yellow	47760105
	Tape 25x100 Orange	47760106
	Tape 25x100 White	47760111

## Survey/Flagging Tape (Fluoro)

	Tape 25x100 Glo Red	47760122
	Tape 25x100 Glo Blue	47760123
	Tape 25x100 Glo Green	47760124
	Tape 25x100 Glo Yellow	47760125
	Tape 25x100 Glo Orange	47760126
	Tape 25x100 Glo Pink	47760129



# LINE MASTER

## Line Marking Machine

### Features & Benefits

- Easy to transport, ergonomic design with built-in side line attachment
- Heavy duty steel construction includes lightweight, removable handle for spot marking
- Includes utility tray and storage for up to 5 cans of Dy-Mark Line Marking Paint, Line Marking Professional and Turf Master Paint (see pages 10, 11 & 12)
- Line width adjustable between approximately 60mm and 100mm




### Line Master

Line Master Line Marking Machine	41800203
Line Master Replacement Masking Wheel Set	41800304
Line Master Replacement Handle	41800305


WATCH THE VIDEO ON YouTube



**HANDY TIP**



*Dy-Mark Line Master is designed to be used with Line Marking Professional, Line Marking Paint and Turf Master Paint. (See pages 10 - 12)*



# MINE MARKING HANDLE

## Ideal for extended non-contact marking

### Features & Benefits

- Aluminium handle designed for use with Dy-Mark Mine Marking and Mine Marking Non-Flammable Paint (Vertical format cans only) (See pages 14 & 15)
- Extends up to 5 metres
- Ideal for extended non-contact marking
- Reduces repetitive back strain
- Ideal for marking mine ceilings and top of mine face

### Mine Marking

Mine Marking Handle 3-5m Aluminium 38100603

↑  
Extends from 3 to 5 metres

**HANDY TIP**

The Dy-Mark Mine Marking Handle has been designed to be used with Mine Marking Paint and Mine Marking Non-Flammable Paint (See pages 14 & 15)



## How to use the Mine Marking Handle

**Step 1**  
Turn the trigger actuator out of the way so there is clearance for the aerosol can to be inserted.



**Step 2**  
Insert aerosol can into can holder. *Note: Only compatible with cans which have the upright/inverted spray nozzle (Trigger Cap), as shown.*




**Step 3**  
Align the trigger actuator with the cap trigger. In this position, when the pull cord is pulled, the aerosol can will be actuated.



**Step 4**  
Push the red button to enable the handle to be extended to the desired length. Lock into position using one of the preset slots.





# METAL PROTECTION & FLOOR COATINGS



## Metal Protection

Zinc Guard Application Guide	38
Zinc Guard Cold Galvanising Coating	39
Zinc Guard Silver Bright	39
Zinc Guard Silver Zinc	40
Zinc Guard Black Zinc	40
Zinc Guard Primers	41
Zinc Guard Etch Primer	41
Zinc Guard Rust Converter	42
Zinc Guard Epoxy Enamel	43
Zinc Guard Quick Dry Enamel	44
BondCover Touch Up Paint	45



## Floor Coatings

TreadRite	46
-----------	----



## Tools and Accessories

Sealant Remover Tool	47
Sealant Applicator Tool	47



# APPLICATION GUIDE

## ZiNC™ GUARD

Zinc Guard metal protection range has been specially designed to provide superior coverage and protection on all metal surfaces. This comprehensive range offers a wide selection of industrial grade metal coatings featuring advanced formula to provide a tough barrier against corrosion.



Product	Size	Surface Type & Condition				Finish & Colour
		New Steel	Rusted Steel	Previously Painted Old Surfaces	Galvanised Iron, Stainless Steel, ZINCALUME™, Aluminium, Copper & Brass	
Zinc Guard™ Rust Converter	350g		Convert & Seal			Black
Zinc Guard™ Cold Galvanising Coating	400g, 500ml, 1L, 4L	Prime & Protect				Matt Grey
Zinc Guard™ Primers (White and Grey)	350g	Prime	Prime	Prime		Matt White and Grey
Zinc Guard™ Etch Primer	325g	Prime		Prime	Prime	Matt Grey / Black
Zinc Guard™ Silver Zinc/Black Zinc	400g	Prime & Top Coat*	Prime & Top Coat*	Prime & Top Coat*	Paint with Top Coat*	Metallic Silver/Satin Black
Zinc Guard™ Silver Bright	350g	Paint with Top Coat*	Paint with Top Coat*	Paint with Top Coat*	Paint with Top Coat*	Bright Silver
Zinc Guard™ Epoxy Enamel	325g	Paint with Top Coat*	Paint with Top Coat*	Paint with Top Coat*	Paint with Top Coat*	Refer to colour chart for extensive colour range
Zinc Guard™ Quick Dry Enamel	325g	Paint with Top Coat*	Paint with Top Coat*	Paint with Top Coat*	Paint with Top Coat*	Refer to colour chart for extensive colour range

<b>Convert &amp; Seal</b>	Converts rust into a tough barrier against further corrosion.
<b>Prime &amp; Protect</b>	Protect surfaces from rust with a zinc rich anti-corrosive primer.
<b>Prime</b>	Use appropriate primer for each specific application to ensure superior protection & adhesion.
<b>Prime &amp; Top Coat</b>	Dual action primer & top coat in a one-step application.
<b>Paint with Top Coat</b>	A range of paints that provide specific top-coating solutions.

\*For superior protection and adhesion, use appropriate Primers.



# ZINC GUARD COLD GALVANISING COATING

400g | Qty 12  
500mL, 1L, 4L | Qty 1

## Features & Benefits

- A zinc rich, heavy duty corrosion inhibitive primer
- Suitable for use on steel, wrought iron and galvanised iron
- Contains 91% zinc in dry film

## Zinc Guard Cold Galvanising Coating (Horizontal Spray)

Cold Galvanising Coating	230732006
--------------------------	-----------

## Zinc Guard Cold Galvanising Coating (Brush On)

Cold Galvanising Coating	500ml	230731050
Cold Galvanising Coating	1L	230731100
Cold Galvanising Coating	4L	230731400



**Suitable Surfaces**  
Steel, wrought iron & galvanised iron



**Coverage**  
**Aerosol Spray**  
Approximately 2 sqm per aerosol can (depending on the surface)

**Brush On**  
Approximately 6–8 sqm per litre



**Drying Time**  
Touch dry in 20 minutes.  
Recoat after 3-4 hours.  
Dry to handle (hard dry) in 16-24 hours.



**Ideal Application Temperature**  
Between 10°C and 35°C

### HANDY TIP

*Drying times will be slower in cold and humid conditions, in the absence of ventilation or where heavy film build is applied.*

# ZINC GUARD SILVER BRIGHT

350g | Qty 12

## Features & Benefits

- Anti-corrosive silver paint designed to match the bright finish of hot dip galvanising
- Provides a tough and durable finish to steel and iron
- Suitable for use as a top coat over Dy-Mark Zinc Guard Cold Galvanising Coating

## Zinc Guard™ Silver Bright (Horizontal Spray)

Silver Bright	230732007
---------------	-----------



**Suitable Surfaces**  
Steel, iron & non-ferrous metals with appropriate primer



**Coverage**  
Approximately 2 sqm per aerosol can (depending on the surface)



**Drying Time**  
Touch dry in 15–20 minutes.  
Recoat after 1 hour.



**Ideal Application Temperature**  
Between 10°C and 35°C



# ZINC GUARD SILVER ZINC



400g | Qty 12

## Features & Benefits

- Fast drying, 2 in 1 primer and top coat
- Provides excellent adhesion and corrosion resistance to metal surfaces

### Zinc Guard Silver Zinc (Horizontal Spray)

Silver Zinc	230732008
-------------	-----------

#### HANDY TIP

*Ideally used for galvanised surfaces including sheeting products and roofing sheets, clean mild steel and welded areas, neatly prepared primed surfaces, etc.*



#### Suitable Surfaces

Steel, wrought iron, galvanised iron & non-ferrous metals such as: aluminium, alloys, stainless steel and ZINCALUME® with appropriate primer



#### Coverage

Approximately 2 sqm per aerosol can (depending on the surface)



#### Drying Time

Touch dry in 20 minutes.  
Recoat after 1 hour.  
Dry to handle (hard dry) in 16–24 hours.



#### Ideal Application Temperature

Between 10°C and 35°C

# ZINC GUARD BLACK ZINC



400g | Qty 12

## Features & Benefits

- Fast drying, 2 in 1 primer and top coat
- Provides excellent adhesion and corrosion resistance to metal surfaces

### Zinc Guard Black Zinc (Horizontal Spray)

Black Zinc	230732009
------------	-----------



#### Suitable Surfaces

Steel, wrought iron, galvanised iron & non-ferrous metals such as: aluminium, alloys, stainless steel and ZINCALUME® with appropriate primer



#### Coverage

Approximately 2 sqm per aerosol can (depending on the surface)



#### Drying Time

Touch dry in 20 minutes.  
Recoat after 1 hour.  
Dry to handle (hard dry) in 16–24 hours.



#### Ideal Application Temperature

Between 10°C and 35°C





# ZINC GUARD PRIMERS



350g | Qty 12

## Features & Benefits

- Fast dry primer designed to provide an ideal base for top coats on steel and iron
- Corrosion barrier
- High opacity

### Zinc Guard Primers (Horizontal Spray)

White Primer	230732003
Grey Primer	230732004



### Suitable Surfaces

Steel & Iron



### Coverage

Approximately 2 sqm per aerosol can (depending on the surface)



### Drying Time

Touch dry 15–20 minutes.  
Recoat after 1 hour.



### Ideal Application Temperature

Between 10°C and 35°C

# ZINC GUARD ETCH PRIMER



325g | Qty 12

## Features & Benefits

- Designed to etch and bond to aluminium, galvanised iron, new steel, ZINCALUME®, copper and brass
- Superior adhesion
- Fast dry

### Zinc Guard Etch Primer (Horizontal Spray)

Matt Grey	230732001
Black	230732000



### Suitable Surfaces

Aluminium, galvanised iron, new steel, stainless steel, ZINCALUME®, alloys, copper and brass.



### Coverage

Approximately 2 sqm per aerosol can (depending on the surface)




### Drying Time

Touch dry in 10 minutes.  
Recoat after 2 hours.



### Ideal Application Temperature

Between 10°C and 35°C



# ZINC GUARD RUST CONVERTER




350g | Qty 12

## Features & Benefits

- Converts rust into a tough barrier against further corrosion
- Easy to use
- Tannic acid based
- Ideal for use on: rusted gutters, roofs, garden furniture, gates, fencing, trailers, machinery and equipment

## Zinc Guard Rust Converter

 Rust Converter	230733501
--	-----------



### Suitable Surfaces

Rusted steel (ferrous) surfaces. Should only be applied to rusted surfaces. NOT to be used as a rust preventative coating on clean steel. Not recommended for permanent immersion in fresh or salt water. Note: Rust Converter may not prevent further rusting when applied to heavy rust scale.



### Coverage

Approximately 2 sqm per aerosol can (depending on the surface)



### Drying Time

Touch dry in 20 minutes (25°C). Recoat within 1 hour. Full dry in 24 hours.



### Ideal Application Temperature

Between 10°C and 30°C

# RESEARCH & DEVELOPMENT

Whilst Dy-Mark maintains standards second to none in our traditional markets, it is our Research and Development department that truly is the life blood of our business.

Our team is committed to innovation and development. Our products are conceived through imagination combined with market needs. Quality controlled laboratory development and testing is conducted by a team of chemists dedicated to getting things right "first time, every time". Combine this with expertise in designing contemporary packaging with flair and originality, Dy-Mark is able to bring the finished product to market quickly and efficiently with the commitment that you need to enhance your business.

If you have a particular need for a new product in your field, please contact us at [info@dymark.com.au](mailto:info@dymark.com.au) and we will try to make that idea a reality.





# ZINC GUARD EPOXY ENAMEL



325g | Qty 12

## Features & Benefits

- High build, direct to metal top coat with exceptional gloss levels
- Advanced zinc anti-corrosive formula for industrial use
- Provides a durable, long lasting finish with greater UV resistance
- Suitable for use on all metal surfaces such as: fences, gates, doors, letter boxes, fabricated steel, brackets, trailers, factory equipment and machinery

## Zinc Guard Epoxy Enamel (Horizontal Spray)

	Flat Black	Flat	12	230732101
	Gloss Black	Gloss	12	230732301
	Golden Yellow Y14	Gloss	12	230732305
	Gloss White	Gloss	12	230732311



**Suitable Surfaces**  
All metals



**Coverage**  
Approximately 1.9 sqm per aerosol can (depending on surface and colour used)



**Drying Time**  
Touch dry in 6 hours.  
Recoat after 16 hours.  
Hard dry 16 – 24 hours.



**Ideal Application Temperature**  
Between 10°C and 35°C



## Metal Protection

# ZINC GUARD QUICK DRY ENAMEL



325g | Qty 12

### Features & Benefits

- Quick drying top coat (touch dry in 10 – 15 minutes)
- Protect surfaces against rust whilst providing a durable finish
- Ideal for both interior and exterior projects
- Suitable for use on all metal surfaces such as: fences, gates, doors, letter boxes, fabricated steel, brackets, trailers, factory equipment and machinery

### Zinc Guard Quick Dry Enamel (Horizontal Spray)

Flat Black	Flat	12	230932101
Satin Black	Satin	12	230932201
High Gloss Black	Gloss	12	230932301
Signal Red R13	Gloss	12	230932302
Ocean Blue	Gloss	12	230932303
Brunswick Green	Gloss	12	230932304
Golden Yellow Y14	Gloss	12	230932305
Silver	Gloss	12	230932310
High Gloss White	Gloss	12	230932311



### Suitable Surfaces

Pre painted metal surfaces, steel, wrought iron, galvanised iron and non-ferrous metal such as; aluminium, alloys, ZINCALUME® and stainless steel with appropriate primer



### Coverage

Approximately 2 sqm per aerosol can (depending on surface and colour used)




### Drying Time

Touch dry in 10–15 minutes. Recoat after 1 hour.



### Ideal Application Temperature

Between 10°C and 35°C



# BOND COVER TOUCH UP PAINT



300g | Qty 6

## Features & Benefits

- Matches COLORBOND® satin finish
- Maintenance and repair of fences, gutters, fascia and more
- Durable formulation for exterior use
- Quick dry

## BondCover Touch Up Paint (Horizontal Spray)

Classic Cream™	12533002
Surfmist®	12533003
Woodland Grey®	12533004
Manor Red®	12533005
Deep Ocean®	12533006
Cottage Green®	12533007
Pale Eucalypt®	12533010
Paperbark®	12533012
Basalt®	12533015
Shale Grey™	12533017
Night Sky®	12533018
Ironstone®	12533020
Monument®	12533022



### Suitable Surfaces

Pre painted metal surfaces, bare metal surfaces such as mild steel, galvanised and zinc coated steel and aluminium after application of suitable primer



### Coverage

Approximately 2 sqm per can (depending on surface and colour used)




### Drying Time

Touch dry in 15-20 minutes (20°C). Recoat after 1 hr.



### Ideal Application Temperature

Between 10°C and 35°C



COLORBOND® and ® colour names are registered trademarks and ™ colour names are trademarks of Bluescope Steel Limited.



## TREADRITE

### Slip Resistant Coating

1L, 4L & 10L | Qty 1



#### Features & Benefits

- Ideal for interior and exterior untreated timber, concrete, primed metal and brick & clay pavers
- Creates durable slip resistant surfaces
- Resists cracking, peeling and exposure to petrol, oil and mild chemicals
- Easy to apply with uniform coverage
- Industrial applications include stairs, entrances and exit ways
- TreadRite (1L, 4L and 10L) have been tested for compliance with AS 4586:2013, Slip resistance of new pedestrian surface materials (classification P5). **Suitable for use on ramps.**



#### Suitable Surfaces

Untreated timber, concrete, primed metal and brick & clay pavers



#### Coverage

Yellow – approx. 3–6m<sup>2</sup>  
Clear & Black – approx. 5–10m<sup>2</sup>



#### Drying Time

Touch dry 6–8 hours (25°C).  
Recoat 24–36 hours  
(depending on film thickness).  
Walk on in 24–48 hours.

#### TreadRite

	Clear	1L	1	23060100
	Black	1L	1	23060101
	Yellow	1L	1	23060105
	Clear	4L	1	23060400
	Black	4L	1	23060401
	Yellow	4L	1	23060405
	Clear	10L	1	23061000
	Black	10L	1	23061001
	Yellow	10L	1	23061005

WATCH THE VIDEO ON





## SEALANT REMOVER TOOL



Qty 1

### Features & Benefits

- Helps the beginner or expert remove any type of caulk/sealant, even if it has been in place for years
- No chemicals or mess
- Re-usable tool

### Sealant Remover

	Sealant Remover	18201201
--	-----------------	----------

## SEALANT APPLICATOR TOOL



Qty 1

### Features & Benefits

- A handy, re-usable tool that helps to avoid sealant contamination
- Unique design evens out the distribution of sealant/caulking, forcing it into the gap
- A perfect finish – each time
- Easy to clean
- No mess

### Sealant Applicator

	Sealant Applicator	18201202
--	--------------------	----------



# MAINTENANCE



## Aerosol Cleaner & Lubricants

Protech Chain Lubricant	50
Protech Dry Graphite Lubricant	50
Protech Multi-Purpose Lubricant	51
Protech Silicone Lubricant	51
Protech Penetrating Oil	52
Protech Lanolin Lubricant	52
Protech White Lithium Grease	53
Protech Heavy Duty Degreaser	53
Protech Contact Cleaner Flammable	54
Protech Electrical Cleaner	54
Protech Brake & Parts Cleaner	55
Protech Brake & Parts Cleaner Non-Chlorinated	55
Protech Freeze Spray	56
Protech Air Duster	56
Protech Isopropyl Alcohol	57



## Cleaning Solvents

Graffiti Remover	57
------------------	----





# PROTECH<sup>®</sup>

## CLEANERS & LUBRICANTS

### MAINTAIN OPTIMUM PERFORMANCE

Protech's range of industrial grade cleaners and lubricants have been specially formulated for those requiring high performance results. After extensive product research and development, Dy-Mark has produced a range of cleaner and lubricants designed a range of 15 products world class cleaners and lubricants. Protech lubricants are ideal for everyday industrial equipment such as: pulleys, conveyors, rusted bolts, tools and chains; while Protech's cleaner range makes tough jobs easier and is suitable for engines, brake parts, machinery and electrical equipment. Whatever your needs, you can be sure to achieve and maintain optimum performance with Protech.



## PROLOCK<sup>®</sup>

### 2 WAY LOCKABLE ACTUATOR



Normal Spray



Locked



Hard to reach areas



Unlocked



## CHAIN LUBRICANT



300g | Qty 6

### Features & Benefits

- Heavy duty multi-purpose chain lubricant
- Resists high speed fling off while providing exceptional anti-wear and anti-corrosion performance even under the most severe operating conditions
- Can work in extreme temperatures of -10°C to +155°C
- Innovative 2 way actuator with locking tab

Chain Lubricant	42033003
-----------------	----------

## DRY GRAPHITE LUBRICANT



150g | Qty 6

### Features & Benefits

- Multi-purpose dry powder lubricant that provides lubrication to surfaces which require unhindered sliding capability
- Finely ground powder for optimum penetration
- Lock lubricant

Dry Graphite Lubricant	42031502
------------------------	----------



## MULTI-PURPOSE LUBRICANT



400g | Qty 12

### Features & Benefits

- A multi-use product that penetrates, lubricates, protects and displaces moisture
- It has hundreds of uses on the job, around the home, garden or garage
- Innovative 2 way actuator with locking tab
- Uses a 360° valve for upright and inverted applications



Multi-Purpose Lubricant	400g	42034002
-------------------------	------	----------

## SILICONE LUBRICANT



350g | Qty 6

### Features & Benefits

- A high performance multi-purpose silicone spray that protects, waterproofs and lubricates
- Provides a thin, clear protective film which is non-staining and non-corrosive
- For use on metal, plastic, rubber and wood
- Can work in extreme temperatures of -40°C and +260°C
- Innovative 2 way actuator with locking tab

Silicone Lubricant	42033501
--------------------	----------

Silicone Gensil 601 300g	42603501
--------------------------	----------



## PENETRATING OIL



400g | Qty 12

### Features & Benefits

- High speed penetrant and lubricant that quickly penetrates rusted and seized metal parts
- Has a low viscosity that creeps into cracks, seams, threads and joints, loosening and freeing them instantly
- Helps prevent further corrosion
- Innovative 2 way actuator with locking tab
- Uses a 360° valve for upright and inverted applications



Penetrating Oil	42034001
-----------------	----------

## LANOLIN LUBRICANT



400g | Qty 6

### Features & Benefits

- Safe and environmentally friendly product
- Lanolin (wool grease) is a natural substance derived from sheep wool
- Non-toxic, biodegradable, non-evaporative and provides long lasting lubrication and corrosion protection
- Moisture, salt and acid resistant without harming metal, plastics, paints, fibreglass, rubber or neoprene seals

Lanolin Lubricant	42034005
-------------------	----------



# WHITE LITHIUM GREASE



300g | Qty 6

### Features & Benefits

- High performance lithium based grease
- Provides long lasting lubrication for all metal to metal applications
- Excellent water and heat resistance
- Reduces friction whilst protecting against rust and corrosion
- Can work in extreme temperatures of -15°C to +115°C
- Innovative 2 way actuator with locking tab
- Uses a 360° valve for upright and inverted applications



White Lithium Grease	42033001
----------------------	----------

# HEAVY DUTY DEGREASER



400g | Qty 6

### Features & Benefits

- Specifically formulated to provide effective and fast removal of tough grease, oil, dirt and grime
- Delivers a concentrated jet which works immediately on contact and is easy to rinse off with water
- Uses a 360° valve for upright and inverted applications



Heavy Duty Degreaser	42034003
----------------------	----------



## CONTACT CLEANER - FLAMMABLE



350g | Qty 6

### Features & Benefits

- A stable, inert, high purity cleaning solvent
- Dries quickly and leaves no residue
- Non-corrosive, non-staining and contains no lubricants
- Excellent for cleaning oil, dirt, flux residue and condensation from precision electronics and electrical equipment
- Innovative 2 way actuator with locking tab

Contact Cleaner – Flammable	42033502
-----------------------------	----------

## ELECTRICAL CLEANER



400g | Qty 6

### Features & Benefits

- Non-flammable
- No flash or fire point
- Leaves no residue
- Fast drying
- Uses a 360° valve for upright and inverted applications
- For use on electrical equipment as a degreaser/cleaner



Electrical Cleaner	42034006
--------------------	----------



## BRAKE & PARTS CLEANER



500g | Qty 6

### Features & Benefits

- Formulated for the rapid and safe removal of brake fluid, grease, oil and other contaminants from brake linings, pads, drums and other metal parts
- Leaves no residue
- Uses a 360° valve for upright and inverted applications



Brake and Parts Cleaner	42035001
-------------------------	----------

## BRAKE & PARTS CLEANER (NON-CHLORINATED)



350g | Qty 6

### Features & Benefits

- Formulated for the rapid and safe removal of brake fluid, grease, oil and other contaminants from brake linings, pads, drums and other metal parts
- Non-staining, leaves no residue and is non-corrosive. This product does not contain carbon tetrachloride, silicones, CFC113 or methyl chloroform.
- Uses a 360° valve for upright and inverted applications



Brake & Parts Cleaner (Non-Chlorinated)	42035002
---	----------



## FREEZE SPRAY



300g | Qty 6

### Features & Benefits

- An efficient cooling system that instantly freezes surfaces to -50°C
- Powerful blast of propellant instantly chills suspect electrical and electronic components
- Non-flammable, plastic safe, leaves no residue and is non-abrasive
- Is also ideal for removing chewing gum or sweets from fabrics

Freeze Spray	42033004
--------------	----------

## AIR DUSTER



235g | Qty 6

### Features & Benefits

- A dry, multi-purpose cleaner for the safe removal of dust and lint from all delicate precision equipment
- Has a powerful burst of compressed gas which will remove dirt without any abrasion risk
- Non-corrosive and leaves no residue or condensation
- Ideal for off-site servicing when compressed air is not available

Air Duster	42032301
------------	----------





## ISOPROPYL ALCOHOL



275g | Qty 6

### Features & Benefits

- High purity cleaning solvent
- Dries quickly and leaves no residue
- Non-corrosive, non-conducting and contains no lubricants
- Excellent for cleaning oil, dirt, dust, fingerprints, flux and polar soils from precision electronics and electrical equipment

Isopropyl Alcohol

42032701

## GRAFFITI REMOVER



400ml | Qty 10

### Features & Benefits

- Biodegradable citrus-based formula
- Removes most aerosol paints and felt pen graffiti
- Will not cause damage to the original surface
- Also effective in the removal of adhesives and chewing gum

### Graffiti Remover

Graffiti Remover Pump Spray

33034000



# INDUSTRIAL PACKAGING



## Tape

Masking Tape	59
Silver PVC Sealing & Joining Tape	59
PP31 Vibac Packing Tape	59
Tape Dispenser	59



## Strapping

Polypropylene Hand Strapping	60
Heavy Duty Polypropylene Strapping	60
Polypropylene Strapping Tools	61
Polypropylene Strapping Accessories	61
Steel Strapping	62
Steel Strapping Accessories	62
Steel Strapping Tools	62



## Wrapping

Hand Stretchwrap & Accessories	63
Bundling Film & Accessories	63





Tape

# TAPE



## Masking Tape

### Features & Benefits

- Hand tearable crepe paper suitable for masking or packaging

#### Masking Tape

			Qty	
18mmx50m	Roll	48	47311807	
24mmx50m	Roll	36	47312407	
48mmx50m	Roll	24	47314807	



## Silver PVC Sealing & Joining Tape

### Features & Benefits

- Ideal for joining builders' film
- Also suitable for sealing and joining heavy gauge polythene sheets

#### Silver PVC Sealing & Joining Tape

			Qty	
48x30mx130um	Roll	60	47614810	
48x30mx160um	Roll	60	47600110	



## PP31 Vibac Packing Tape

### Features & Benefits

- Quality tape with natural rubber solvent-based adhesive ideal for despatch or general packaging use
- High breaking strain (30 micron gauge)

#### PP31 Vibac Packaging Tape

			Qty	
48mmx75m Clear	Roll	36	47054800	
48mmx75m Brown	Roll	36	47054807	



## Tape Dispenser

### Features & Benefits

- Pistol grip tape dispensers suitable for tapes with thickness up to 50mm

#### Tape Dispenser

Tape Dispenser Pistol Grip	47800100
----------------------------	----------



# POLYPROPYLENE HAND STRAPPING



## Features & Benefits

- Available in a variety of breaking strains and widths
- Flexible and easy to use, supplied in a convenient dispenser box

## Polypropylene Hand Strapping

	12mmx1000m Blue	35011203
	15mmx1000m Blue	35011503


# HEAVY DUTY POLYPROPYLENE STRAPPING



## Features & Benefits

- 320kg breaking strain
- Flexible and easy to use, supplied in a convenient dispenser box
- Use with Polypropylene Strapping Tools & Accessories

## Heavy Duty Polypropylene Strapping

	19mmx1000m Black	35021901
---	------------------	----------



# POLYPROPYLENE STRAPPING TOOLS



Poly Tensioner CFH



Poly Crimper

## Dispensers, Crimpers & Tensioners


### Features & Benefits

- Dispenser – ideal for quick and easy roll changes, portable unit with storage area for tensioners & crimpers
- Crimpers – designed to crimp metal, snap-on seals
- Tensioners – adjustable width cutting and tensioning tool that will work in any position

### Polypropylene Strapping Tools

Poly Crimper 19mm Heavy Duty	35300201
Poly Tensioner CFH 19mm Heavy Duty	35300400

# POLYPROPYLENE STRAPPING ACCESSORIES



Metal Seals Open



Metal Buckles



Plastic Buckles

Qty 1000

### Features & Benefits

- Metal Seals Open – designed for use with poly strapping and manual sealing tools
- Plastic Buckles – quick and easy to use with hand tensioned poly strapping
- Metal Buckles – available in 3 widths for extra strength in strapping applications

### Metal Strapping Seals for Polypropylene Accessories

Metal Seals Open 19mm Heavy Duty	35210119
Metal Seals 19mm Bright for Steel Strapping	35213436B

### Plastic Strapping Buckles for Polypropylene Accessories

Plastic Buckles 12mm	35021200
Plastic Buckles 15mm	35021500
Metal Buckles 19mm Heavy Duty	35200119

# STEEL STRAPPING



## Features & Benefits

- High tensile steel strapping supplied in longer rolls
- Safe to use – rounded edges, easy to handle when used with the steel strap dispenser

## Steel Strapping

Steel Strap 12x200m 0.5mm	35250112
Steel Strap 15x208m 0.5mm	35250115
Steel Strap 19x210m 0.5mm	35250119
Steel Strap 19x378m 0.8mm HT	35250419

## Zinc Steel Strapping

Zinc Steel Strap 19x210m 0.5mm	35240119
--------------------------------	----------

# STEEL STRAPPING ACCESSORIES

Qty 1000

## Features & Benefits

- Snap-On Seals - easy to apply, suitable for use with the steel strap crimper and available in 3 sizes
- Metal Seals - designed for use with steel strapping



## Snap-On Seals for Steel Strapping (Accessories)

Snap-On Seals 12mm	35SO12
Snap-On Seals 15mm	35SO15
Snap-On Seals 19mm	35SO19

# STEEL STRAPPING TOOLS



Steel Strapping Dispenser



Steel Strapping Cutter



Steel Strapping Crimper



Steel Strapping Tensioner

## Features & Benefits

- Quality tools designed for use with Dy-Mark's Steel Strapping
- Heavy duty construction for long lasting use
- Easy to use

## Steel Strapping Tools

Steel Strapping Dispenser W.Wheels	3518CR2S
Steel Strapping Crimper 12mm LD	3518C312
Steel Strapping Crimper 15mm LD	3518C315
Steel Strapping Crimper 19mm LD	3518C319
Steel Strapping Crimper 19mm HD	3518SH19
Steel Strapping Cutter 12-19mm	3518CU30
Steel Strapping Tensioner 12-19mm HD	3518FH90
Steel Strapping Tensioner 12-19mm	3518S290

## Steel Strapping Specifications

Description	Breaking Load
Steel Strapping – Regular	530kg
Steel Strapping – Regular	654kg
Steel Strapping – Regular	775kg
Steel Strapping – High Tensile	1551kg
Steel Strapping – High Tensile	2588kg
Steel Strapping – Zinc Coated	824kg



# HAND STRETCHWRAP & ACCESSORIES



## Blown Film

### Features & Benefits

- Black stretch wrap is ideal for concealing the contents of a pallet (detering theft during storage and transport)
- Durable polyethylene stretch film, excellent puncture resistance and useful in stabilising sharp or bulky objects

### Hand (Blown Film) Stretchwrap

			Qty	
	500x450mx20um Clear	Roll	4	36052000
	500x400mx23um Clear	Roll	4	36062300
	500x400mx25um Black	Roll	4	36062501

### Hand (Blown Film) (Accessories)

	Stretchwrap Handle			360HDPW
--	--------------------	--	--	---------

# BUNDLING FILM & ACCESSORIES



### Features & Benefits

- Special stretchwrap film that sticks only to itself and not to the goods being wrapped
- Dispenser is a miniature hand-held system for quick and easy wrapping of small or irregular shaped items

### Bundling Film

			Qty	
	100mmx300m Clear	Roll	20	36200000

### Bundling Film Dispenser (Accessories)

	Dispenser			36200001
--	-----------	--	--	----------

# PERSONAL INSECT REPELLENT

## Personal Protection Range

RID® Tropical Strength + Antiseptic	66
RID® Ultimate + Antiseptic + Chamomile + Vitamin E	66
RID® Kids + Antiseptic	67
RID® Sunscreen Combo SPF50+	67

## Outdoor Protection

RID® Outdoor Mosquito Coils	67
-----------------------------	----

## Insect Killers - Home Protection

Terminator Crawling Insect Killer	68
-----------------------------------	----







Remember the RID®  
you'll be glad you did.



Since the mid 1950's, RID® has been protecting Australians from mosquitos, flies and other insects by using a superior formula of the highest quality DEET with healing medicinal ingredients containing antiseptic to prevent inflammation.



## RID® TROPICAL STRENGTH + ANTISEPTIC



60ml Roll-on | Qty 8      150g Aerosol | Qty 8  
 100ml Roll-on | Qty 8      300g Aerosol | Qty 8  
 100ml Pump | Qty 8

### Features & Benefits

- Contains 19.1% DEET to safely and effectively repel for up to 8 hours
- The only repellent formulated with antiseptic to reduce inflammation and assist in preventing infection caused by insect bites
- Designed to be applied as a FIRST AID as a BEFORE and AFTER bite medication
- Repels more insects than any other repellent
- Qualified to effectively repel flies, gnats, tsetse flies, lice, leeches and biting midge

RID® Tropical Strength Roll-on	60ml	33418060
RID® Tropical Strength Roll-on	100ml	33418100
RID® Tropical Strength Pump	100ml	33438100
RID® Tropical Strength Aerosol	150g	33428150



## RID® ULTIMATE + ANTISEPTIC + CHAMOMILE + VITAMIN E



50ml Roll-on | Qty 8      150g Aerosol | Qty 8  
 100ml Pump | Qty 8      500ml Lotion | Qty 6

### Features & Benefits

- 16% DEET effectively repels for up to 6 hours.
- Designed to be a BEFORE and AFTER bite medication with antiseptic to reduce inflammation and assist to prevent infection caused by insect bites
- Chamomile helps soothe the bite to stop the itching
- Vitamin E assist wound healing of broken skin
- Combined with a fly repellent effective against flies, gnats, tsetse flies, ants and lice
- Neutral scent from Chamomile

RID® Ultimate Roll-on	50ml	33218050
RID® Ultimate Pump Lotion	100ml	33218100
RID® Ultimate Pump Lotion	500ml	33210500





## RID® KIDS + ANTISEPTIC



50ml Roll-on | Qty 8

100ml Pump | Qty 8

### Features & Benefits

- A lower concentration of DEET with just 7% effectively repels for 6 hours
- Alcohol free with a mild fragrance
- Ideal for children over 12 months and people with sensitive skin
- Antiseptic reduces inflammation and assists to prevent infection caused by insect bites
- Designed to be applied as a FIRST AID as a BEFORE and AFTER bite medication

RID® Kids Roll-on	50ml	33318050
RID® Kids Pump	100ml	33338100



## RID® SUNSCREEN COMBO SPF50+



100ml | Qty 6

### Features & Benefits

- 100ml tube lotion with flip top seal lid
- UVA/UVB broad spectrum SPF50+
- Water resistant up to 4 hours
- Repels up to 2 hours
- Light, non-greasy and moisturising
- Squeeze tube for easy application

RID® Sunscreen Combo SPF50+ Lotion	33510100
------------------------------------	----------

## RID® OUTDOOR MOSQUITO COILS



10Pk & 20Pk | Qty 12

### Features & Benefits

- Available in 10 Pack with tray and stand
- Available in 20 coil value packs with bronze metal diffuser for burning
- For use in outdoor areas to combat annoying mosquitoes
- Unique bronze coloured containers for home décor appeal contains falling ash, easy to set-up stand, securely and safely holds your coil for burning
- Ideal for backyards, patios, decks and camp sites

RID® Mosquito Coils	10 Pack	33700010
RID® Mosquito Coils	20 Pack	33700020

# Terminator

## GET RID OF PESTS AND TAKE CONTROL.

As Aussies, we personally know the need for keeping our 'castle' free from unwelcome intruders who can bring nasty germs and bacteria into your home.

We use qualified combined formulations which enhance the effectiveness of our products for proven performance that are designed to specifically target the pests in an around your home. Our processes to formulate are meticulously measure to ensure we provide you with safe and effective solutions for everyday use around you and your home.

Terminator is a high-quality performance brand that offers products that deliver results to keep those unwelcome intruders out of your home.

## 100% AUSTRALIAN OWNED AND MADE.

## TERMINATOR CRAWLING INSECT KILLER



350g | Qty 8

### Features & Benefits

- High performance dual action surface spray
- Kills fast and protects for up to 6 months

Terminator Crawling Insect Killer

33821350



Spiders



Clothes Moths



Silverfish



Ants



Cockroaches



Carpet Beetles



Fleas



Bed Bugs



## Head Offices

**Head Office & National Distribution Centre** | 30 Bernoulli Street, Darra QLD 4076

## Warehouses

**Victoria** | 17A Westside Drive, Laverton North VIC 3026

**Western Australia** | 1/13 Mallaig Way, Canning Vale WA 6155

**Northern Territory** | 2 Damaso Place, Woolner NT 0820

## National Sales & Enquiries

**Phone** | 1300 396 275

**Fax** | 1300 360 440

**Email** | [sales@dymark.com.au](mailto:sales@dymark.com.au)

## International Sales & Enquiries

**Phone** | +61 7 3327 3000

**Fax** | +61 7 3327 3009

**Email** | [globalsales@dymarkglobal.com](mailto:globalsales@dymarkglobal.com)



[www.dymark.com.au](http://www.dymark.com.au)

