

Catalogue No: **SRCB2030WA**

RCBO SAFE-T 1P 20A 30mA WITH EATON/QUICKLAG ADAPTOR

Power Distribution and Protection > Circuit Breakers > Miniature Circuit Breakers and Earth Leakage Protection (RCDs and RCBOs) > Safe-T Residual Current Device > Safe-T Single Pole Width RCBO (SRCB) > 30mA SRCB Pre-Fitted with Adaptor



Representative Photo Only
(actual product may vary based on configuration selections)

RCBO SAFE-T 1P 20A 30mA with Eaton/Quicklag Adaptor

- Approval No. NSW15251 or RCM
- Current ratings 10A, 16A and 20A
- 10mA and 30mA sensitivities
- Available with different adaptors to suit NHP (CT), Heinemann and Eaton (Quicklag) busbar chassis
- Perfect for retro fit or new installations - 1P width

SPECIFICATIONS

Product Series	SAFE-T
Component Type Power Distribution & Protection	RCBO
RCD Type, AS/NZS 61008/61009	AC
I Δ n, Earth Leakage Trip Sensitivity	30 mA
Neutral Pole Protected	No
Number of Poles versus Modules	1
Poles	1P
Approval(s)	N15251
Approval(s), Mining	MDA Ex. 11576 QMD 997458XU
Standards Compliance	AS/NZS 3111 AS/NZS 3190
Shock Rating	IEC 60077-16-3
Busbar System, Top	Fork
Busbar System, Bottom	Fork
Trip-Free Mechanism	Yes
Mounting	Clip Tray
Padlockable	Yes, Captive only (Ordered Separately)
Sealable	No
Centre Trip Position	Yes
Neutral Pole Switched	No
Operating Temperature, Min	-25 °C min
Operating Temperature, Max	55 °C max
Storage Temperature, Min	-25 °C min
Storage Temperature, Max	55 °C max
Relative Humidity, Max	95 %RH
Vibration Rating	IEC 60068-2-6

Catalogue No: **SRCB2030WA**

RCBO SAFE-T 1P 20A 30mA WITH EATON/QUICKLAG ADAPTOR

Power Distribution and Protection > Circuit Breakers > Miniature Circuit Breakers and Earth Leakage Protection (RCDs and RCBOs) > Safe-T Residual Current Device > Safe-T Single Pole Width RCBO (SRCB) > 30mA SRCB Pre-Fitted with Adaptor



REFERENCES

IECEX Certificate -


Supplier Declaration of Conformity: -

Installation Guide: -

User Manual: -

Manufacturer Datasheet: -

Manufacturer Catalogue & Product Selection: -




Dimension Diagram

Catalogue No: **SRCB2030WA**

RCBO SAFE-T 1P 20A 30mA WITH EATON/QUICKLAG ADAPTOR

Power Distribution and Protection > Circuit Breakers > Miniature Circuit Breakers and Earth Leakage Protection (RCDs and RCBOs) > Safe-T Residual Current Device > Safe-T Single Pole Width RCBO (SRCB) > 30mA SRCB Pre-Fitted with Adaptor



Connection / Wiring Diagram