

Pierlux Security Light

The Pierlux Security Light provides versatility through the choice of colour select 3000K/4000K/5700K colour select, removable/replaceable and adjustable sensor. The security light is suitable for commercial and residential applications needing light to protect your property, equipment, vehicles or just providing a safe area to walk around while taking your wheelie bins out.



- Available in single 12W and twin 24W head in black or white
- Colour select 3000K/4000K/5700K colour temperatures
- Removeable / replaceable PIR sensor with adjustable sensitivity, ambient lux level and time

COLOUR SELECT



80

CRI



IP54

Ingress Protection Rating



IK06

Impact Rating



6SDCM

MacAdam Steps



0 to 40

Operating Temperature



54,000hrs (L70/B50)

Lifetime



5 Years







Warranty



No

Turtle Friendly

CODE	SYSTEM POWER	EXIT LUMEN	EFFICACY	CCT	DIMENSIONS	LUMINAIRE COLOUR	WEIGHT	INRUSH CURRENT
PSL12BCSPS	12W	953lm	79lm/W	4000K	L252 x W114 x H147 mm	Black	0.55kg	0.65A
		779lm	65lm/W	3000K				
		914lm	76lm/W	5700K				
PSL12WCSPS	12W	953lm	79lm/W	4000K	L252 x W114 x H147 mm	White	0.55kg	0.65A
		779lm	65lm/W	3000K				
		914lm	76lm/W	5700K				
PSL24BCSPT	24W	1847lm	77lm/W	4000K	L210 x W210 x H152 mm	Black	0.80kg	1A
		1486lm	62lm/W	3000K				
		1781lm	74lm/W	5700K				
PSL24WCSPSPT	24W	1847lm	77lm/W	4000K	L210 x W210 x H152 mm	White	0.80kg	1A
		1486lm	62lm/W	3000K				
		1781lm	74lm/W	5700K				



Product Images



PSL12BCSPS



PSL12WCSPS



PSL12BCSPS



PSL12BCSPS



PSL12WCSPS



PSL24BCSPT



PSL24WCSPT



PSL24WCSPT



PSL12BCSPS