

# Product datasheet

Specifications



## EVlink Wallbox - 3.7 kW - T2 socket outlet with shutter - charging station

EVH2S3P04K

! To be discontinued

! To be discontinued on: 30 Dec 2023

! To be end-of-service on: 31 Dec 2025

### Main

Range	EVlink
Product Name	EVlink Wallbox
Product Or Component Type	Charging station
Device Short Name	EVH2
Poles Description	1P + N
Mounting Mode	Wall-mounted
Offer Type	Standard
Max Power	3.7 kW 16 A
Number Of Charge Point	1
Connection To The Vehicle	Socket-outlet T2 with shutter
Access Control System	Key

### Complementary

Rated Supply Voltage	220...240 V AC 50/60 Hz
Earthing System	TT TN
Number Of Inputs	1
Input Type	Contact for power limitation Contact for delayed charging
Control Type	1 white button, function: stop/restart 1 green button, function: cable unlocking
Local Signalling	1 multi-colour LED, function: status indication
Height	480 mm
Width	331.5 mm
Depth	170 mm
Net Weight	5.6 kg
Colour	White (RAL 9003) Grey (RAL 7016)
Standards	IEC 61851-1 IEC 62196-2 IEC 61851-22 IEC 62196-1

---

Product Certifications	CE CB
------------------------	----------

## Environment

---

Ip Degree Of Protection	IP54 conforming to IEC 60529
-------------------------	------------------------------

---

Ik Degree Of Protection	IK10 conforming to IEC 62262
-------------------------	------------------------------

---

Ambient Air Temperature For Operation	-30...50 °C
---------------------------------------	-------------

---

Ambient Air Temperature For Storage	-40...80 °C
-------------------------------------	-------------

---

Relative Humidity	5...95 %
-------------------	----------

## Packing Units

---

Unit Type Of Package 1	PCE
------------------------	-----

---

Number Of Units In Package 1	1
------------------------------	---

---

Package 1 Height	26.000 cm
------------------	-----------

---

Package 1 Width	53.200 cm
-----------------	-----------

---

Package 1 Length	40.000 cm
------------------	-----------

---

Package 1 Weight	7.789 kg
------------------	----------

---

Unit Type Of Package 2	P06
------------------------	-----

---

Number Of Units In Package 2	4
------------------------------	---

---

Package 2 Height	50.000 cm
------------------	-----------

---

Package 2 Width	60.000 cm
-----------------	-----------

---

Package 2 Length	80.000 cm
------------------	-----------

---

Package 2 Weight	40.980 kg
------------------	-----------

## Sustainability

**Green Premium™ label** is Schneider Electric's commitment to delivering products with best-in-class environmental performance. Green Premium promises compliance with the latest regulations, transparency on environmental impacts, as well as circular and low-CO<sub>2</sub> products.

**Guide to assessing product sustainability** is a white paper that clarifies global eco-label standards and how to interpret environmental declarations.

[Learn more about Green Premium >](#)

[Guide to assess a product's sustainability >](#)



Transparency RoHS/REACH

## Well-being performance

Mercury Free

Rohs Exemption Information Yes

## Certifications & Standards

Reach Regulation [REACH Declaration](#)

Eu Rohs Directive Compliant with Exemptions

China Rohs Regulation [China RoHS declaration](#)  
Product out of China RoHS scope. Substance declaration for your information

Environmental Disclosure [Product Environmental Profile](#)

Circularity Profile [End of Life Information](#)