

## Product data sheet

### Characteristics

# NSYTRAAB35

## END BRACKET, SNAP-ON FOR 35MM DIN RAILS, 5,2MM WIDTH, MARKABLE



### Main

|                                    |   |
|------------------------------------|---|
| Range                              | Linergy   |
| Product name                       | TR  |
| Product or component type          | End stop  |
| Device short name                  | TRA   |
| Accessory / separate part category | Mounting accessory  |
| Product compatibility              | TRV screw terminal terminal block<br>TRP push-in terminal block<br>TRR spring terminal terminal block<br>TRH IDC terminal block |
| Length                             | 48.5 mm   |
| Thickness                          | 5.15 mm   |

### Complementary

|                  |           |
|------------------|-----------|
| Mounting mode    | Clip-on   |
| Quantity per set | Set of 50 |
| Net weight       | 4.9 g     |
| Colour           | Grey      |

### Packing Units

|                              |           |
|------------------------------|-----------|
| Unit Type of Package 1       | PCE       |
| Number of Units in Package 1 | 1         |
| Package 1 Weight             | 4 g       |
| Package 1 Height             | 0.5 cm    |
| Package 1 width              | 3.5 cm    |
| Package 1 Length             | 5 cm      |
| Unit Type of Package 2       | BB1       |
| Number of Units in Package 2 | 50        |
| Package 2 Weight             | 242 g     |
| Package 2 Height             | 3 cm      |
| Package 2 width              | 17 cm     |
| Package 2 Length             | 24 cm     |
| Unit Type of Package 3       | S04       |
| Number of Units in Package 3 | 2150      |
| Package 3 Weight             | 11.196 kg |
| Package 3 Height             | 30 cm     |
| Package 3 width              | 40 cm     |
| Package 3 Length             | 60 cm     |

The information provided in this documentation contains general descriptions and/or technical characteristics of the performance of the products contained herein. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications. It is the duty of any such user or integrator to perform the appropriate and complete risk analysis, evaluation and testing of the products with respect to the relevant specific application or use thereof. Neither Schneider Electric Industries SAS nor any of its affiliates or subsidiaries shall be responsible or liable for misuse of the information contained herein.

## Offer Sustainability

|                             |  |
|-----------------------------|--|
| Sustainable offer status    | Green Premium product  |
| REACH Regulation            | <a href="#">REACH Declaration</a>  |
| REACH free of SVHC          | Yes  |
| EU RoHS Directive           | Pro-active compliance (Product out of EU RoHS legal scope) <a href="#">EU RoHS Declaration</a> |
| Toxic heavy metal free      | Yes  |
| Mercury free                | Yes  |
| RoHS exemption information  | <a href="#">Yes</a>  |
| China RoHS Regulation       | <a href="#">China RoHS Declaration</a>   |
| Environmental Disclosure    | <a href="#">Product Environmental Profile</a>  |
| Halogen content performance | Halogen free plastic parts product   |

## Contractual warranty

|          |           |
|----------|-----------|
| Warranty | 18 months |
|----------|-----------|