



## FLEXI STREAMLINE 24V SINGLE COLOUR CRI90 5M KIT, FLBP24V5M-6W/M

Versatile IP20, CRI90, LED single colour white, 5 metre strip kit

### Application

Versatile IP20 LED white colour COB strip kit ideal for residential features

### Design Specifications

- 5 metre strip kit includes COB strip with 3M self-adhesive tape, plug and play driver
- Choice of 3000 / 4000 / 6000K, CRI>90, beam distribution 140 degree.
- Streamline COB LED chip technology, providing a smooth lighting profile
- Non-dimmable driver as standard, optional dimmable driver to order.
- Heat sink required for system performance, [LED channel options refer this section](#)
- Cutable every 50mm NOTE: when cutting LED strips, it is always important to calculate the remaining LED load to reconfirm its compatibility with the existing driver, as driver changes may be required with moderate reduction in loads



### Performance

- Dimmable - **OPTIONAL**

### Technical Specification

Product	Model No.	Input Voltage (V/AC)	Watts per metre (W/m)	Beam Angle (°)	Body Colour	CRI
	FLBP24V5M/WW	240	6	140	CLEAR	90
	FLBP24V5M/CW	240	6	140	CLEAR	90
	FLBP24V5M/DL	240	6	140	CLEAR	90



Luminous Flux Per Meter (lm/m)	LEDs Per Metre	Dim (mm)	Colour Temp. (K)
400	320	5000(L) x 8(W) x 2(H)	3000
450	320	5000(L) x 8(W) x 2(H)	4000
550	320	5000(L) x 8(W) x 2(H)	6000

Due to continued product and technology enhancements, data sourced from sal.net.au shall not form part of any contract and or technical performance guarantee unless expressly confirmed in writing by SAL at the time of order. Products are sold in accordance with [SAL Terms and Conditions of sale](#) and all images shown are for illustration purposes only and may vary from the actual colour or finish. Unless specifically stated, all IP ratings nominated for Interior products are from "below the ceiling".

# TO TURN YOUR HOME INTO A **PIXIE SMART HOME**, SELECT A **PIXIE CERTIFIED INSTALLER**.



**SIMPLE!**

For more  
information  
please  
scan me

