



BONDI SE7122TC

IP65 LED architectural GU10 (UP/DOWN) wall luminaire, with selectable CCT GU10 lamps included

Application

A decorative residential exterior or interior solution

Design Specifications

- Machined 316L stainless steel or cast aluminium body, powder coated finish (black, silver)
- 240V termination
- Clear tempered glass cover
- GU10 lamp base with GU10L350TC selectable CCT lamps included
- SAL lamp options: GU10L550TC, GU10LR750 (excluding stainless steel fitting), GU10LA750 (excluding stainless steel fitting). See Lamp section for detail

Performance

- Dimmable - **NO**



-
-
-
-
- WARM WHITE 3000K**
- COOL WHITE 4000K**
- DAYLIGHT 6000K**
-
-

Technical Specification

Product	Model No.	Input Voltage (V/AC)	Power (W)	Lumens (lm)	CCT (K)	CRI
	SE7122TC/SLS	240	8	360/400/380	3000/4000/6000	80
	SE7122TC/BK	240	8	360/400/380	3000/4000/6000	80
	SE7122TC/SL	240	8	360/400/380	3000/4000/6000	80

Beam Angle (°)	Diameter (mm)	Dim (mm)	Body Colour	IPART
50	63	96(W) x 220(H)	STAINLESS STEEL	N/A
50	63	96(W) x 220(H)	BLACK	
50	63	96(W) x 220(H)	SILVER	


Note: optical performance shown (lumens lm) is for a single lamp.

Due to continued product and technology enhancements, data sourced from sal.net.au shall not form part of any contract and or technical performance guarantee unless expressly confirmed in writing by SAL at the time of order. Products are sold in accordance with [SAL Terms and Conditions of sale](#) and all images shown are for illustration purposes only and may vary from the actual colour or finish. Unless specifically stated, all IP ratings nominated for Interior products are from "below the ceiling".



Dimensions

SE7122 GU10





Why is the IP rating important? In brief, IP (Ingress Protection) ratings are defined in EN 60529 and simply defines the ability of an electrical product to seal and protect against the intrusion of foreign objects and water.

(I) As the first numeral stands for intrusion of a foreign object, where (P) as the second numeral stands for the penetration of moisture.

As a guide IP20 rated products would be seen in interior spaces with no requirement for protection against the elements, where an IP65 product would be found in an exterior application which required substantial protection against the elements.

Need more information on IP ratings? Check out the SAL web FAQ's or speak to your local SAL team member.

**For more
information
please
scan me**

