



SUSPENSION DROPS


Multi-function LED panel, weatherproof and linear extrusion suspension drops

Application

Panel, weatherproof and linear extrusion accessories for retail, residential and commercial applications

Design Specifications

- M10 size ceiling attachment
- 1.2 mm stainless steel wire, maximum load per drop is 15kg
- M10 size griplock system
- **NOTE:** SSI1512 and SSY1512 codes represent one (1) wire drop only.
Four (4) x SSI1512 drops are required for each panel
Two (2) x SSY1512 drops are required for each panel
- **NOTE:** S97X4SP4 (1) one pack of (4) four brackets is required
- **NOTE:** suspension brackets and suspension drops MUST be ordered separately





Technical Specification

Product	Model No.	Dim (mm)	Body Colour
	S97X4SP4		SUSPENSION BRACKET PACK OF 4
	SSI1512	1800(L)	"I" SUSPENSION DROP STAINLESS STEEL
	SSY1512	1800(L)	"Y" SUSPENSION DROP STAINLESS STEEL
	S97X4KIT	1800(L)	"Y" SUSPENSION DROP INCLUDES 4 X BRACKETS AND 2 X Y-DROPS

Due to continued product and technology enhancements, data sourced from sal.net.au shall not form part of any contract and or technical performance guarantee unless expressly confirmed in writing by SAL at the time of order. Products are sold in accordance with SAL Terms and Conditions of sale and all images shown are for illustration purposes only and may vary from the actual colour or finish. Unless specifically stated, all IP ratings nominated for Interior products are from "below the ceiling".

Dimensions





In the interest of safety and product performance, all electrical accessory components are covered by mandatory Australian and International Safety Standards. Always look out for the RCM logo on the product and if in doubt, check the compliance via your local Electrical regulator.

