

All Technical data gathered strictly in accordance with international standards ISO 5801

**PRO-V**  
REGISTERED TRADEMARK OF ventair.

# **ALL NEW** **AIRBUS** **TOTAL EXHAUST SOLUTION**

**INTRODUCING THE ALL NEW AIRBUS MODULAR  
INTERCHANGEABLE EXHAUST SYSTEM**

**3** LEVELS OF AIR  
EXTRACTION

**24**  
INTERCHANGEABLE  
DESIGNER FASCIAS



# THREE LEVELS OF AIR EXTRACTION

## Exhaust Bodies



**PVPX200** Moderate Airflow AIRBUS Exhaust Fan unit

**PVPX225** High Airflow AIRBUS Exhaust Fan unit

**PVPX250** Ultra-high Airflow AIRBUS Exhaust Fan unit



## Fascias to suit PVPX200

ABG200WH-RD	White Round Fascia
ABG200SS-RD	Silver Round Fascia
ABG200BL-RD	Black Round Fascia
ABG200WH-SQ	White Square Fascia
ABG200SS-SQ	Silver Square Fascia
ABG200BL-SQ	Black Square Fascia
ABGLED200WH-RD	White Round Fascia with LED Light
ABGLED200SS-RD	Silver Round Fascia with LED Light
ABGLED200BL-RD	Black Round Fascia with LED Light
ABGLED200WH-SQ	White Square Fascia with LED Light
ABGLED200SS-SQ	Silver Square Fascia with LED Light
ABGLED200BL-SQ	Black Square Fascia with LED Light

## Fascias to suit PVPX225 & PVPX250

ABG250WH-RD	White Round Fascia
ABG250SS-RD	Silver Round Fascia
ABG250BL-RD	Black Round Fascia
ABG250WH-SQ	White Square Fascia
ABG250SS-SQ	Silver Square Fascia
ABG250BL-SQ	Black Square Fascia
ABGLED250WH-RD	White Round Fascia with LED Light
ABGLED250SS-RD	Silver Round Fascia with LED Light
ABGLED250BL-RD	Black Round Fascia with LED Light
ABGLED250WH-SQ	White Square Fascia with LED Light
ABGLED250SS-SQ	Silver Square Fascia with LED Light
ABGLED250BL-SQ	Black Square Fascia with LED Light

## Ducting and Accessories

CELT7MINTIMER	7 Minute Run-on Timer
VTR0TIMER	1-25 Minute Run-on Timer
VTMSENSOR	Motion Sensor with Run-on Timer
VAD100	100mm dia x 3000mm Alum. Ducting
VAD150	150mm dia x 6000mm Alum. Ducting
V100FG	100mm Air outlet grille
V150FG	150mm Air outlet grille

V150PALG	Premium 150/100mm Aluminium vent
V100GS	100mm Air outlet grille with gravity shutters
V150GS	150mm Air outlet grille with gravity shutters
V150SHEG	150mm Silver Hooded Outlet Grille
V150Y	150mm Y Ducting adapter
VDA100-150	100mm to 150mm ducting adaptor

## LED Fascia Technical Data

Model	Wattage	Lumens	Colour Temperature	Min Install Depth	IP Rating	Grille
ABGLED200	10w	642Lm	4200K NW	200mm	IPX44	272mm Rd
ABGLED250	14w	891Lm	4200K NW	200mm	IPX44	328mm Rd

## Airbus Technical Data

Model	Name	Air Delivery	Grille	Min Install Depth	Cutout Size	Noise Level	Outlet Size	Motor Power	B/Bearing Motor	IP Rating
PVPX200	Airbus 200	152m <sup>3</sup> /h	272mm Rd	200mm	240mm	38db(A)	100mm	30W	Yes	IPX4
PVPX225	Airbus 225	240m <sup>3</sup> /h	328mm Rd	200mm	296mm	40db(A)	150mm	38W	Yes	IPX4
PVPX250	Airbus 250	360m <sup>3</sup> /h	328mm Rd	200mm	296mm	42db(A)	150mm	50W	Yes	IPX4

# PRO-V

REGISTERED TRADEMARK OF **VENTAIR PTY LTD**

22 Silkwood Rise Carrum Downs Vic 3201  
 Phone: +61 3 9775 0556 Fax: +61 3 9775 0775  
[www.ventair.com.au](http://www.ventair.com.au) - [sales@ventair.com.au](mailto:sales@ventair.com.au)

All Technical data gathered strictly in accordance with international standards ISO 5801

# ALL NEW AIRBUS

## Performance meets Ultra Modern Designs.


- 3 Performance Levels to suit every need
- 24 Ultra Modern Designer Fascia combinations
- Quality LED Panel Light Options
- High Quality Japanese Ball Bearing motors
- Rated to > 80,000hrs runtime
- Rated to > 30,000 start cycles

### HOW MUCH AIR MOVEMENT DO I NEED?

**1: Calculate the room volume:**

**Length x Width x Height**

E.g. A Bathroom that is 4m by 3m and 2.5m high = 30m<sup>3</sup>




**2: Calculate required air movement:**

**Room Volume x Recommended Air Changes**


eg. 30m<sup>3</sup> Bathroom with 8 changes an hour = 240m<sup>3</sup>/h

RESIDENTIAL PREMISES	ROOM TYPE	RECOM. AIR CHANGES
	Kitchen	6-8
	Bathroom	10-12
	Large Bathroom	8-10
	Toilet/Powder Room	8-10
	Laundry	7
	Living Areas	1.5
	Garage	2

### Pressure Changes with Ducting



### Motor Dimensions



	A	B	C
PVPX200	167mm	240mm	98mm
PVPX225	175mm	296mm	145mm
PVPX250	197mm	296mm	145mm

### Three Levels of Air Extraction



**PVPX200** 152m<sup>3</sup>/h

**PVPX225** 240m<sup>3</sup>/h

**PVPX250** 360m<sup>3</sup>/h



**Selecting the right exhaust fan is easier than ever with the new Airbus Modular System.**

## **STEP 1. SELECT YOUR EXHAUST**

**PVPX200**



Suits Duct runs from **0-3m**

**MODERATE**

LEVEL AIR EXTRACTION

IDEAL FOR

- Laundries
- Toilets & Powder rooms

**PVPX225**



Suits Duct runs from **0-6m**

**HIGH LEVEL**

AIR EXTRACTION

IDEAL FOR

- Laundries
- Bathrooms

**PVPX250**



Suits Duct runs from **0-10m**

**ULTRA-HIGH**

LEVEL AIR EXTRACTION

IDEAL FOR

- High Airflow requirements
- High steam areas

## **STEP 2. SELECT YOUR FASCIA STYLE**


**Round**



**Square**



**Round with LED**



**Square with LED**

